Author Index to Volume 20

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 20, 1982. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number.

Abe, S. See Imai, Y., 683C
Abe, Y.
—; Misono, T.: Preparation of Polysiloxanes from Silicic Acid. II. Esterification of Silicic Acid with Various Alcohols and Isolation of Esterification Products by Silylation, 205L
Abraham, T.
Thermally Induced Intramolecular Cycloaddition Reaction of *N*-Phenyl-2-Phenylethynlbenzamide Potential Cure Reaction for Thermosetting Polymers (Communication), 1953C
Abrahman, M. Z. See Clark, D. T., 691C, 1717C, 1729C
Achar, B. N.
—; Fohlen, G. M.; Parker, J. A.: Phthalocyanine Polymers. III. Poly(nickel Phthalocyanine)benzimidazole as a Novel High-Temperature-Resistant Polymer, 2073C
—; Fohlen, G. M.; Parker, J. A.: Phthalocyanine Polymers. II. Synthesis and Characterization of Some Metal Phthalocyanine Sheet Oligomers, 1785C
—; Fohlen, G. M.; Parker, J. A.: Phthalocyanine Polymers. I. Poly[2,2′-(4,4′,4,4-Metal Phthalocyanino)-5,5′-Bibenzimidazoles] as New High Temperature Resistant Polymers, 269C
—; Fohlen, G. M.; Parker, J. A.: Phthalocyanine Polymers. IV. Novel Type of Thermally Stable Polyimides Derived From Metal Phthalocyanine Tetramines and Benzophenone Tetracarboxylic Dianhydride, 2773C
—; Fohlen, G. M.; Parker, J. A.: Phthalocyanine Polymers. V. Novel Type of Thermally Stable Polyimides Derived from Metal Phthalocyanine Tetraamines and Pyromellitic Dianhydride, 2781C
Achard, M. F. See Hardouin, F., 975P
Adams, R. E.
Pyrolysis Mass Spectrometry of Terephthalate Polyesters Using Negative Ionization, 119C
Adler, P. See Velichkova, R., 2895C
Agarwalla, N. L. See Gupta, S. K., 933P
Aggarwal, S. L. See Cembrola, R. J., 75L
—; Emerson, R. J.: Review of *Developments in Rubber Technology*, A. Whelan and K. S. Lee, Eds. 349L
Aizawa, H. See Ashida, M., 3107C
Aldridge, M. H. See Chiang, A. C., 1807C
Aleman, J. V. See Lesbats, J. P., 1971C
Alince, B.
—; Lepoutre, P.: Cationic Latex in Fiber–Clay Paper Composites, 615L
Allen, R. C.
—; Mandelkern, L.: Supermolecular Structure of Poly(ethylene Oxide) Fractions, 1465P
Almog, Y.
—; Levy, M.: Studies of Particle Size Distribution and Adsorption of Stabilizers in Dispersion Polymerization, 417C
Ammerdorffer, J. L. See Schrijver, J., 2693C
Amouroux, J.
—; Goldman, M.; Revoil, M. F.: Modification of the Wettability of a Poly(ethylene Terephthalate) Film Treated by Corona Discharge in Air, 1373C
Anandakumaran, K.
—; Kuo, C. C.; Mukherji, S.; Woodward, A. E.: Crystallization of *Trans*-1,4-Polyisoprene, 1669P
Andersen, N. H. See Yeh, H. C., 2575C
Anderson, J. L. See Brannon, J. H., 857P
Anderson, W. A. See Kang, E. T., 143L
Aoki, Y. See Higashi, F., 2081C
Arai, K. See Arai, M., 1021C; Konno, M., 3251C
Arai, M.
—; Arai, K.; Saito, S.: Soapless Emulsion Polymerization of Methyl Methacrylate in Water in the Presence of Calcium Sulfite, 1021C
Arakawa, K.
—; Seguchi, T.; Watanabe, Y.; Hayakawa, N.: Radiation-Induced Oxidation of Polyethylene, Ethylene–Butene Copolymer, and Ethylene–Propylene Copolymer, 2681C
Araki, T.
—; Hayase, S.; Nakamura, A.: Selective Synthesis of Structurally Isomeric Poly-β-Ester and Poly-δ-Ester from β-(2-Acetoxy-Ethyl)-β-Propiolactone with Al and Zn Catalysts, 3337C
Aranguren, M. I.
—; Borrajo, J.; Williams, R. J. J.: Some Aspects of Curing Novolac with Hexamethylenetetramine, 311C
Arenz, R. J.
—; Landel, R. F.: Reduced-Variable Mechanical Characterization of Styrene-Butadiene Rubber with Varying Crosslink Density, Temperature, and Finite Strain States, 363P
Armstrong, R. C. See Sekhon, G., 947P
Arora, K. S.
—; Overberger, C. G.: Synthesis of Linear Polyethylenimine Containing 9-Carboxymethyl Carbazole Pendants, 403L
—; Overberger, C. G.: Synthesis of Linear Polyethylenimine Containing 9-Carboxymethyl Carbazole Pendants (Erratum), 610L
Asai, K. See Suzuki, Y., 563L
Ashida, M.
—; Ikada, E.; Ueda, Y.; Aizawa, H.: Properties of Low-Molecular-Weight Polyethylene Treated with Gas Plasma, 3107C
Asmus, R. A. See Pappas, S. P., 2643C
Asrar, J. See Krigbaum, W. R., 109L
—; Preston, J.; Ciferri, A.; Krigbaum, W. R.: Nematogenic Block Copolymers via the Yamazaki Reaction, 373C
—; Preston, J.; Krigbaum, W. R.: Preparation of Polyamides via the Phosphorylation Reaction. Poly-4,4′-benzanilides, 79C
Ataman, M.
—; Boucher, E. A.: Properties of Aqueous Salt Solutions of Poly(ethylene Oxide), 1585P
Atanu, E. Y. See Shet, R. T., 477C
Atsuta, M.
—; Turner, D. T.: Fractography of Glassy Networks Formed from Ethylene Glycol Dimethacrylate, 1609P
Avramova, N. See Fakirov, S., 635L
Awad, L. F. See Mansour, E. M. E., 3007C
Axelson, D. E. See Dechter, J. J., 641P
Crystalline Order in Polyethylene: A ^{13}C NMR CP/MAS Solid-State T_1 Study, 1427P
Ayache, J. See Oberlin, A., 579P
Ayrey, G.
—; Chadda, S. K.; Poller, R. C.: The Degradation and Stabilization of Polyacrylonitrile. I. Evidence for β-Ketonitrile Defect Structures as Initiators of Degradation, 2249C

Azabe, N. See Mori, K., 321L

Babajko, S.
—; Schultz, J. M.: Kinetics of Microstructure Rearrangement During Annealing of Cold-Drawn Isotactic Polypropylene, 497P
Babbit, G. E. See Khanna, Y. P., 253C
Babu, G. N. See Dhal, P. K., 1581C
Bacskai, R.
—; Fries, B. A.: The Absence of CO_2 in Nylon-4 Prepared with KOH + Radioactive CO_2 Catalyst (Communication), 2341C
Bader, H.
—; Ringsdorf, H.: Liposomes from α,ω-Dipolar Amphiphiles with a Polymerizable Diyne Moiety in the Hydrophobic Chain, 1623C
Badran, A. S. See Moustafa, A. B., 2903C
Bailey, D. B. See Henrichs, P. M., 775C
Bailey, W. J. See Fukuda, H., 2935C
—; Ni, Z.; Wu, S.-R.: Synthesis of Poly-ϵ-caprolactone via a Free Radical Mechanism. Free Radical Ring-Opening Polymerization of 2-Methylene-1,3-Dioxepane, 3021C
Balachandar, M.
—; Balakrishnan, T.; Kothandaraman, H.: Thermal Properties of Random Copolyesters of PET and 3- and 3,5-Bromo-Substituted *p*-Hydroxybenzoic Acids. II, 2621C
Balakrishnan, T. See Balachandar, M., 2621C; Devarajan, R., 1863C; Elayaperumal, P., 3325C; Vijayakumar, C. T., 2715C
—; Periyasamy, M.: Alternating Copolymerization of *N*-Benzylidine Aniline (NBA) with α-Haloacrylic Acids (XAA). IV. Synthesis, Characterization, and Kinetics, 1885C
Balaraman, K. S.
—; Kulkarni, B. D.; Mashelkar, R. A.: Temperature Dependence of Rate and Cross-Termination Processes in Free Radical Copolymerization, 487L
Balik, C. M.
—; Tripathy, S. K.; Hopfinger, A. J.: Epitaxial Morphologies of Polyoxymethylene. I. Electron Microscopy, 2003P
—; Tripathy, S. K.; Hopfinger, A. J.: Epitaxial Morphologies of Polyoxymethylene. II. Energetics on Alkali Halide (001) Surfaces, 2017P
Banks, E. See Ueba, Y., 1271C
Banks, L.
—; Ellis, B.: Broad-Line NMR Studies of Molecular Motion in Cured Epoxy Resins, 1055P
Banthia, A. K. See Riffle, J. S., 2289C
Baral, N. See Dash, S. B., 2371C
Barham, P. J. See Chivers, R. A., 1717P
—; Jarvis, D. A.; Keller, A.: A New Look at the Crystallization of Polyethylene. III. Crystallization from the Melt at High Supercoolings, 1733P
Barkowski, D.
—; Mersch, W.; Dorfmuller, Th.: Fluorescence Depolarization in Polymers: The Microviscosity of Bulk Polybutadiene and of Solutions in Cyclohexane, 953P
Barlow, J. W. See Masi, P., 15P
Baroud, R. See Nieves, V. E. R., 433L
Barrales-Rienda, J. M. See Mazon-Arechederra, J. M., 25C
Barrie, J. A. See Egboh, H. S., 2879C
Bass, S. V. See Jelinski, L. W., 3285C
Bataille, P.
—; Van, B. T.; Pham, Q. B.: Emulsion Polymerization of Styrene. I. Review of Experimental Data and Digital Simulation, 795C
—; Van, B. T.; Pham, Q. B.: Emulsion Polymerization of Styrene. II. Effect of Ag(I) and Fe(II) on the Polymerization of Styrene Initiated by Potassium Persulfate, 811C
Batsberg, W.
—; Hvidt, S.; Kramer, O.: Swelling and Elastic Anisotropies of an Amorphous Elastomer Crosslinked in the Strained State. 1,2-Polybutadiene, 341L
Baukema, P. R.
—; Hopfinger, A. J.: The Energetics of the Epitaxial Deposition of Polyethylene onto the Basal Plane (0001) of Graphite, 399P
Baumbach, D. O.
Determination of Number-Average Molecular Weights of Polymers Using Fluorescence Spectroscopy. II. Experimental Evaluation of the Fluorimetric Constant, 117L
Beard, C. D. See Lau, K. S. Y., 2381C
Beasley, G. H. See Ford, W. T., 1213C
Begum, S. S. See Dass, N. N., 297L
—; Dass, N. N.: Interaction of Poly(vinyl Acetate) Radical with Iron (III) Complexes, 3115C
Belorgey, G
—; Prud'homme, R. E.: Miscibility of Polycaprolactone/Chlorinated Polyethylene Blends, 191P
Benicewicz, B. C. See Pavlisko, J. A., 3079C
Bernier, P. See Kletter, M. J., 211L
Bero, M.
Initiation of the Stereospecific Polymerization of *p*-Chlorophenylglycidyl and Phenylglycidyl Ethers by the $Al(OiPr)_3$ + $ZnEt_2$ (1:1) Initiator System, 191C
Berry, G. C. See Hager, B. L., 911P
Bertícat, P. See Tighzert, H-L., 417L
Bevington, J. C.
—; Huckerby, T. N.; Hutton, N. W. E.: Reactivities of Monomers Toward the 2-Cyano-2-Propyl Radical by NMR Study of End Groups in Copolymers, 2655C
Beynon, P. See Petrak, K., 783C
Bezoari, M. D. See Brown, C. E., 1697C; Hsing, C.-F., 3313C
Bhatt, A. P. See Kang, E. T., 143L
Bhattacharyya, S. N. See Misra, G. S., 131C
—; Maldas, D.: Radiation-Induced Graft Copolymerization of Mixtures of Styrene and Acrylamide onto Cellulose Acetate. I. Effect of Solvents, 939C
Billingham, N. C. See Ghaemy, M., 439L
Biswas, M.
—; Das, S. K.: Chemical Modification of Poly(*N*-Vinylcarbazole). II. Some Properties of Poly(*N*-Vinylcarbazole-3,6-Diphthalimide), 333L
Blackwell, J. See Jamieson, A. M., 1513P
Blumstein, A.
—; Vilasagar, S.; Ponrathnam, S.; Clough, S. B.; Blumstein, R. B.; Maret, G.: Nematic and Cholesteric Thermotropic Polyesters with Azoxybenzene Mesogenic Units and Flexible Spacers in the Main Chain, 877P
Blumstein, R. B. See Blumstein, A., 877P
Bock, J. See Siano, D. B., 151L
Bohdanecky, M. See Spevacek, J., 1623P
Bombick, D. W. See Feld, W. A., 263C
Bonamy, A.
—; Fouassier, J. P.; Lougnot, D. J.; Green, P. N.: Novel and Efficient Water-Soluble Photoinitiator for Polymerization, 315L
Bonner, D. C. See Saeki, S., 793P, 805P
Boots, H. M. J.
Polymerization and Reptation, an Analytical Treatment, 1695P
Borchardt, J. K.
—; Dalrymple, E. D.: Calculation of Alfrey–Price *Q–e* Values from ^{13}C-NMR Data, 1745C
Borrajo, J. See Aranguren, M. I., 311C
Bortnowska-Barela, B.
—; Polowinski, S.: Substituent Effect on the Hydrolysis of Side Groups in Poly(phenyl Methacrylates), 3267C
Bothorel, P. See Lemaire, B., 867P
Boucher, E. A. See Ataman, M., 1585P
Boutinaud, C. See Moliton, J. P., 1289P, 1313P
Bovey, F. A.
Review of *Biochemical Structure Determination by NMR*. A. A. Bothner-By, J. D. Glickson, and B. D. Sykes, 510L
Bowmer, T. N.
—; Reichmanis, E.; Wilkins, C. W., Jr.; Hellman, M. Y.: Radiation Degradation of Copolymers of Methyl Methacrylate and 3-Oximino-2-Butanone Methacrylate, 2661C

Boyd, R. H.
—; Robertsson, M. E.; Jansson, J. F.: The Nature of the Nonlinear Anelasticity of Glassy Polymers, 73P
Boyer, R. F. See Varadarajan, K., 143P
Brandt, J. F. See Shih, J. S., 2839C
Brannon, J. H.
—; Anderson, J. L.: Concentration Effects on Partitioning of Dextrans and Serum Albumin in Porous Glass, 857P
Brown, C. E.
—; Khoury, I.; Bezoari, M. D.; Kovacic, P.: Characterization of Aromatic Polymers (Benzenoid and Heterocyclic) by Cross-Polarization, Magic-Angle ^{13}C-NMR Spectroscopy, 1697C
Brown, D. R.
—; Munie, G. C.; Jonas, J.: Entanglements and Elasticity in Polybutadiene Networks, 1659P
Brown, W.
—; Stilbs, P.; Johnsen, R. M.: Self-Diffusion and Sedimentation of Dextran in Concentrated Solutions, 1771P
Brozoski, B. A. See Painter, P. C., 1069P
Brueggemann, W. L.
—; Sabino, N. A.; Crabb, N. T.: Free Induction Decay of Polypropylene and the Correlation with Flexural Modulus and Heptane-Insoluble Content, 91L
Bubeck, R. A. See Donald, A. M., 1129P
Buleon, A.
—; Chanzy, H.; Froment, P.: Single Crystals of Cellulose IVII: Influence of the Cellulose Molecular Weight, 1081P
Bulkin, B.
Review of *The Theory of Vibrational Spectroscopy and Its Application to Polymeric Materials*. P. C. Painter, M. M. Coleman, and J. L. Koenig, 512L
Bunel, C.
—; Marechal, E.: Use of Quantum Chemistry Relations in Cationic Polymerization: A Critical Examination, 131P
Burchard, W.
—; Kajiwara, K.; Nerger, D.: Static and Dynamic Scattering Behavior of Regularly Branched Chains: A Model of Soft-Sphere Microgels, 157P
Burchell, D. J. See Shen, D. Y., 509P
Burfield, D. R.
—; Savariar, C. M.: Precise Determination of Copolymer Reactivity Ratios by a Single Point Method, 515L

Calahorra, E.
—; Guzman, G. M.; Zamora, F.: Molecular Weight Influence on the Polyethylene-1,2,4,5-Tetrachlorobenzene Eutectic System, 181L
Calvert, P. D. See Ghaemy, M., 439L
Camberlin, Y.
—; Pascault, J. P.; Letoffe, J. M.; Claudy, P.: Model Hard Segments from Diphenyl Methane Diisocyanate and Different Chain Extenders, and Corresponding Linear Block Polyurethanes, 1445C
—; Pascault, J. P.; Letoffe, J. M.; Claudy, P.: Synthesis and DSC Study of Model Hard Segments from Diphenyl Methane Diisocyanate and Butane Diol, 383C
Candau, F. See Wittmann, J. C., 1341P
Canovas, A. A.
—; Rubio, R. G.; Renuncio, J. A. R.: An Expression for Local Composition in Polymer-Solution Thermodynamics, 783P
Canterberry, J. B. See Mathias, L. J., 473L, 2731C
Capaccio, G.
—; Ward, I. M.: Structural Studies of Ultrahigh-Modulus Polyethylene Using Nitric Acid Etching and Gel Permeation Chromatography. II. Influence of Polymer Molecular Weight, Draw Temperature, and Annealing, 1107P
Carlsson, D. J.
—; Chan, K. H.; Durmis, J.; Wiles, D. M.: Decomposition of Polypropylene Hydroperoxide by Hindered Amines, 575C
Caruso, S.
—; Foti, S.; Maravigna, P.; Montaudo, G.: Mass Spectral Characterization of Polymers. Primary Thermal Fragmentation Processes in Polyureas, 1685C
Castle, P. M. See Williamson, M. A., 1875C
Cavanaugh, D. B.
—; Wang, C. H.: Assignment of an Anomalous Peak in the Brillouin Spectrum of Oriented Polymer Films, 1641P
—; Wang, C. H.: Studies of the Effect of Orientation on the Elastic Constants of Stretched and Hydrostatically Extruded Polychlorotrifluoroethylene: A Reorientational Model in Semicrystalline Polymers, 1647P
Cembrola, R. J.
—; Kyu, T.; Suehiro, S.; Kawai, H.; Stein, R. S.: Dynamic Birefringence Studies of High-Density Polyethylene, 1279P
—; Aggarwal, S. L.: Review of *Developments in Rubber and Rubber Composites—1*, Colin W. Evans, Ed. 75L
Chabert, B. See Tighzert, H-L., 417L
Chacko, V. P.
—; Karasz, F. E.; Farris, R. J.; Thomas, E. L.: Morphology of $CaCO_3$-Filled Polyethylenes, 2177P
Chadda, S. K. See Ayrey, G., 2249C
Chajewski, A. See Zurakowska-Orszagh, J., 1775C
Champion, J. V. See Stevens, G. C., 327P
Chan, K. H. See Carlsson, D. J., 575C
Chang, M. See Piirma, I., 489C
Chang, N.-H. See Chang, S., 2053C
Chang, S.
—; Sheu, M.-F.; Chang, N.-H.: Effect of Stabilizers on the Preparation of Poly(ethylene Terephthalate), 2053C
Chang, V. S. C. See Kennedy, J. P., 2809C, 3219C, 3229C
Chanzy, H. See Buleon, A., 1081P
—; Nawrot, S.; Peguy, A.; Smith, P.; Chevalier, J.: Phase Behavior of the Quasiternary System *N*-Methylmorpholine-*N*-Oxide, Water, and Cellulose, 1909P
Chapiro, A.
—; Mankowski, Z.; Schmitt, N.: Unusual Swelling Behavior of Films of Polyvinyl- and Polyvinylidene/Fluorides in Various Solvents, 1791C
Chapman, D. See Pons, M., 513C
Chatterjee, A. K. See Pramanick, D., 1203C
Chatterji, P. R.
—; Nandi, U. S.: Cu $(DPM)_2$–Initiated Vinyl Polymerization, 213C
Chau, N.
—; Muramatsu, T.; Iwakura, Y.: Regular Copolymers Derived from Bis(2-oxazolines). II. Synthesis of Polyamides and Polyamide-imides Containing Oxyethylene Linkages, 137C
—; Saegusa, Y.; Iwakura, Y.: Synthesis of Polyamide-Quinazolinediones from 2,2′-Disubstituted Bis(1,3,4-Oxadiazolin-5-ones) and Aromatic Bis-o-Amino Esters, 3387C
Chee, K. K. See Ng, S. C., 409C
Chen, G. S. See McCormick, C. L., 817C
Chen, G.-T.
Kinetic Models of Homogeneous Ionic Polymerization, 2915C
Chen, J.
—; Kow, C.; Fetters, L. J.; Plazek, D. J.: Some Evidence Against the Existence of the Liquid–Liquid Transition. III. The Evaluation of the T_{ll} Event by Differential Scanning Calorimetry, 1565P
Chen, S.-A.
—; Ku, K.-C.: Kinetics of Polyesterification. II. Foreign Acid-Catalyzed Dibasic Acid and Glycol Systems, 1819C
Chen, S.-Z.
Relationship Between Polymer Solution Fluidity and Concentration. I. Empirical Equations Established, 2169C

Chen, T. S. See Rosser, R. W., 467L
Chen, W. Y.
—; Xu, B. Z.; Feng, X. D.: Synthesis of Polysulfohexyl Methacrylate with Anticoagulant Activity, 547C
Chen, Y. See Yang, T. Q., 1437P
Cheng, C. H. See Rosser, R. W., 467L
Chevalier, J. See Chanzy, H., 1909P
Chiang, A. C.
—; Waters, P. F.; Aldridge, M. H.: Polymerization of Phenylacetylene by Triethyl Aluminum and Titanium Tetraethoxide, 1807C
Chiang, C-H.
—; Koenig, J. L.: Spectroscopic Characterization of the Matrix–Silane Coupling Agent Interface in Fiber-Reinforced Composites, 2135P
Chien, J. C. W. See Lillya, C. P., 1505C
—; Karasz, F. E.; Shimamura, K.: Electron Diffraction Study of Pristine- and Iodine-Doped Poly(*cis*-Acetylene), 97L
—; Wu, J.-C.; Kuo, C.-I.: Magnesium Chloride Supported High-Mileage Catalysts for Olefin Polymerization. I. Chemical Composition and Oxidation States of Titanium, 2019C
—; Wu, J.-C.: Magnesium-Chloride-Supported High-Mileage Catalysts for Olefin Polymerization. II. Reactions between Aluminum Alkyl and Promoters, 2445C
—; Wu, J.-C.: Magnesium-Chloride-Supported High-Mileage Catalysts for Olefin Polymerization. III. Electron Paramagnetic Resonance Studies, 2461C
—; Uden, P. C.; Fan, J.-L.: Pyrolysis of Polyacetylene, 2159C
Chin, C. S. See Woo, J. C., 1947C
Chivers, R. A.
—; Barham, P. J.; Martinez-Salazar, J.; Keller, A.: A New Look at the Crystallization of Polyethylene. II. Crystallization from the Melt at Low Supercoolings, 1717P
Cho, H. G.
—; Yoon, S. C.; Jhon, M. S.: The Reduced Equation of State and Related Properties of Molten High Polymers, 1247C
Cho, I.
—; Gong, M. S.: Exploratory Ring-Opening Polymerization. V. Radical Ring-Opening and Cationic Polymerization of 2-Methylene-4-Phenyl-1,3-Dioxolane, 361L
Choi, K-J.
—; Spruiell, J. E.; White, J. L.: Orientation and Morphology of High-Density Polyethylene Film Produced by the Tubular Blowing Method and its Relationship to Process Conditions, 27P
Choi, K.-Y.
—; Choi, S.-K.: Synthesis and Properties of Poly(imide-Sulfonate)s, 1107C
Choi, S.-K. See Choi, K.-Y., 1107C; Han, Y, K., 1549C
Chong, B. P. See Ford, W T., 1213C
Chouinard, M. P. See Yang, H. H., 981P
Chow, T. S.
Tensile Strength of Filled Polymers, 2103P
Choy, C. L. See Wang, L-H., 633P
Christias, C. See Paleos, C. M., 2565C
Chung, T.-C.
—; MacDiarmid, A. G.; Feldblum, A.; Heeger, A. J.: Electrochemical Isomerization of *cis*-$(CH)_x$ to *trans*-$(CH)_x$, 427L
Ciferri, A. See Asrar, J., 373C; Krigbaum, W. R., 109L
Clark, D. T. See Peeling, J., 1797C
—; Abrahman, M. Z.: Plasma Polymerization. VI. An ESCA Investigation of the RF Plasma Polymerization of Perfluoro-2-Butyl Tetrahydrofuran, 691C
—; Abrahman, M. Z.: Plasma Polymerization. VII. An ESCA Investigation of the RF Plasma Polymerization of Perfluorobenzene and Perfluorobenzene/Hydrogen Mixtures, 1717C
—; Abrahman, M. Z.: Plasma Polymerization. VIII. A Comparative Study of the Plasma Polymers Produced from Inductively Coupled Plasmas Excited in the Fluorobenzenes, 1729C
Clarke, T. C.
—; Kanazawa, K. K.; Lee, V. Y.; Rabolt, J. F.; Reynolds, J. R.; Street, G. B.: Poly(*P*-Phenylene Sulfide) Hexafluoroarsenate: A Novel Conducting Polymer, 117P
Claudy, P. See Camberlin, Y., 383C, 1445C
Clough, S. B. See Blumstein, A., 877P
Coey, J. M. D. See Rodmacq, B., 603P
Cohen, R. E. See Lagasse, R. R., 375P
Coleman, M. M. See Painter, P. C., 1069P
Colthup, N. B.
Molecular Orbital Study of the *Q–e* Scheme in Free Radical Copolymerization, 3167C
Connelly, R. W.
—; McConkey, R. C.; Noonan, J. M.; Pearson, G. H.: Melt Rheology of Ion-Containing Polymers. I. Effect of Ionic Content in a Model Polyesterionomer, 259P
Conway, D. C.
—; Marak, R.: Analysis of Polymers by Pyrolysis/Chemical Ionization Mass Spectrometry, 1765C
Cooper, C. A.
—; Gates, B. C.; McCullough, R. L.; Seferis, J. C.: The Influence of Draw-Induced Structural Changes on the Activity of a Semicrystalline Polymer-Supported Catalyst, 173P
Coutin, B. See Kricheldorf, H. R., 2353C
Coutinho, F. B. See Gomes, A. S., 423L, 2345C
Cox, R. G. See Kalb, B., 1207P
Crabb, N. T. See Brueggemann, W. L., 91L
Craubner, H.
Macromolecular *N*-Nitroso-Acylamines as Photosensitizers for Polyreactions. Photochemical Synthesis of Block Copolymers from Polycondensates and Olefinic Monomers (Communication), 1935C
Crist, B.
—; Marhic, M. E.: Dye-Laser Calorimetry of Polymer Glasses (Note), 357P
Crowley, J. I.
Review of *Semiconducting Polymers*, Marian Kryszewski, 137L
Cuculo, J. A. See Hudson, S. M., 499C; Ihm, D. W., 1847C
Cuniberti, C.
—; Musi, L.; Perico, A.: Evidence of Screening of Hydrodynamic and Excluded Volume Interactions in Semidilute Polymer Solutions by Intramolecular Excimers, 265L

Dais, P. See Paleos, C. M., 2267C, 2565C
Dalrymple, E. D. See Borchardt, J. K., 1745C
Das, D. P. See Samal, R. K., 53C
Das, S. K. See Biswas, M., 333L
Dash, S. B.
—; Baral, N.; Pati, N. C.; Nayak, P. L.: Aqueous Polymerization of Methyl Methacrylate Initiated by Peroxydisulfate–Citric Acid Redox System Catalyzed by Silver Ion, 2371C
Dass, N. N. See Begum, S. S., 3115C; Hussain, S., 3181C
—; Begum, S. S.: Effect of Ferric Cyanide Ions on the Polymerization of Methyl Methacrylate, 297L
Dayan, S.
—; Maissa, P.; Vellutini, M. J.; Sixou, P.: Phase Diagram of Mesomorphic Cellulose Derivatives Solutions, 33L
de Abajo, J. See Garrido, L., 3377C
DeCandia, F.
—; Russo, R.; Vittoria, V.; Peterlin, A.: Mechanical and Transport Properties of Drawn Crosslinked Low-Density Polyethylene, 269P
—; Romano, G.; Russo, R.; Vittoria, V.: Optical and Calorimetric Analysis of Stress-Induced Crystallization in Natural Rubber Networks, 1525P
—; Russo, R.; Vittoria, V.; Peterlin, A.: Shrinkage and Retractive Forces During the Annealing of Drawn Low-Density Polyethylene, 1175P
Dechter, J. J.
—; Axelson, D. E.; Dekmezian, A.; Glotin, M.; Mandelkern, L.: An Analysis of the β Transition of Linear and Branched Polyethylenes by Carbon-13 NMR, 641P

Decossas, J. L. See Moliton, J. P., 1289P, 1313P; Vareille, J. C., 1327P
Degen, I. See Petrak, K., 783C
De Geyer, A. See Volino, F., 481P
Deits, W. See Purgett, M. D., 2477C; Rubner, M., 2043C
Dekmezian, A. See Dechter, J. J., 641P
Delamar, M.
—; Lacaze, P-C.; Lemiere, B.; Dumousseau, J-Y.; DuBois, J-E.: A New Method for Preparing Polysulfones: Electrochemically Induced Copolymerization of Sulfur Dioxide and Conjugated Dienes in Liquid SO_2 (Note), 245C
Delaunay, B. See Moliton, J. P., 1289P, 1313P; Vareille, J. C., 1327P
Demery, V. C. See Sullivan, J. L., 2083P
Deopura, B. See Florjanczyk, Z., 1051C
Dereppe, J. M. See Devaux, J., 1881P
Derfler, D. See Lewin, M., 929C
Devarajan, R.
—; Balakrishnan, T.; Santappa, M.; Viswanathan, B.: Gamma Radiation-Induced Bulk Polymerization of Some Methyl Aryloxymethacrylates, 1863C
Devaux, J.
—; Godard, P.; Mercier, J. P.: Bisphenol-A Polycarbonate–Poly(butylene Terephthalate) Transesterification. I. Theoretical Study of the Structure and of the Degree of Randomness in Four-Component Copolycondensates, 1875P
—; Godard, P.; Mercier, J. P.; Touillaux, R.; Dereppe, J. M.: Bisphenol-A Polycarbonate–Poly(butylene Terephthalate) Transesterification. II. Structure Analysis of the Reaction Products by IR and ^1H and ^{13}C NMR, 1881P
—; Godard, P.; Mercier, J. P.: Bisphenol-A Polycarbonate–Polybutylene Terephthalate Transesterification. III. Study of Model Reactions, 1895P
—; Godard, P.; Mercier, J. P.: Bisphenol-A Polycarbonate–Polybutylene Terephthalate Transesterification. IV. Kinetics and Mechanism of the Exchange Reaction, 1901P
Dhal, A. K. See Lenka, S., 587C, 2117C
Dhal, P. K.
—; Ramakrishna, M. S.; Babu, G. N.: Copolymerization of Glycidyl Methacrylate with Alkyl Acrylate Monomers, 1581C
Dianoux, A. J. See Volino, F., 481P
Diaz, A. F. See Salmon, M., 187L
Dickens, B.
Thermal Degradation Study of Isotactic Polypropylene Using Factor-Jump Thermogravimetry, 1169C
Thermally Degrading Polyethylene Studied by Means of Factor-Jump Thermogravimetry, 1065C
Dickinson, J. T.
—; Jensen, L. C.: Crack Velocity Dependence of Electron Emission During Fracture of Filled Elastomers, 1925P
Dimov, D. K.
—; Panayotov, I. M.; Lazarov, V. N.; Tsvetanov, C. B.: Complex Formation Between Poly(Ethylene Oxide) and Alkali Picrates, 1389C
Dobb, M. G. See Frye, C. J., 1677P
Doherty, W. O. S. See Packter, A., 917C
Doi, M.
Dynamics of Rodlike Polymers in Semidilute Solutions: Short-Time-Scale Motion, 1963P
Doicheva, J. See Velichkova, R., 2895C
Dolar, D. See Skerjanc, J., 1355P
Donald, A. M.
—; Kramer, E. J.: Effect of Molecular Entanglements on Craze Microstructure in Glassy Polymers, 899P
—; Kramer, E. J.; Bubeck, R. A.: The Entanglement Network and Craze Micromechanics in Glassy Polymers, 1129P
Donaruma, L. G.
Review of *Controlled Release of Pesticides and Pharmaceuticals*, Danny H. Lewis, Ed. 198L
Review of *Pharmaceutical Applications of Polymers*, Richard Juniper, Ed. 459L
Dorfmuller, Th. See Barkowski, D., 953P
Dorozhkin, V. P.
—; Kimelblat, V. I.: Effect of Temperature Conditions on the Mechanism of Formation, Molecular Structure, and Properties of Polyurethanes, 2863C
Dorset, D. L. See Moss, B., 1789P
Douglas, W.
—; Pritchard, G.: Effect of Substituents in the Styrene Ring on the Dynamic Mechanical Relaxations of a Styrene-Crosslinked Unsaturated Polyester Resin, 1223P
Draney, D. See Ishizu, K., 2851C
Dreyfuss, P. See Eckstein, Y., 49P
Dubin, P. L.
—; Kronstadt, M.: Bimodal Molecular Weight Distributions of a Branched Condensation Polymer, 1709P
DuBois, J-E. See Delamar, M., 245C
Duchacek, V. See Frenkel, R., 3005C
Dumais, J. J. See Jelinski, L. W., 3285C
Dumousseau, J-Y. See Delamar, M., 245C
Dunkle, S. R. See Jellinek, H. H. G., 85C, 2313C
Dunn, A. S.
Review of *Emulsion Polymerization and its Applications in Industry*, V. I. Eliseeva, S. S. Ivanchev, S. I. Kuchanov, and A. V. Lebedev, 460L
Dunn, T. S.
—; Williams, E. E.; Williams, J. L.: Investigations of Stabilizing Additives. I. A Model System for Studying Radical Scavenging Activity in Solution, 1599C
Duplessix, R. See Geissler, E., 225P; Roche, E. J., 107P
Durmis, J. See Carlsson, D. J., 575C
Dvornic, P. R. See Lai, Y.-C., 2277C
—; Lenz, R. W.: Exactly Alternating Silarylene-Siloxane Polymers. III. Structure-Property Relationships for Polymers Containing *p*-Phenylene and *p,p'*-Diphenyl Ether Silarylene Units, 593C
—; Lenz, R. W.: Exactly Alternating Silarylene–Siloxane Polymers. II. The Condensation Polymerization of Arylenedisilanols and Bisureidosilanes, 951C

Ebdon, J. R. See Moustafa, A. B., 2903C
Eckstein, Y.
—; Dreyfuss, P.: Effect of Glass Filler Size on the Tensile Properties and Tear Strength of Polybutadiene, 49P
Edwards, C. O. See Wignall, G. D., 245P
—; Mandelkern, L.: Crystallization–Gelation Process of Homopolymers and Copolymers from Solution, 355L
Egawa, H. See Tsunooka, M., 589L; Yoneda, F., 667L
Egboh, H. S.
—; George, M. H.; Barrie, J. A.; Walsh, D. J.: Free-Radical Synthesis of Poly(urethane-*g*-*N*-Vinyl Pyrrolidone), 2879C
Egorov, E. A.
—; Zhizhenkov, V. V.: NMR Studies of Molecular Mobility in Uniaxially Stretched Oriented Polymers, 1089P
Egusa, S. See Hayashi, K., 643L
—; Makuuchi, K.: Radiation-Initiated Emulsion Copolymerization of Styrene and Carboxylic Acid Monomers, 863C
Ehrlich, P. See Kang, E. T., 143L
Eichinger, B. E. See Yeh, H. C., 2575C
Elayaperumal, P.
—; Balakrishnan, T.; Santappa, M.; Lenz, R. W.: A Comparison of the Absolute Reactivity of Vinyl Monomers. I. Kinetic Studies on Radical Polymerization of Vinyl Monomers Initiated by a Mn^{3+}–Diglycolic Acid Redox System, 3325C
Ellis, B. See Banks, L., 1055P
Ellis, E. J. See Salamone, J. C., 1153C
Elmgren, H.
Buoyancy and Relative Flow Rates in Ultracentrifugation, 57L

Concentration Dependence on the Sedimentation Rate. III. Flexible Polymer Coils, 389L
Mobility Profile of Solvent between Parallel Plates, 373L
Elorza, E. See Encina, M. V., 73C
Elsdon, W. L.
—; Goldwasser, J. M.; Rudin, A.: Densimeter Detector in Gel Permeation Chromatography of Copolymers, 3271C
Elsenbaumer, R. L.
—; Shacklette, L. W.: Highly Conductive *Meta* Derivatives of Poly(phenylene Sulfide), 1781P
Emerson, R. J. See Aggarwal, S. L., 349L
Encina, M. V.
—; Lissi, E. A.; Koch, V.; Elorza, E.: Polymerization Photoinitiated by Carbonyl Compounds. IV. α-Diketones and α-Substituted Alkanones, 73C
Endo, T. See Fukuda, H., 2935C; Tsubokawa, N., 2205C
Endrey, A. L.
The Base-Catalyzed Transformation of Polyacrylonitrile, 2105C
Enikolopyan, N. S.
—; Markevitch, M. A.; Sakhonenko, L. S.; Rogovina, S. Z.; Oshmyan, V. G.: Kinetics of Epoxide Resins Formation from Epichlorohydrin and Bisphenol-A, 1231C
Evangelatos, G. P. See Paleos, C. M., 2565C
Evans, K. E.
Scaling Analysis for the Dynamics of Highly Entangled Star Polymers, 103L
Evers, F. See Terrell, D. R., 1933P, 2529C
Ewen, B.
—; Richter, D.; Hayter, J. B.; Lehnen, B.: Quasielastic Neutron Scattering Study of Dynamics at the Crossover from Dilute to Semidilute Behavior in Polymer Solutions, 233L
—; Richter, D.; Hayter, J. B.; Lehnen, B.: Quasielastic Neutron Scattering Study of Dynamics at the Crossover from Dilute to Semidilute Behavior in Polymer Solutions (Erratum), 562L

Fakirov, S.
—; Avramova, N.: Applicability of the Gibbs–Thomson Equation to Nylon-6, 635L
Fan, J.-L. See Chien, J. C. W., 2159C
Farris, R. J. See Chacko, V. P., 2177P
Fately, W. G.
—; Koenig, J. L.: Time-Resolved Spectroscopy of Stretched Polypropylene Films, 445L
Faulques, E. See Kletter, M. J., 211L
Fayt, R.
—; Jerome, R.; Teyssie, Ph.: Molecular Design of Multicomponent Polymer Systems. III. Comparative Behavior of Pure and Tapered Block Copolymers in Emulsification of Blends of Low-Density Polyethylene and Polystyrene, 2209P
Fedors, R. F.
—; Hong, S. D.: A New Technique for Measuring Poisson's Ratio (Note), 777P
Feld, W. A.
—; Bombick, D. W.; Friar, L. L.: Acrylate Polymers Containing a Carbamate-Linked Herbicide Substituent (Note), 263C
Feldblum, A. See Chung, T.-C., 427L
Feldman, D.
Review of *Biocompatible and Bioactive Polymers (Polimeri Biocompatibli si Biologic Activi)*, Cr. Simionescu and V. Gorduza, 138L
Review of *Emulsion Polymers and Emulsion Polymerization*, D. R. Bassett and A. E. Hamielec, Eds. 279L
Review of *Mechanics of Cellular Plastics*. N. C. Hilyard, Ed. 604L
Review of *Polymer Colloids II*. R. M. Fitch, Ed. 509L
Review of *Principles of Polymer Systems, 2nd ed.*, F. Rodriguez, 284L
Review of *Use of Polymers in Chemical Plant Construction*, L. T. Butt and D. C. Wright, 285L
Feng, X. D. See Chen, W. Y., 547C; Lu, C., 1151C
Ferry, J. D. See Kamykowski, G. W., 2125P
Fetters, L. J. See Chen, J., 1565P; Hadjichristidis, N., 743P, 2163P; Kamykowski, G. W., 2125P
—; Morton, M.: Comments on "(A) Critical Examination of the Dissociation-Association Phenomena in the Hexane Solution of Lithium Polyisoprenyl" by M. Szwarc, 199C
Filippakis, S. E. See Paleos, C. M., 2267C
Filisko, F. E. See White, A. J., 525L
Fischer, E. W. See Paredes, E., 929P
Fish, R. H.
Review of *Structural Design with Plastics, 2nd ed.*, B. S. Benjamin, 243L
Fitzgerald, J. J. See Ishida, H., 701P
Fles, D. See Javni, I., 977C
Florjanczyk, Z.
—; Deopura, B.; Stein, R. S.; Vogl, O.: Polyterephthalates of 2,3-Disubstituted Butanediols-1,4: Effect of Aliphatic Substituents on T_g and T_m of the Polyesters, 1051C
Florsheim, R. See Martinez, F., 1279C
Fohlen, G. M. See Achar, B. N., 269C, 1785C, 2073C, 2773C, 2781C; Varma, I. K., 283C
Ford, W. T.
—; Beasley, G. H.; Chong, B. P.; Neely, J. W.: Preparation of Ion Exchange Resins from Carbonaceous Adsorbents, 1213C
Fortner, G. See Furstch, T. A., 1287C
Foti, S. See Caruso, S., 1685C
Fouassier, J. P. See Bonamy, A., 315L
Fox, R. B. See Kim, O.-K., 2765C
Francik, W. P. See Kennedy, J. P., 2809C
Frangou, S. A.
—; Morris, E. R.; Rees, D. A.; Richardson, R. K.; Ross-Murphy, S. B.: Molecular Origin of Xanthan Solution Rheology: Effect of Urea on Chain Conformation and Interactions, 531L
Frank, C. W. See Thomas, J. W., Jr., 1749P
Freelin, R. G. See Riffle, J. S., 2289C
Frenkel, R.
—; Duchacek, V.: Comment on the Role of Vu.canization Activators in the Process of Complex Formation (Communication), 3005C
Friar, L. L. See Feld, W. A., 263C
Fridkin, M. See Stern, M., 1469C
Fried, J. R.
—; Kalkanoglu, H.: Multiple Secondary Relaxations of Bisphenol A Polysulfone, 381L
Study of the Liquid–Liquid Transition of Engineering Thermoplastics by Torsion Impregnated Cloth Analysis (TICA), 495L
Fries, B. A. See Bacskai, R., 2341C
Fritz, T. W. See Furstch, T. A., 1287C
Froment, P. See Buleon, A,, 1081P
Frye, C. J.
—; Ward, I. M.; Dobb, M. G.; Johnson, D. J.: The Measurement of Crystallite Size in Ultrahigh-Modulus Polyethylene, 1677P
Fujii, M. See Kamachi, M., 1489C
Fujii, S. See Takagishi, T., 221C
Fujimoto, M. See Oishi, T., 2727C, 2999C
Fujita, H.
—; Teramoto, A.: Phase Relationships in a Ternary Solution Composed of a Solvent and Two Monodisperse Homologous Polymers, 893P
Fujita, K. See Nomura, M., 1261C
Fujita, T.
—; Yoshioka, T.: Studies on Stable Free Radicals. XIX. Copolymerization of *N*-Oxyl Biradical with α-Chloro-*p*-Xylylene, 1639C
Fukuda, H.
—; Hirota, M.; Endo, T.; Okawara, M.; Bailey, W. J.: Copolymerization of Unsaturated Spiro Ortho Esters with Maleic Acid Derivatives, 2935C
—; Hirota, M.; Nakashima, Y.: Spontaneous Copolymerization of 4-Methylene-1,3-Dioxolanes with Maleic Anhydride, 1401C
Fukutomi, T. See Ishizu, K., 2545C, 2555C, 3199C
Funaki, A. See Tsubokawa, N., 27L, 3297C
Funt, B. L.
—; Hsu, L-C.; Hoang, P. M.; Martenot, J. P.: Reduction of Electroactive Polymers via Polyelectron Transfer Processes at Solid Electrodes, 109C

Furstch, T. A.
—; Taylor, L. T.; Fritz, T. W.; Fortner, G.; Khor, E.: Palladium-Doped Polyimides: An X-Ray Photoelectron Study, 1287C
Furue, M.
—; Sumi, K.; Nozakura, S.-I.: Preparation of Poly(vinyl-2,2′-Bipyridine) and Complex Formation with Various Metal Ions, 291L
Fyfe, C. A. See Tchir, W. J., 1443P

Gaboriaud, F.
—; Vantelon, J. P.: Mechanism of Thermal Degradation of Polyurethane Based on MDI and Propoxylated Trimethylol Propane, 2063C
Galanti, A. V.
—; Liotta, F.; Keen, B. T.; Scole, D. A.: The Synthesis of Bisitaconamic Acids and Isomeric Bisimide Monomers (Note), 233C
Galembeck, F. See Rodrigues, J. F., 1569C
Gamichon, C.
—; Hemery, P.; Raynal, B.; Raynal, S.: Poly(vinyl Chloroformate): Application as Pharmacologically Active Polymer (Communication), 3255C
Garg, S. N. See Misra, A., 121L
Garner, D. P.
Synthesis and Characterization of Thermoplastic Polyesters and Polyamides from Sebacyl Bisketene, 2979C
Garnett, J. L.
—; Jankiewicz, S. V.; Sangster, D. F.: Effect of Mineral Acid on Polymer Produced during Radiation-Induced Grafting of Styrene Monomer, 171L
Garrido, L.
—; Guzman, J.; Riande, E.; de Abajo, J.: Kinetic Study of the Copolymerization of Tetrahydrofuran-3,3-Dimethyloxetane: Microstructure of the Copolymers, 3377C
—; Riande, E.; Guzman, J.: Thermoelastic and Dielectric Studies of Poly(3,3-dimethyl Oxetane) Chains, 1805P
Garton, A.
—; Kim, S. W.; Wiles, D. M.: Modification of the Interface Morphology in Mica-Reinforced Polypropylene, 273L
Gasparoux, H. See Hardouin, F., 975P
Gates, B. C. See Cooper, C. A., 173P
Gaur, U. See Meesiri, W., 719P
Gaylord, N. G.
—; Mehta, M.: Role of Homopolymerization in the Peroxide-Catalyzed Reaction of Maleic Anhydride and Polyethylene in the Absence of Solvent, 481L
Geil, P. H. See Takahama, T., 453L, 1979P
Geissler, E.
—; Hecht, A. M.; Duplessix, R.: Comparison between Neutron and Quasielastic Light Scattering by Polyacrylamide Gels, 225P
Gent, A. N.
—; Tobias, R. H.: Diffusion and Equilibrium Swelling of Macromolecular Networks by their Linear Homologs, 2317P
—; Tobias, R. H.: Threshold Tear Strength of Elastomers, 2051P
George, M. H. See Egboh, H. S., 2879C
Georgiev, G. S. See Zubov, V. P., 619C
German, A. L. See Schrijver, J., 2693C
Ghaemy, M.
—; Billingham, N. C.; Calvert, P. D.: Uneven Curing in Epoxy Resins, 439L
Ghatge, N. D.
—; Murthy, R. A. N.: Letter to the Editor, 347L
Gibson, H. W. See Pochan, J. M., 2059P
Gilbert, R. D. See Harris, S. H., 1653C; Lee, K. S., 997C; Patel, D. L., 1019P
Gilchrist, J. L. G.
Affinity of a Hindered Phenol Antioxidant for Reagents in Hydrocarbon Media: A Low-Temperature Dielectric Relaxation Study, 1617P
Gilmer, J.
—; Goldstein, N.; Stein, R. S.: Light-Scattering Studies of Phase-Demixing of Polystyrene/Poly(*o*-Chlorostyrene) Blends, 2219P
Glotin, M. See Dechter, J. J., 641P; Wignall, G. D., 245P
Godard, P. See Devaux, J., 1875P, 1881P, 1895P, 1901P
Gohil, R. M. See Petermann, J., 523P
Goldfarb, I. J. See Hedberg, F. L., 3069C
Goldman, M. See Amouroux, J., 1373C
Goldstein, N. See Gilmer, J., 2219P
Goldwasser, J. M. See Elsdon, W. L., 3271C
—; Rudin, A.: Emulsion Copolymerization of Styrene and Methyl Methacrylate, 1993C
Golubev, V. B. See Zubov, V. P., 619C
Gomes, A. S.
—; Coutinho, F. B.; Macchi, E. M.: Conformation Studies of Poly-β-Amide by Infrared Spectroscopy and X-Ray Diffraction (Communication), 2345C
—; Coutinho, F. B.: Stereoelective Polymerization of Racemic *cis*-2-Azabicycle[3.2.0]hepta-3-one by L-Phenylalanine, 423L
Gong, M. S. See Cho, I., 361L
Gonzalez, M. C.
—; Zamora, F.; Leon, L. M.; Guzman, G. M.: Detection of a Preferential Adsorption Effect in the PNVC–Chlorobenzene–Methanol System by NMR and Viscometry, 375L
Graessley, W. W. See Menezes, E. V., 1817P
Green, P. N. See Bonamy, A., 315L
Greinke, R. A. See Lewis, I. C., 1119C
Griffin, A. C. See Wissbrun, K. F., 1835P
Grigsby, J. See Von Meerwall, E., 1037P
Griscavage, A. A. See Ricciardi, F., 127L
Grossmann, H.-P. See Pietralla, M., 1193P
Gu, G-F. See Plazek, D. J., 1551P
Guhaniyogi, S. See Kennedy, J. P., 3219C, 3229C
Guigon, M. See Oberlin, A., 579P
Guillet, J. E. See Thomas, J. W., Jr., 1749P
Gupta, A. See Nir, Z., 2735C; Tsay, F-D., 763P; Varma, I. K., 621L
Gupta, I.
—; Gupta, S. N.; Neckers, D. C.: Photocrosslinking and Photografting of Vinyl Polymers Using Poly(styrene-co-*p*-vinylbenzophenone-*p′-tert*-butyl perbenzoate) as a Comonomer, 147C
Gupta, M. C.
—; Srivastava, A. K.: γ Radiolysis of Poly(4,4′-isopropylidene Diphenylene Sebacate), 541C
Gupta, S. K.
—; Agarwalla, N. L.; Rajora, P.; Kumar, A.: Simulation of Reversible Polycondensations with Monomer Having Reactivity Different from that of Higher Homologs, 933P
Gupta, S. N. See Gupta, I., 147C
—; Neckers, D. C.: Template Effects in Chelating Polymers, 1609C
Guttmann, H. See Lewin, M., 929C
Guzman, G. M. See Calahorra, E., 181L; Gonzalez, M. C., 375L; Zamora, F., 223L
Guzman, J. See Garrido, L., 1805P, 3377C

Haas, H. C. See Jasne, S. J., 35C
Hachmann, U.
—; Petermann, J.: Diffusion-Controlled Growth of Lamellar Crystals in an Isotactic Polystyrene–Polyphenylene Oxide Blend, 1633P
Hada, Y. See Tsubokawa, N., 27L, 3297C
Hadjichristidis, N.
—; Fetters, L. J.: Effect of Molecular Weight and Chain Branching on the Refractive Index Increment of Polystyrene and Polyisoprene Solutions (Communication), 2163P
—; Zhongde, X.; Fetters, L. J.; Roovers, J.: The Characteristic Ratios of Stereoirregular Polybutadiene and Polyisoprene, 743P
Haga, T.
Anomalous Swelling of Poly(ethylene Terephthalate) Fiber in Organic Solvents, 629L
Hager, B. L.
—; Berry, G. C.: Moderately Concentrated Solutions of Polystyrene. I. Viscosity as a Function of Concentration, Temperature, and Molecular Weight, 911P

Hagihara, N. See Takahashi, S., 565C
Halawith, B. See Lindsay, S. M., 583L
Hall, H. K., Jr. See Padias, A. B., 217L; Yokoyama, Y., 2195C
—; Reineke, K. E.; Ried, J. H.; Sentman, R. C.; Miller, D.: X-Ray Structure Determination of New Monomers to Establish Their Polymerizability, 361C
Hall, L. D. See Yalpani, M., 3399C
Han, C. D.
Review of *Polymer Melt Rheology—A Guide for Industrial Practice*, F. N. Cogswell, 198L
Han, Y. K.
—; Park, J. M.; Choi, S.-K.: Vinyl Polymerization by Lithium Organocuprates, 1549C
Hanrahan, B. D. See Runt, J., 1687P
Hara, Y. See Shinkai, S., 1097C
Harada, M. See Nomura, M., 1261C
Hardouin, F.
—; Achard, M. F.; Gasparoux, H.; Liebert, L.; Strzelecki, L.: Magnetic Effects and Viscosity in the Nematic Phase of a Polymer Series, 975P
Hargis, I. G.
—; Melby, E. G.: Review of *Poly(tetrahydrofuran)*. P. Dreyfuss, 602L
Harms, H. See Kauffmann, H. F., 2943C
Harris, R. See Sadler, D. M., 561P, 1755P
Harris, S. H.
—; Gilbert, R. D.: Acrylonitrile–4-Vinylpyridine Copolymers Effect of Comonomer Sequence Distribution on Properties, 1653C
Harrison, I. R. See Runt, J., 1687P
Hartley, F. R.
—; Murray, S. G.; Nicholson, P. N.: γ-Radiation-Produced Supported Metal Complex Catalysts. 3. Phosphinated Polypropylene Supports, 2395C
Hartmann, B.
—; Lee, G.: Additive Moduli for Crosslinked Epoxies, 1269P
Hasan, S. M.
Mechanism of Styrene Emulsion Polymerization During Interval II, 3031C
The Effect of the Purity of Ingredients, Oxygen, and Inorganic Particulate Dispersion on the Course of Styrne Emulsion Polymerization, 2969C
Hasegawa, M. See Niume, K., 663C, 1965C
—; Yonezawa, N.; Kanoe, T.; Ikebe, Y.: A New Approach to Fully Conjugated Polyamides: Preparation and Photolysis of Poly[*p*-Phenylene *trans*-3, *cis*-4-Bis(2-Hydroxyphenyl)-1, *trans*-2-Cyclobutane Dicarboxylamide], 309L
Hashimoto, T. See Morishima, Y., 299C, 2007C
Hatanaka, K. See Uryu, T., 343C
Hayakawa, N. See Arakawa, K., 2681C
Hayakawa, R. See Mori, Y., 2111P
Hayase, S. See Araki, T., 3337C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex-Silanol Catalyst. IV. Photopolymerization with $Ph_3SiCOPh$-Al Complex-Alcohol Catalyst System, 1433C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with $Al(acac)_3$-Silanol Catalyst (Erratum), 1652C
—; Onishi, Y.; Yoshikiyo, K.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex/Silanol Catalysts. V. A Catalytic Activity Dependence on the Aluminum Chelate Structure, 3155C
Hayashi, A. See Takagishi, T., 1533C
Hayashi, K. See Mah, S., 1709C, 2151C
—; Kijima, T.; Okamura, S.; Egusa, S.; Makuuchi, K.: Formation of Fine Particle Emulsions by High-Dose-Rate Polymerization, 643L
Hayashi, S.
—; Hirai, T.; Hojo, N.; Sugeta, H.; Kyogoku, Y.: Blue Complex Formation of Poly(vinyl Acetate) with Iodine–Iodide, 69L
—; Hirai, T.; Shimomichi, S.; Hojo, N.: Polyiodide Composition in Poly(vinyl Acetate)–Iodine–Iodide Complex, 839C
Hayter, J. B. See Ewen, B., 233L, 562L
Hecht, A. M. See Geissler, E., 225P
Hedberg, F. L.
—; Lindley, P. M.; Lee, C. Y-C.; Goldfarb, I. J.: The Synthesis and Thermal Curing Parameters of a Novel Quinoxaline Monomer with Terminal Ethynyl Thermoset and Phenylethynyl Intramolecular Cycloaddition Postcure Capability, 3069C
Heeger, A. J. See Chung, T.-C., 427L; Kletter, M. J., 211L; Woerner, T., 305L
Helfand, E.
—; Pearson, D. S.: Calculation of the Nonlinear Stress of Polymers in Oscillatory Shear Fields, 1249P
Hellman, M. Y. See Bowmer, T. N., 2661C
Hemery, P. See Gamichon, C., 3255C
Hendricks, R. W. See Lin, J. S., 1365P; Petermann, J., 523P
Henrichs, P. M.
—; Hewitt, J. M.; Schwartz, L. J.; Bailey, D. B.: Quantitative NMR Measurements in Copolymers of Vinylidene Chloride and Acrylonitrile: The Effect of Saturation and Varying Nuclear Overhauser Enhancements, 775C
Hergenrother, P. M.
Ethynyl-Terminated Polysulfones: Synthesis and Characterization, 3131C
Heublein, G. See Velichkova, R., 2895C; Wondraczek, R. H., 1517C
Hewitt, J. M. See Henrichs, P. M., 775C
Hibionada, Y. M. See Schindler, A., 319C
Hieber, C. A. See Isayev, A. I., 423P
Higashi, F.
—; Ogata, S.-I.; Aoki, Y.: High-Molecular-Weight Poly(*p*-Phenyleneterephthalamide) by the Direct Polycondensation Reaction with Triphenyl Phosphite, 2081C
—; Murakami, T.; Taguchi, Y.: Polyureas from Carbon Dioxide and Diamines by Means of Triphenyl Phosphite and Pyridine Hydrochloride, 103C
Higashimura, T. See Masuda, T., 1043C, 2603C
Hill, D. J. T.
—; O'Donnell, J. H.: A Simplified Data Treatment for Dead-End and High Conversion Polymerization Kinetics (Note), 241C
Hirai, H.
—; Takeuchi, K.; Komiyama, M.: Polymerization of Coordinated Monomers. XIX. Kinetic Study of the Alternating Copolymerization of Methyl Methacrylate with Styrene by Boron Trichloride, 159C
Hirai, T. See Hayashi, S., 69L, 839C
Hirota, M. See Fukuda, H., 1401C, 2935C
Hoang, P. M. See Funt, B. L., 109C
Hobbs, S. Y.
—; Watkins, V. H.: The Use of Chemical Contrast in the SEM Analysis of Polymer Blends, 651P
Hoehn, H. H. See Zoller, P., 1385P
Hojo, N. See Hayashi, S., 69L, 839C
Holden, D. A. See Thomas, J. W., Jr., 1749P
Holste, J. C. See Saeki, S., 793P, 805P
Hong, S. D. See Fedors, R. F., 777P; Tsay, F-D., 763P
Hopfinger, A. J. See Balik, C. M., 2003P, 2017P; Baukema, P. R., 399P
Horkay, F. See Zrinyi, M., 815P
Hosokama, Y. See Tomoi, M., 3421C
Hosokawa, Y. See Tomoi, M., 3015C
Howe, R. F. See Kovacic, P., 3305C
Hsing, C.-F.
—; Khoury, I.; Bezoari, M. D.; Kovacic, P.: Properties of Poly(*p*-Phenylene)s and the Perdeuterated Analog, 3313C
Hsu, L-C. See Funt, B. L., 109C
Hsu, S. L. See Shen, D. Y., 509P
Hsu, Y-G.
—; Yang, W-L.: The Effect of Trimellitic Acid on the Thermal Properties of Polyester Coating Powder, 611L
Huang, S. J. See Pavlisko, J. A., 3079C
Huckerby, T. N. See Bevington, J. C., 2655C
Hudson, S. M.
—; Cuculo, J. A.: The Solubility of Cellulose in Liquid Ammonia/Ammonium Thiocyanate Solutions: Thermoreversible Gelation and a Preliminary Report on Fiber Formation, 499C

Huebner, D. J. See Saam, J. C., 3351C
Hughes, M. E. See Nagarajan, S., 1001P
Hull, W. E. See Kricheldorf, H. R., 2791C
Hummel, D. O.
Review of *H. Staudinger, H. Mark, und K. H. Meyer—Thesen zur Gross und Struktur der Makromolekule*, C. Priesner, 195L
Hunt, B. J. See Moustafa, A. B., 2903C
Hussain, S.
—; Dass, N. N.: Polymerization of Methyl Methacrylate by a Charge Transfer Mechanism with Urea and Iron (III) Complex, 3181C
Hutton, N. W. E. See Bevington, J. C., 2655C
Hvidt, S. See Batsberg, W., 341L

Ichimura, K. See Watanabe, S., 3261C
—; Watanabe, S.: Preparation and Characteristics of Photocrosslinkable Poly(vinyl Alcohol), 1419C
Preparation of Water-Soluble Photoresist Derived from Poly(vinyl Alcohol), 1411C
Igawa, M.
—; Nakamura, Y.; Takahashi, K.; Tanaka, M.; Seno, M.: Reverse Osmosis Separation of Alkaline Metal Ions Through Hydrophobic Membranes, 165L
Ignatova, E. V. See Zubov, V. P., 619C
Ihara, K. See Matsuo, M., 1P
Ihm, D. W.
—; Cuculo, J. A.: Effect of Pressure on the Crystallization of Poly(ethylene Terephthalate), 1847C
Ikada, E. See Ashida, M., 3107C
Ikebe, Y. See Hasegawa, M., 309L
Imai, M.
Kinetic Approach to Radiation-Induced Grafting in the Polyethylene-Styrene System. V. The Behavior of Initiator Radicals, 15C
Imai, Y. See Ueda, M., 2819C, 2829C
—; Abe, S.; Takahashi, T.; Ueda, M.: Preparation and Properties of Ordered and Random Polyamide-Esters from 4-(4-Amino-α,α-dimethylbenzyl)phenol and Aromatic Diacyl Chlorides, 683C
—; Takahashi, T.; Ueda, M.: Synthesis of Aromatic Polyamide-Phthalimidines from Chloroformylphthalides and Aromatic Diamines, 1497C
—; Nan, R.; Ueda, M.: Synthesis of Polyphthalimidine from 5-Amino-3-Benzylidenephthalide (Communication), 2995C
—; Takahashi, T.; Ueda, M.: Thermal Cross-Linking Reaction of Aromatic Polypyromellitimidines with Pendant Benzylidene Groups (Note), 249C
Imoto, M. See Ouchi, T., 1133C, 2089C
Inaba, M. See Ouchi, T., 2089C
Inagaki, N.
—; Kimura, K.; Minamidani, T.; Katsuura, K.: Glow Discharge Polymerization of Chlorine-Containing Fluoromethane, 2303C
Inaki, Y. See Sakuma, Y., 3431C
—; Sakuma, Y.; Suda, Y.; Takemoto, K.: Functional Monomers and Polymers. XCVII. Synthesis of Oligomer Models of Polyethyleneimine Derivatives Containing Pendant Thymine Bases, 1917C
Ino, K. See Ishizu, K., 2545C, 2555C
Inoue, T. See Tazuke, S., 2239C
Isayev, A. I.
—; Hieber, C. A.: Oscillatory Shear Flow of Polymeric Systems, 423P
Ishida, H.
—; Naviroj, S.; Tripathy, S. K.; Fitzgerald, J. J.; Koenig, J. L.: The Structure of an Aminosilane Coupling Agent in Aqueous Solutions and Partially Cured Solids, 701P
Ishida, Y. See Lee, M., 457C
Ishido, H. See Matsumoto, A., 3207C
Ishihara, K. See Negishi, N., 1907C
Ishikawa, K. See Tanioka, A., 2197P
Ishizu, K.
—; Prabhu, U. D. G.; Draney, D.; Lee, B. H.; Marvel, C. S.: New Acetylene-Terminated Quinoxaline Oligomers, 2851C
—; Ino, K.; Koshiro, Y.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using Metallated Polymer. I. Grafting and Intramolecular Crosslinkings at the First Stage, 2545C
—; Ino, K.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using a Metallated Polymer. II. Intermolecular and Intramolecular Crosslinkings at the Second State, 2555C
—; Ohtaka, A.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using a Metallated Polymer. III. Solvent Effects on Rate Constants of Grafting and Intramolecular Crosslinking Reactions, 3199C
Isoda, S.
—; Kochi, M.; Kambe, H.: Molecular Aggregation of Solid Aromatic Polymers. II. Mechanical Properties of Aromatic Polyimide Film, 837P
Ito, M.
—; Pereira, J. R. C.; Porter, R. S.: Surface Characterization of Extrusion-Drawn Semicrystalline Poly(ethylene Terephthalate) by Multiple Internal Reflection Infrared Spectroscopy, 61L
Ito, T. See Hayase, S., 1433C, 1652C
Itoh, Y. See Morishima, Y., 299C, 2007C
—; Morishima, Y.; Nozakura, S.-I.: Amphiphilic Copolymers of Some Aromatic Vinyl Compounds and an Electrolytic Monomer As Potential Media for Photosensitized Electron Transfer: Fluorescence Quenching by an Amphiphilic Electron Acceptor in Aqueous Media, 467C
Iwabuchi, S. See Nakahira, T., 1863P
Iwai, K. See Kobayashi, N., 85L
Iwakura, Y. See Chau, N., 137C, 3387C; Niume, K., 663C, 1965C
Iwamoto, M. See Kawakami, M., 251L

Jagur-Grodzinski, J. See Sharaby, Z., 901C
Jain, R. K.
—; Simha, R.; Zoller, P.: Theoretical Equation of State of Polymer Blends: The Poly(2,6-dimethyl-1,4-phenylene Ether)–Polystyrene Pair, 1399P
Jamieson, A. M.
—; Southwick, J. G.; Blackwell, J.: Dynamical Behavior of Xanthan Polysaccharide in Solution, 1513P
Jankiewicz, S. V. See Garnett, J. L., 171L
Jansson, J. F. See Boyd, R. H., 73P
Jarvis, D. A. See Barham, P. J., 1733P
Jasne, S. J.
—; Haas, H. C.; Moreau, R. D.; Macdonald, R. L.: Methylene Malonamide. I. Synthesis and Reactivity of the Monomer, 35C
Javni, I.
—; Fles, D.; Vukovic, R.: Alternating Copolymerization of α-Methylstyrene and Maleic Anhydride, 977C
Jayaprakash, D.
—; Nanjan, M. J.: Synthesis and Characterization of Certain Polyhydrazides Containing Azo Group in the Main Chain (Communication), 1959C
Jaycox, G. D.
—; Sinta, R.; Smid, J.: Complexes of Polyacids with Poly(vinylbenzocrown Ether)s and Polyvinylbenzoglymes in Water, 1629C
Jazzar, M. S. See Peeling, J., 1797C
Jelinski, L. W.
—; Dumais, J. J.; Watnick, P. I.; Bass, S. V.; Sheperd, L.: ^{13}C-NMR of ABS in the Solid State. Characterization and Relaxation Studies, 3285C
Jellinek, H. H. G.
—; Dunkle, S. R.: Evolution of HCN During High-Temperature Thermal Degradation of Polyurethanes, 2313C
—; Dunkle, S. R.: Kinetics and Mechanism of HCN Evolution from Nylon 66 and Design of Apparatus, 85C
Review of *Developments in Polymer Degradation—3*. N. Grassie, Ed. 599L

Hagihara, N. See Takahashi, S., 565C
Halawith, B. See Lindsay, S. M., 583L
Hall, H. K., Jr. See Padias, A. B., 217L; Yokoyama, Y., 2195C
—; Reineke, K. E.; Ried, J. H.; Sentman, R. C.; Miller, D.: X-Ray Structure Determination of New Monomers to Establish Their Polymerizability, 361C
Hall, L. D. See Yalpani, M., 3399C
Han, C. D.
Review of *Polymer Melt Rheology—A Guide for Industrial Practice*, F. N. Cogswell, 198L
Han, Y. K.
—; Park, J. M.; Choi, S.-K.: Vinyl Polymerization by Lithium Organocuprates, 1549C
Hanrahan, B. D. See Runt, J., 1687P
Hara, Y. See Shinkai, S., 1097C
Harada, M. See Nomura, M., 1261C
Hardouin, F.
—; Achard, M. F.; Gasparoux, H.; Liebert, L.; Strzelecki, L.: Magnetic Effects and Viscosity in the Nematic Phase of a Polymer Series, 975P
Hargis, I. G.
—; Melby, E. G.: Review of *Poly(tetrahydrofuran)*. P. Dreyfuss, 602L
Harms, H. See Kauffmann, H. F., 2943C
Harris, R. See Sadler, D. M., 561P, 1755P
Harris, S. H.
—; Gilbert, R. D.: Acrylonitrile–4-Vinylpyridine Copolymers Effect of Comonomer Sequence Distribution on Properties, 1653C
Harrison, I. R. See Runt, J., 1687P
Hartley, F. R.
—; Murray, S. G.; Nicholson, P. N.: γ-Radiation-Produced Supported Metal Complex Catalysts. 3. Phosphinated Polypropylene Supports, 2395C
Hartmann, B.
—; Lee, G.: Additive Moduli for Crosslinked Epoxies, 1269P
Hasan, S. M.
Mechanism of Styrene Emulsion Polymerization During Interval II, 3031C
The Effect of the Purity of Ingredients, Oxygen, and Inorganic Particulate Dispersion on the Course of Styrne Emulsion Polymerization, 2969C
Hasegawa, M. See Niume, K., 663C, 1965C
—; Yonezawa, N.; Kanoe, T.; Ikebe, Y.: A New Approach to Fully Conjugated Polyamides: Preparation and Photolysis of Poly[*p*-Phenylene *trans*-3, *cis*-4-Bis(2-Hydroxyphenyl)-1, *trans*-2-Cyclobutane Dicarboxylamide], 309L
Hashimoto, T. See Morishima, Y., 299C, 2007C
Hatanaka, K. See Uryu, T., 343C
Hayakawa, N. See Arakawa, K., 2681C
Hayakawa, R. See Mori, Y., 2111P
Hayase, S. See Araki, T., 3337C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex-Silanol Catalyst. IV. Photopolymerization with $Ph_3SiCOPh$-Al Complex-Alcohol Catalyst System, 1433C
—; Ito, T.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with $Al(acac)_3$-Silanol Catalyst (Erratum), 1652C
—; Onishi, Y.; Yoshikiyo, K.; Suzuki, S.; Wada, M.: Polymerization of Cyclohexene Oxide with Aluminum Complex/Silanol Catalysts. V. A Catalytic Activity Dependence on the Aluminum Chelate Structure, 3155C
Hayashi, A. See Takagishi, T., 1533C
Hayashi, K. See Mah, S., 1709C, 2151C
—; Kijima, T.; Okamura, S.; Egusa, S.; Makuuchi, K.: Formation of Fine Particle Emulsions by High-Dose-Rate Polymerization, 643L
Hayashi, S.
—; Hirai, T.; Hojo, N.; Sugeta, H.; Kyogoku, Y.: Blue Complex Formation of Poly(vinyl Acetate) with Iodine–Iodide, 69L
—; Hirai, T.; Shimomichi, S.; Hojo, N.: Polyiodide Composition in Poly(vinyl Acetate)–Iodine–Iodide Complex, 839C
Hayter, J. B. See Ewen, B., 233L, 562L
Hecht, A. M. See Geissler, E., 225P
Hedberg, F. L.
—; Lindley, P. M.; Lee, C. Y-C.; Goldfarb, I. J.: The Synthesis and Therma: Curing Parameters of a Novel Quinoxaline Monomer with Terminal Ethynyl Thermoset and Phenylethynyl Intramolecular Cycloaddition Postcure Capability, 3069C
Heeger, A. J. See Chung, T.-C., 427L; Kletter, M. J., 211L; Woerner, T., 305L
Helfand, E.
—; Pearson, D. S.: Calculation of the Nonlinear Stress of Polymers in Oscillatory Shear Fields, 1249P
Hellman, M. Y. See Bowmer, T. N., 2661C
Hemery, P. See Gamichon, C., 3255C
Hendricks, R. W. See Lin, J. S., 1365P; Petermann, J., 523P
Henrichs, P. M.
—; Hewitt, J. M.; Schwartz, L. J.; Bailey, D. B.: Quantitative NMR Measurements in Copolymers of Vinylidene Chloride and Acrylonitrile: The Effect of Saturation and Varying Nuclear Overhauser Enhancements, 775C
Hergenrother, P. M.
Ethynyl-Terminated Polysulfones: Synthesis and Characterization, 3131C
Heublein, G. See Velichkova, R., 2895C; Wondraczek, R. H., 1517C
Hewitt, J. M. See Henrichs, P. M., 775C
Hibionada, Y. M. See Schindler, A., 319C
Hieber, C. A. See Isayev, A. I., 423P
Higashi, F.
—; Ogata, S.-I.; Aoki, Y.: High-Molecular-Weight Poly(*p*-Phenyleneterephthalamide) by the Direct Polycondensation Reaction with Triphenyl Phosphite, 2081C
—; Murakami, T.; Taguchi, Y.: Polyureas from Carbon Dioxide and Diamines by Means of Triphenyl Phosphite and Pyridine Hydrochloride, 103C
Higashimura, T. See Masuda, T., 1043C, 2603C
Hill, D. J. T.
—; O'Donnell, J. H.: A Simplified Data Treatment for Dead-End and High Conversion Polymerization Kinetics (Note), 241C
Hirai, H.
—; Takeuchi, K.; Komiyama, M.: Polymerization of Coordinated Monomers. XIX. Kinetic Study of the Alternating Copolymerization of Methyl Methacrylate with Styrene by Boron Trichloride, 159C
Hirai, T. See Hayashi, S., 69L, 839C
Hirota, M. See Fukuda, H., 1401C, 2935C
Hoang, P. M. See Funt, B. L., 109C
Hobbs, S. Y.
—; Watkins, V. H.: The Use of Chemical Contrast in the SEM Analysis of Polymer Blends, 651P
Hoehn, H. H. See Zoller, P., 1385P
Hojo, N. See Hayashi, S., 69L, 839C
Holden, D. A. See Thomas, J. W., Jr., 1749P
Holste, J. C. See Saeki, S., 793P, 805P
Hong, S. D. See Fedors, R. F., 777P; Tsay, F-D., 763P
Hopfinger, A. J. See Balik, C. M., 2003P, 2017P; Baukema, P. R., 399P
Horkay, F. See Zrinyi, M., 815P
Hosokama, Y. See Tomoi, M., 3421C
Hosokawa, Y. See Tomoi, M., 3015C
Howe, R. F. See Kovacic, P., 3305C
Hsing, C.-F.
—; Khoury, I.; Bezoari, M. D.; Kovacic, P.: Properties of Poly(*p*-Phenylene)s and the Perdeuterated Analog, 3313C
Hsu, L-C. See Funt, B. L., 109C
Hsu, S. L. See Shen, D. Y., 509P
Hsu, Y-G.
—; Yang, W-L.: The Effect of Trimellitic Acid on the Thermal Properties of Polyester Coating Powder, 611L
Huang, S. J. See Pavlisko, J. A., 3079C
Huckerby, T. N. See Bevington, J. C., 2655C
Hudson, S. M.
—; Cuculo, J. A.: The Solubility of Cellulose in Liquid Ammonia/Ammonium Thiocyanate Solutions: Thermoreversible Gelation and a Preliminary Report on Fiber Formation, 499C

Huebner, D. J. See Saam, J. C., 3351C
Hughes, M. E. See Nagarajan, S., 1001P
Hull, W. E. See Kricheldorf, H. R., 2791C
Hummel, D. O.
Review of *H. Staudinger, H. Mark, und K. H. Meyer—Thesen zur Gross und Struktur der Makromolekule*, C. Priesner, 195L
Hunt, B. J. See Moustafa, A. B., 2903C
Hussain, S.
—; Dass, N. N.: Polymerization of Methyl Methacrylate by a Charge Transfer Mechanism with Urea and Iron (III) Complex, 3181C
Hutton, N. W. E. See Bevington, J. C., 2655C
Hvidt, S. See Batsberg, W., 341L

Ichimura, K. See Watanabe, S., 3261C
—; Watanabe, S.: Preparation and Characteristics of Photocrosslinkable Poly(vinyl Alcohol), 1419C
Preparation of Water-Soluble Photoresist Derived from Poly(vinyl Alcohol), 1411C
Igawa, M.
—; Nakamura, Y.; Takahashi, K.; Tanaka, M.; Seno, M.: Reverse Osmosis Separation of Alkaline Metal Ions Through Hydrophobic Membranes, 165L
Ignatova, E. V. See Zubov, V. P., 619C
Ihara, K. See Matsuo, M., 1P
Ihm, D. W.
—; Cuculo, J. A.: Effect of Pressure on the Crystallization of Poly(ethylene Terephthalate), 1847C
Ikada, E. See Ashida, M., 3107C
Ikebe, Y. See Hasegawa, M., 309L
Imai, M.
Kinetic Approach to Radiation-Induced Grafting in the Polyethylene-Styrene System. V. The Behavior of Initiator Radicals, 15C
Imai, Y. See Ueda, M., 2819C, 2829C
—; Abe, S.; Takahashi, T.; Ueda, M.: Preparation and Properties of Ordered and Random Polyamide-Esters from 4-(4-Amino-α,α-dimethylbenzyl)phenol and Aromatic Diacyl Chlorides, 683C
—; Takahashi, T.; Ueda, M.: Synthesis of Aromatic Polyamide-Phthalimidines from Chloroformylphthalides and Aromatic Diamines, 1497C
—; Nan, R.; Ueda, M.: Synthesis of Polyphthalimidine from 5-Amino-3-Benzylidenephthalide (Communication), 2995C
—; Takahashi, T.; Ueda, M.: Thermal Cross-Linking Reaction of Aromatic Polypyromellitimidines with Pendant Benzylidene Groups (Note), 249C
Imoto, M. See Ouchi, T., 1133C, 2089C
Inaba, M. See Ouchi, T., 2089C
Inagaki, N.
—; Kimura, K.; Minamidani, T.; Katsuura, K.: Glow Discharge Polymerization of Chlorine-Containing Fluoromethane, 2303C
Inaki, Y. See Sakuma, Y., 3431C
—; Sakuma, Y.; Suda, Y.; Takemoto, K.: Functional Monomers and Polymers. XCVII. Synthesis of Oligomer Models of Polyethyleneimine Derivatives Containing Pendant Thymine Bases, 1917C
Ino, K. See Ishizu, K., 2545C, 2555C
Inoue, T. See Tazuke, S., 2239C
Isayev, A. I.
—; Hieber, C. A.: Oscillatory Shear Flow of Polymeric Systems, 423P
Ishida, H.
—; Naviroj, S.; Tripathy, S. K.; Fitzgerald, J. J.; Koenig, J. L.: The Structure of an Aminosilane Coupling Agent in Aqueous Solutions and Partially Cured Solids, 701P
Ishida, Y. See Lee, M., 457C
Ishido, H. See Matsumoto, A., 3207C
Ishihara, K. See Negishi, N., 1907C
Ishikawa, K. See Tanioka, A., 2197P
Ishizu, K.
—; Prabhu, U. D. G.; Draney, D.; Lee, B. H.; Marvel, C. S.: New Acetylene-Terminated Quinoxaline Oligomers, 2851C
—; Ino, K.; Koshiro, Y.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using Metallated Polymer. I. Grafting and Intramolecular Crosslinkings at the First Stage, 2545C
—; Ino, K.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using a Metallated Polymer. II. Intermolecular and Intramolecular Crosslinkings at the Second State, 2555C
—; Ohtaka, A.; Fukutomi, T.; Kakurai, T.: Reaction Rate of Crosslinkings by Using a Metallated Polymer. III. Solvent Effects on Rate Constants of Grafting and Intramolecular Crosslinking Reactions, 3199C
Isoda, S.
—; Kochi, M.; Kambe, H.: Molecular Aggregation of Solid Aromatic Polymers. II. Mechanical Properties of Aromatic Polyimide Film, 837P
Ito, M.
—; Pereira, J. R. C.; Porter, R. S.: Surface Characterization of Extrusion-Drawn Semicrystalline Poly(ethylene Terephthalate) by Multiple Internal Reflection Infrared Spectroscopy, 61L
Ito, T. See Hayase, S., 1433C, 1652C
Itoh, Y. See Morishima, Y., 299C, 2007C
—; Morishima, Y.; Nozakura, S.-I.: Amphiphilic Copolymers of Some Aromatic Vinyl Compounds and an Electrolytic Monomer As Potential Media for Photosensitized Electron Transfer: Fluorescence Quenching by an Amphiphilic Electron Acceptor in Aqueous Media, 467C
Iwabuchi, S. See Nakahira, T., 1863P
Iwai, K. See Kobayashi, N., 85L
Iwakura, Y. See Chau, N., 137C, 3387C; Niume, K., 663C, 1965C
Iwamoto, M. See Kawakami, M., 251L

Jagur-Grodzinski, J. See Sharaby, Z., 901C
Jain, R. K.
—; Simha, R.; Zoller, P.: Theoretical Equation of State of Polymer Blends: The Poly(2,6-dimethyl-1,4-phenylene Ether)–Polystyrene Pair, 1399P
Jamieson, A. M.
—; Southwick, J. G.; Blackwell, J.: Dynamical Behavior of Xanthan Polysaccharide in Solution, 1513P
Jankiewicz, S. V. See Garnett, J. L., 171L
Jansson, J. F. See Boyd, R. H., 73P
Jarvis, D. A. See Barham, P. J., 1733P
Jasne, S. J.
—; Haas, H. C.; Moreau, R. D.; Macdonald, R. L.: Methylene Malonamide. I. Synthesis and Reactivity of the Monomer, 35C
Javni, I.
—; Fles, D.; Vukovic, R.: Alternating Copolymerization of α-Methylstyrene and Maleic Anhydride, 977C
Jayaprakash, D.
—; Nanjan, M. J.: Synthesis and Characterization of Certain Polyhydrazides Containing Azo Group in the Main Chain (Communication), 1959C
Jaycox, G. D.
—; Sinta, R.; Smid, J.: Complexes of Polyacids with Poly(vinylbenzocrown Ether)s and Polyvinylbenzoglymes in Water, 1629C
Jazzar, M. S. See Peeling, J., 1797C
Jelinski, L. W.
—; Dumais, J. J.; Watnick, P. I.; Bass, S. V.; Sheperd, L.: ^{13}C-NMR of ABS in the Solid State. Characterization and Relaxation Studies, 3285C
Jellinek, H. H. G.
—; Dunkle, S. R.: Evolution of HCN During High-Temperature Thermal Degradation of Polyurethanes, 2313C
—; Dunkle, S. R.: Kinetics and Mechanism of HCN Evolution from Nylon 66 and Design of Apparatus, 85C
Review of *Developments in Polymer Degradation—3.* N. Grassie, Ed. 599L

Review of *The Combustion of Organic Polymers*. C. F. Cullis and M. M. Hirschler, Eds. 606L
Jensen, L. C. See Dickinson, J. T., 1925P
Jerome, R. See Fayt, R., 2209P
Jhon, M. S. See Cho, H. G., 1247C; Sekhon, G., 947P
Jing, X.
—; Krimm, S.: Mixed-Crystal Infrared Studies of Chain Folding in Polyethylene Single Crystals: Effect of Crystallization Temperature, 1155P
Johnsen, R. M. See Brown, W., 1771P
Johnson, D. J. See Frye, C. J., 1677P
Johnston, D. S. See Pons, M., 513C
Jonas, J. See Brown, D. R., 1659P
Jones, A. A.
—; Shea, F. P.: Spin-Lattice Relaxation in the Rotating Frame in Solutions of Poly(2,6-dimethyl-1,4-phenylene Oxide), 681P
Jones, G. A. See Starkweather, H. W., Jr., 751P
Joshi, S. V. See Kricheldorf, H. R., 2791C
Joullie, M. M. See Ricciardi, F., 127L
Juang, R. H. See Lillya, C. P., 1505C

Kabanov, V. A. See Zubov, V. P., 619C
Kagawa, S. See Kawakami, M., 251L
Kageyama, Y. See Tanioka, A., 2197P
Kajiwara, K. See Burchard, W., 157P
Kakiuchi, H. See Tomoi, M., 3015C, 3421C
Kakurai, T. See Ishizu, K., 2545C, 2555C, 3199C
Kalb, B.
—; Cox, R. G.; St. John Manley, R.: Hydrodynamically Induced Formation of Cellulose Fibers. III. Coagulation of Droplets of Cellulose Solution in Extensional Flow, 1207P
Kalfoglou, N. K.
Compatibility of Poly(ethylene Oxide)–Poly(vinyl Acetate) Blends, 1259P
Kalkanoglu, H. See Fried, J. R., 381L
Kallo, A. See Vancso-Szmercsanyi, I., 639C
Kalpagam, V. See Mangalam, P. V., 773P; Marjit, D. N., 3369C; Thiagarajan, R., 675C
Kamachi, M. See Morishima, Y., 299C
—; Fujii, M.; Ninomiya, S-I.; Katsuki, S.; Nozakura, S.-I.: Solvent Effect on Radical Polymerization of Butyl Acrylate, 1489C
Kambe, H. See Isoda, S., 837P
Kambour, R. P.
—; Smith, S. A.: Crack Propagation in Poly(2,6-dimethyl-1,4-phenylene Oxide), Polystyrene, and Their Blends, 2069P
Kameyama, M. See Nakamae, K., 319P
Kamigaki, H. See Matsumoto, A., 2611C
Kamogawa, H.
—; Mukai, H.; Nakajima, Y.; Nanasawa, M.: Chemical Release Control—Schiff Bases of Perfume Aldehydes and Aminostyrenes, 3121C
Kamykowski, G. W.
—; Ferry, J. D.; Fetters, L. J.: Stress Relaxation in Styrene–Butadiene–Styrene Block Copolymers Containing Unattached Linear Polybutadiene and Styrene–Butadiene Diblocks, 2125P
Kanamoto, T.
—; Zachariades, A. E.; Porter, R. S.: The Effect of Anhydrous Ammonia on the Crystalline-State Deformation of Nylons 6 and 6,6, 1485P
Kanazawa, H.
—; Ohashi, Y.; Sasada, Y.; Kawai, T.: Polymerization of *N*-Carboxy–Amino Acid Anhydrides in the Solid State. II. Relation between Polymerizability and Molecular Arrangement in L-Leucine NCA and L-Alanine NCA Crystals, 1847P
Kanazawa, K. K. See Clarke, T. C., 117P; Salmon, M., 187L
Kaneko, M.
—; Ochiai, M.; Kinosita, K., Jr.; Yamada, A.: Photoinduced Electron Transfer from Polystyrene Pendant Tris(2,2′-bipyridyl)ruthenium (II) Complex to Methylviologen, 1011C
—; Yamada, A.; Tsuchida, E.; Kurimura, Y.: Preparation and Photochemical Reactivity of Poly(styrene-co-Vinylbipyridine) Pendant $Ru(bpy)_3^{2+}$ Complex, 593L
Kang, E. T.
—; Bhatt, A. P.; Villaroel, E.; Anderson, W. A.; Ehrlich, P.: Semiconductor Properties of Solution-Doped Polyphenylacetylene, 143L
Kanoe, T. See Hasegawa, M., 309L
Karasz, F. E. See Chacko, V. P., 2177P; Chien, J. C. W., 97L
Kataoka, S. See Takahashi, S., 565C
Kato, A. See Ogata, N., 227C
Katoh, T.
—; Ohtsuki, T.: End Effects for a Rodlike Polyelectrolyte Molecule in Salt Solution, 2167P
Katsuki, S. See Kamachi, M., 1489C
Katsuta, Y. See Okubo, M., 45L
Katsuura, K. See Inagaki, N., 2303C
Katti, K. V.
—; Krishnamurthy, S. S.: Friedel–Crafts Reaction of (Aryloxy)cyclotriphosphazenes with Halomethanes: Formation of New Crosslinked Polymers, 647L
Kauder, O.
Review of *Developments in Polymer Stabilisation—4*, Gerald Scott, Ed. 242L
Kauffman, R. N. See Williamson, M. A., 1875C
Kauffmann, H. F.
—; Harms, H.; Olaj, O. F.: Ground-State Dynamics of α-Methylstyrene. I. Thermally Induced Oligomerization in Bulk, 2943C
Kawai, H. See Cembrola, R. J., 1279P
Kawai, T. See Kanazawa, H., 1847P
Kawakami, M.
—; Yamashita, Y.; Yamasaki, M.; Iwamoto, M.; Kagawa, S.: Effects of Dissolved Inorganic Salts on Gas Permeabilities of Immobilized Liquid Polyethylene Glycol Membranes, 251L
Kawanobe, W. See Yamaguchi, K., 1185C
Keen, B. T. See Galanti, A. V., 233C
Kelleghan, W. J. See Lau, K. S. Y., 2381C
Keller, A. See Barham, P. J., 1733P; Chivers, R. A., 1717P
Kennedy, J. P. See Wondraczek, R. H., 43C, 173C
—; Chang, V. S. C.; Francik, W. P.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). XVIII. Epoxy and Aldehyde Telechelic Polyisobutylenes, 2809C
—; Liao, T.-P.; Guhaniyogi, S.; Chang, V. S. C.: Poly(β-pinenes) Carrying One, Two, and Three Functional End Groups. II. Syntheses and Characterization, 3229C
—; Liao, T.-P.; Guhaniyogi, S.; Chang, V. S. C.: Poly(β-pinenes) Carrying One, Two, or Three Functional End Groups. The Effect of Reaction Conditions on The Polymerization of β-Pinene, 3219C
Key, P. Y.
—; Sellen, D. B.: A Laser Light-Scattering Study of the Structure of Agarose Gels, 659P
Khalifa, A. M. See Mansour, E. M. E., 3007C
Khanna, Y. P. See Patel, G. N., 1029P
—; Pearce, E. M.; Babbit, G. E.: Aromatic Polyamides. IV. Configurational Analysis of Poly(chloro-2,4-phenylene isophthalamide) by NMR (Note), 253C
Khor, E. See Furstch, T. A., 1287C
Khoury, I. See Brown, C. E., 1697C; Hsing, C.-F., 3313C; Kovacic, P., 3305C
Khulbe, C. P. See Khulbe, K. C., 1089C
Khulbe, K. C.
—; Mann, R. S.; Khulbe, C. P.: Polymerization of Pyrrole by Potassium Persulfate, 1089C
Kielkiewicz, J. See Rokicki, G., 967C
Kijima, T. See Hayashi, K., 643L
Kim, G. J. See Takagishi, T., 2231C
Kim, O.-K.
—; Fox, R. B.: Charge Transfer Interaction and Electrical Conductivity of Poly(vinyl Acetals) Containing Dispersed TCNQ Radical Anion Salts, 2765C
Electrical Conductivity of Heteroaromatic Ladder Polymers, 663L
Kim, S. H. See Woo, J. C., 1947C
Kim, S. W. See Garton, A., 273L
Kimelblat, V. I. See Dorozhkin, V. P., 2863C

Kimura, K. See Inagaki, N., 2303C
Kimura, T. See Oishi, T., 2999C
Kinosita, K., Jr. See Kaneko, M., 1011C
Kise, H.
Dehydrochlorination of Poly(vinyl Chloride) by Aqueous Sodium Hydroxide Solution under Two Phase Conditions, 3189C
Kishimoto, Y.
—; Shimotsuma, W.: Electrical Conduction in Composites of a TCNQ Anion-Radical Salt in a Polymer Matrix, 845P
Kitano, K. See Uryu, T., 2181C
Kletter, M. J.
—; MacDiarmid, A. G.; Heeger, A. J.; Faulques, E.; Lefrant, S.; Bernier, P.: Bromine-Substituted Polyacetylene, $[CH_{1-y}Br_y]_x$ Synthesis and Characterization, 211L
Knobeloch, D. C. See Wild, L., 441P
Knoll, A. See Lewin, M., 929C
Kobayashi, N.
—; Iwai, K.: Functional Polymers. 9. Asymmetric Catalysis by New Cinchona Alkaloid Derivatives. Effect of C(3) Substituent on Asymmetric Induction, 85L
Koberstein, J. T.
Small-Angle Neutron Scattering from Two-Phase Polymeric Systems, 593P
Koch, V. See Encina, M. V., 73C
Kochi, M. See Isoda, S., 837P
Koenig, J. L. See Chiang, C-H., 2135P; Fately, W. G., 445L; Ishida, H., 701P; Lin, S-B., 2277P
Kojima, K. See Nakahira, T., 1863P
Kojima, M.
—; Satake, H.: Etched Surface Morphology of Crystalline Polymers (Communication), 2153P
Kolbeck, A. G.
Aging of Piezoelectricity in Poly(vinylidene Fluoride), 1987P
Kolinski, A.
—; Sikorski, A.: Monte Carlo Calculations of the 0 Point of Star-Branched Macromolecules on Tetrahedral Lattice, 177L
—; Sikorski, A.: Monte Carlo Study of Star-Branched Polymers on the Tetrahedral Lattice. I. Conformation of the Macromolecule, 3147C
Komiyama, M. See Hirai, H., 159C
Kondo, H. See Sato, M., 335C
Kondo, S. See Senga, M., 657L
Konno, M.
—; Takaso, S.; Arai, K.; Saito, S.: On the Monomer Distribution between Polymer and Aqueous Phases in Soapless Emulsion Polymerization (Communication), 3251C
Konomi, T.
Polymerization of 3,3-Bis(chloromethyl)oxacyclobutane Catalyzed by $MAl(C_2H_5)_4$ (Note), 897C
Koshiro, Y. See Ishizu, K., 2545C
Kotek, R. See Preston, J., 3241C
Kothandaraman, H. See Balachandar, M., 2621C; Vijayakumar, C. T., 2715C
Kovacic, P. See Brown, C. E., 1697C; Hsing, C.-F., 3313C
—; Howe, R. F.; Khoury, I.: Second Moments of ESR Signals from Poly(*p*-Phenylene) and the Deuterated Analog, 3305C
Kovacs, A. J. See Wittmann, J. C., 1341P
Kow, C. See Chen, J., 1565P
Kozuka, H. See Takagishi, T., 2231C
Kramer, E. J. See Donald, A. M., 899P, 1129P; Wang, W-C. V., 1371P
Kramer, O. See Batsberg, W., 341L
Kreuter, J.
On the Mechanism of Termination in Heterogeneous Polymerization, 543L
Kricheldorf, H. R.
—; Coutin, B.; Sekiguchi, H.: ^{13}C-NMR Sequence Analysis. 19. Anionic Copolymerization of γ-Butyrolactam, δ-Valerolactam, and Caprolactam at Low Temperatures, 2353C
—; Joshi, S. V.; Hull, W. E.: ^{15}N-NMR Spectroscopy. XXXV. Sequence Analysis of Alternating and Random Copolyamides Made Up of Aliphatic and Aromatic ω-Amino Acids, 2791C
Kriek, G. R. See Lin, S., 401C
Krigbaum, W. R. See Asrar, J., 79C, 373C; Preston, J., 3241C
—; Asrar, J.; Toriumi, H.; Ciferri, A.; Preston, J.: Aromatic Polyesters Forming Thermotropic Smectic Mesophases, 109L
Krimm, S. See Jing, X., 1155P
Krisch, K. C.
Review of *Interpenetrating Polymer Networks and Related Materials*, L. H. Sperling, 283L
Krishnamurthy, S. S. See Katti, K. V., 647L
Kronstadt, M. See Dubin, P. L., 1709P
Krounbi, M. See Salmon, M., 187L
Kruger, J. K. See Pietralla, M., 1193P
Kryszewski, M.
Review of *Molecular Electro-Optics; Electro-Optic Properties of Macromolecules and Colloids in Solution*. S. Krause, Ed. 603L
Ku, K.-C. See Chen, S.-A., 1819C
Kubota, H. See Ogiwara, Y., 17L
Kulicke, W.-M.
—; Siesler, H. W.: IR Studies of the Deuteration of Polyacrylamide (Note), 553P
Kulkarni, B. D. See Balaraman, K. S., 487L
Kumakura, T. See Ueda, M., 2829C
Kumamaru, F. See Xu, D., 159L
Kumar, A. See Gupta, S. K., 933P
Kunert, K. A.
Comparison of Storage Moduli of Chemically Crosslinked Polyethylene and Polypropylene, 53L
The Validity of the Compound Concentration Scale for the Interpretation of Some Crosslinked Polyolefine Properties, 2909C
Kunugi, T.
Preparation of High-Modulus Polypropylene Fiber by the Zone-Annealing Method, 329L
Kuo, C. C. See Anandakumaran, K., 1669P
Kuo, C.-I. See Chien, J. C. W., 2019C
Kuran, W. See Rokicki, G., 967C
Kurimura, Y. See Kaneko, M., 593L
Kuroda, H. See Osawa, Z., 577L
Kuroki, N. See Takagishi, T., 221C, 1533C, 2231C
Kurta, M. See Osaki, K., 623P
Kuwane, Y. See Masuda, T., 1043C
Kyogoku, Y. See Hayashi, S., 69L
Kyotani, M.
Solution Crystallization of Nylon 12, 345P
Kyu, T. See Cembrola, R. J., 1279P

LaBarre, E. E.
—; Turner, D. T.: Increased Water Sorption of Poly(methyl Methacrylate) after Removal of Methanol (Note), 557P
Lacaze, P-C. See Delamar, M., 245C
Lachinov, M. B. See Zubov, V. P., 619C
Lagasse, R. R.
—; Cohen, R. E.; Letton, A: Characterizing the Kinetics of Volume Recovery in Glasses by Instantaneous Temperature-Jump Experiments, 375P
Improved Calorimetric Procedure for Monitoring the Approach to Thermodynamic Equilibrium in Glassy Polymers, 279P
Lai, Y.-C.
—; Dvornic, P. R.; Lenz, R. W.: Exactly Alternating Silarylene-Siloxane Polymers. 4. Step-Growth Polymerization Reactions with Dichlorosilane Monomers, 2277C
Lamb, G. E. R.
Studies of Tensile Failure in Oriented Polymeric Fibers by Quantitative Fractography, 297P
Lancaster, J. E.
—; O'Connor, M. N.: High Field ^{13}C-NMR Study of the Stereoregularity of Polyacrylamide, 547L
Landel, R. F. See Arenz, R. J., 363P
Landis, A. L. See Lau, K. S. Y., 2381C
Lando, J. B. See Weinhold, S., 535P
Landoll, L. M.
Nonionic Polymer Surfactants, 443C
Nonionic Polymer Surfactants (Erratum), 1649C
Larkins, F. P. See Nagarajan, S., 1001P
Lattimer, R. P. See Voorhees, K. J., 1457C

Lau, K. S. Y.
—; Landis, A. L.; Kelleghan, W. J.; Beard, C. D.: Synthesis of Polymer Intermediates Containing the Hexafluoroisopropylidene Group via Functionalization of 2,2-Diphenylhexafluoropropane, 2381C
Lautout-Magat, M.
Contribution to the Study of Self-Avoiding Random Walks (SARW) Confined to Strips and Capillaries, 2705C
Laverty, J. J. See Mulvaney, J. E., 1949C
Lazarov, V N. See Dimov, D. K., 1389C
Leaver, I. H.
The Action of a Benzotriazole Light Stabilizer in Wool. I. A Diffuse Reflectance Analysis of UV Screening, 2417C
The Action of a Benzotriazole Light Stabilizer in Wool. II. The Mechanism of Photostabilization, 2429C
Lee, B. H. See Ishizu, K., 2851C
—; Marvel, C. S.: New Processable Polyaromatic Ether-Keto-Sulfones as Colorless, Clear Film-Forming Materials, 393C
Lee, C. Y-C. See Hedberg, F. L., 3069C
Lee, G. See Hartmann, B., 1269P
Lee, K. S.
—; Stannett, V. T.; Gilbert, R. D.: Amylose–Polyester Block Copolymers, 997C
Lee, M.
—; Ishida, Y.; Minoura, Y.: Effects of Ligands on the "Living" Radical Polymerization Initiated by the Aged Cr^{2+} Plus Benzoyl Peroxide System, 457C
Lee, V. Y. See Clarke, T. C., 117P
Lefrant, S. See Kletter, M. J., 211L
Legros, R. See Lesbats, J. P., 1971C
Lehnen, B. See Ewen, B., 233L, 562L
Lemaire, B.
—; Bothorel, P.: Statistical Mechanics of Aliphatic Chain Layers, Influence of Chain-Length Mixing, 867P
Lemiere, B. See Delamar, M., 245C
Lemstra, P. J. See Smith, P., 2229P
Leng, L. See Lu, C., 1151C
Lenk, R. S. See Oh, K. H., 135L, 401L
Lenka, S.
—; Tripathy, A. K.: Grafting Vinyl Monomers onto Nylon-6. VII. Graft Copolymerization of Methyl Methacrylate onto Nylon-6 Fibers with Acetylacetonate Complex of Vanadium Ion (Note), 1139C
—; Nayak, P. L.: Photopolymerization Initiated by Charge Transfer Complex. II. Photopolymerization of Methyl Methacrylate with the use of γ-Picoline–Bromine Charge Transfer Complex as Photoinitiator, 2097C
—; Dhal, A. K.: Vinyl Polymerization Initiated by Peroxydiphosphate. V. Polymerization of Acrylonitrile Initiated by Peroxydiphosphate-Cyclohexanol Redox System in the Presence of Silver Ion, 587C
—; Dhal, A. K.: Vinyl Polymerization Initiated by Peroxydiphosphate. VII. Polymerization of Acrylonitrile Initiated by Peroxydiphosphate–Ascorbic Acid Redox System, 2117C
Lenz, R. W. See Dvornic, P. R., 593C, 951C; Elayaperumal, P., 3325C; Lai, Y.-C., 2277C
Leon, L. M. See Gonzalez, M. C., 375L
Lepoutre, P. See Alince, B., 615L
Lerner, N. R.
Review of *Developments in Polymer Stabilisation—5*. G. Scott, Ed. 557L
Lesbats, J. P.
—; Legros, R.; Aleman, J. V.: Longitudinal Volume Viscosity of Epoxide Prepolymers, 1971C
Letoffe, J. M. See Camberlin, Y., 383C, 1445C
Letton, A. See Lagasse, R. R., 375P
Levy, M. See Almog, Y., 417C; Mayoral, J. F., 2755C
Lewin, M.
—; Guttmann, H.; Knoll, A.; Derfler, D.: Kinetics of Simultaneous Decrystallization and Crystallization Induced in High-Modulus Rayon by Bromine Water, 929C
Lewis, I. C.
—; Greinke, R. A.: Polymerization of Aromatic Hydrocarbons with Sulfur, 1119C
Li, D. See Lu, C., 1151C
Liao, T.-P. See Kennedy, J. P., 3219C, 3229C
Liddell, P. See Stevens, G. C., 327P
Liebert, L. See Hardouin, F., 975P
Liepins, R.
—; Timmons, M. L.; Morosoff, N.; Surles, J.: Piezoelectric Polymer Films. I. Synthesis and Properties, 1587C
Lillya, C. P. See Yoshida, S., 2215C
—; Juang, R. H.; Chien, J. C. W.; Miller, R. S.: Synthesis of Azido-Polymers of Butadiene, 1505C
Lin, C.-Y.
—; Rosen, S. L.: Light-Scattering Studies on Polystyrenes in Isorefractive Poly(methyl Methacrylate)–Toluene "Solvents", 1497P
Lin, J. S. See Petermann, J., 523P
—; Hendricks, R. W.; Schultz, J. M.; Mccready, M. J.: Absolute Integrated SAXS Measurements During the Crystallization of Linear Polyethylene, 1365P
Lin, S.
—; Kriek, G. R.; Marvel, C. S.: New Processable Polyaromatic Keto-Sulfones with Internal Acetylene Units, 401C
Lin, S-B.
—; Koenig, J. L.: Spectroscopic Characterization of the Rotational Conformations in the Disordered Phase of Poly(ethylene terephthalate), 2277P
Linde, H. G.
Adhesive Interface Interactions Between Primary Aliphatic Amine Surface Conditioners and Polyamic Acid/Polyimide Resins, 1031C
Lindley, P. M. See Hedberg, F. L., 3069C
Lindsay, S. M.
—; Halawith, B.; Patterson, G. D.: Observation of Hypersonic Shear Waves in Polystyrene and Poly(methyl Methacrylate) by Brillouin Scattering, 583L
Lingg, W. J. See Yang, H. H., 981P
Liotta, F. See Galanti, A. V., 233C
Lissi, E. A. See Encina, M. V., 73C
Litt, M. H. See Weinhold, S., 535P
Lodge, T. P.
—; Miller, J. W.; Schrag, J. L.: Infinite-Dilution Oscillatory Flow Birefringence Properties of Polystyrene and Poly(α-Methylstyrene) Solutions, 1409P
Long, M. B. See Tabar, R. J., 2041P
Lotz, B. See Wittmann, J. C., 1341P
Lougnot, D. J. See Bonamy, A., 315L
Loutfy, R. O.
Fluorescence Probes for Polymerization Reactions: Bulk Polymerization of Styrene, *n*-Butyl Methacrylate, Ethyl Methacrylate, and Ethyl Acrylate, 825P
Lu, C.
—; Yang, J.; Leng, L.; Feng, X. D.; Li, D.: Studies of Some Bioactive *N*-*p*-Methacrylamidobenzoic Esters (Erratum), 1151C
Ludwick, A. G.
—; Overberger, C. G.: Spectroscopic Examination of Polyethylenimine Backbone Polynucleotide Models, 2139C
—; Overberger, C. G.: Synthesis and Characterization of Polyethylenimine Backbone Polynucleotide Models, 2123C
Lundberg, R. D. See Peiffer, D. G., 1503P
—; Phillips, R. R.: Solution Behavior of Metal Sulfonate Ionomers. II. Effects of Solvents, 1143P
Lupinacci, D.
—; Winter, W. T.: Three-Dimensional Crystalline Order in an Atactic Comblike Polymer, 1013P

Macchi, E. M. See Gomes, A. S., 2345C
MacDiarmid, A. G. See Chung, T.-C., 427L; Kletter, M. J., 211L; Woerner, T., 305L
Macdonald, R. L. See Jasne, S. J., 35C
Maeshima, T. See Yamashita, N., 327C

Magill, J. H.
Another Route to Thicker Crystals Through Isothermal Solution Annealing, 1L
Mah, S.
—; Yamamoto, Y.; Hayashi, K.: Effects of Diphenyliodonium Hexafluorophosphate in the Radiation-Induced Cationic Polymerization of Styrene. Formation and Decay Processes of Styrene Dimer Radical Cation, 2151C
—; Yamamoto, Y.; Hayashi, K.: Effects of Triphenylsulfonium Hexafluorophosphate in the Radiation-Induced Cationic Polymerization of Styrene, 1709C
Mahadevan, V. See Srinivasan, P. R., 1145C, 3095C
Mahmud, M. U. See Salamone, J. C., 1153C
Maissa, P. See Dayan, S., 33L
Makuuchi, K. See Egusa, S., 863C; Hayashi, K., 643L
Malanga, M.
—; Vogl, O.: Copolymerization of 3,4-Dimethyltetrahydrofuran with Cyclic Ethers, 2033C
Maldas, D. See Bhattacharyya, S. N., 939C
Malliaris, A. See Paleos, C. M., 2267C
Manabe, O. See Shinkai, S., 1097C
Mandelkern, L. See Allen, R. C., 1465P; Dechter, J. J., 641P; Edwards, C. O., 355L; Wignall, G. D., 245P
Mangalam, P. V.
—; Kalpagam, V.: Styrene-Acrylonitrile Random Copolymer in Ethyl Acetate (Note), 773P
Mankowski, Z. See Chapiro, A., 1791C
Mann, R. S. See Khulbe, K. C., 1089C
Mansour, E. M. E.
—; Khalifa, A. M.; Awad, L. F.: Synthesis and Investigation of Novel Nitropolyamides Containing Ether Bonds in the Monomer Unit (Communication), 3007C
Marak, R. See Conway, D. C., 1765C
Maravigna, P. See Caruso, S., 1685C
Marchessault, R. H.
Review of *Principles of Polymer Morphology*, D. C. Bassett, 279L
Marechal, E. See Bunel, C., 131P
Maret, G. See Blumstein, A., 877P
Margomenou-Leonidopoulou, G. See Paleos, C. M., 2267C
Marhic, M. E. See Crist, B., 357P
Marjit, D. N.
—; Kalpagam, V.; Nandi, U. S.: Metal Chelates in Vinyl Polymerization: Bulk Polymerization of Acrylonitrile Initiated by CU(II)–Imine Complexes, 3369C
Mark, H.
Review of *Comb-like Polymers and Liquid Crystals*, N. A. Plate and V. P. Shibayev, 139L
Review of *Thermal Characterization of Polymeric Materials*, Edith A. Turi, Ed. 281L
Mark, J. E. See Zhang, Z.-M., 473P
Markevitch, M. A. See Enikolopyan, N. S., 1231C
Martan, M. See Sharaby, Z., 901C
Martenot, J. P. See Funt, B. L., 109C
Martinez, F.
—; Florsheim, R.; Martinez, H.: Copolymerization of β-Pinene with Styrene Oxide and *N*-Vinylpyrrolidone, 1279C
Martinez, H. See Martinez, F., 1279C
Martinez-Salazar, J. See Chivers, R. A., 1717P
Marvel, C. S. See Ishizu, K., 2851C; Lee, B. H., 393C; Lin, S., 401C; Sutter, A., 609C
Mashelkar, R. A. See Balaraman, K. S., 487L; Ravindranath, K., 3447C
Masi, P.
—; Paul, D. R.; Barlow, J. W.: Gas Sorption and Transport in a Copolyester and Its Blend with Polycarbonate, 15P
Masuda, T.
—; Kuwane, Y.; Higashimura, T.: Polymerization of 1-Chloro-2-Phenylacetylene Induced by UV Irradiation of $Mo(CO)_6$, 1043C
—; Takahashi, T.; Yamamoto, K.; Higashimura, T.: Polymerization of Phenylacetylene by WCl_6-Ph_4Sn: Synthesis of High Polymer Achieved by Selection of Solvents, 2603C
Masuoka, T.
—; Yasuda, H.: Plasma Polymerization of Hexafluoroethane, 2633C
Mathias, L. J.
—; Canterberry, J. B.: Polyacetal Formation of the Monovinyl Ether of Tetraethylene Glycol (Communication), 2731C
—; Canterberry, J. B.; South, M.: Synthesis and Polymerization of Mono- and Divinyl Ethers of Oligooxyethylenes, 473L
Matsumoto, A.
—; Ishido, H.; Oiwa, M.; Urushido, K.: Polymerization of Allyl Esters of Unsaturated Acids. IX. Controlled Ring Closure in the Radical Cyclopolymerization of Allyl Methacrylate, 3207C
—; Kamigaki, H.; Oiwa, M.: Studies of the Polymerization of Diallyl Compounds. XXXVII. Copolymerizations of Diallyl Phthalate with Dialkyl Fumarates, 2611C
Matsumoto, D. S. See Takemori, M. T., 2027P
Matsumoto, H. See Tsubokawa, N., 1943C
Matsumoto, T. See Nakamae, K., 319P; Okubo, M., 45L
Matsuo, M.
—; Ihara, K.: Effect of Disorder in the Twist Angle on Light Scattering by a Three-Dimensional Spherulite, 1P
Matsuzaki, K. See Uryu, T., 343C, 2181C
Matysik, J.
—; Persona, A.: The Use of the DME for Continuous Viscosity Measurements of Liquids (Communication), 3451C
Mavroyannakis, E. G.
Rules Involving Properties of the Glass-Forming Liquids, 551L
Mayoral, J. F.
—; Levy, M.: Dispersion Photopolymerization of Styrene, 2755C
Mazon-Arechederra, J. M.
—; Quintero, M. P. D.; Barrales-Rienda, J. M.: Kinetics of Isothermal Degradation of Poly Vinyl Bromide (PVBr). A Typical Case of "Autocatalytic" Thermal Degradation, 25C
McConkey, R. C. See Connelly, R. W., 259P
McCormick, C. L.
—; Chen, G. S.: Water-Soluble Copolymers. IV. Random Copolymers of Acrylamide with Sulfonated Comonomers, 817C
Mccready, M. J. See Lin, J. S., 1365P
McCullough, R. L. See Cooper, C. A., 173P
McGarvey, B. R.
—; Schlick, S.: Study of Molecular Motion in Polysilastyrene by Pulsed ^1H Nuclear Magnetic Resonance, 2145P
McGrath, J. E. See Riffle, J. S., 2289C
Mckenzie, W. M.
—; Sherrington, D. C.: Polymer-Supported Phosphines: Reactivity of Pendant and Crosslink Groups, 431C
Meagher, A. See Rodmacq, B., 603P
Meesiri, W.
—; Menczel, J.; Gaur, U.; Wunderlich, B.: Phase Transitions in Mesophase Macromolecules. III. The Transitions in Poly(ethylene Terephthalate-co-*p*-oxybenzoate), 719P
Mehta, M. See Gaylord, N. G., 481L
Melby, E. G. See Hargis, I. G., 602L
Menczel, J. See Meesiri, W., 719P
Menezes, E. V.
—; Graessley, W. W.: Nonlinear Rheological Behavior of Polymer Systems for Several Shear-Flow Histories, 1817P
Mercier, J. P. See Devaux, J., 1875P, 1881P, 1895P, 1901P
Mersch, W. See Barkowski, D., 953P
Merz, E. H.
Review of *Polyester Molding Compounds*. R. Burns, 599L
Meyer, G. C.
—; Widmaier, J. M.: Glass Transition Temperatures of ABA Poly(styrene-*b*-isoprene) Block Copolymers By Differential Scanning Calorimetry, 389P

Miller, D. See Hall, H. K., Jr., 361C
Miller, J. W. See Lodge, T. P., 1409P
Miller, R. L.
—; Seeley, E. G.: Crystallization Kinetics of Syndiotactic Polypropylene, 2297P
Miller, R. S. See Lillya, C. P., 1505C
Minamidani, T. See Inagaki, N., 2303C
Minamino, Y. See Nomura, M., 1261C
Mingxiao, S. See Zhiquan, S., 411L
Minoura, Y. See Lee, M., 457C
Mirabella, F. M., Jr.
Quantitative Analysis of Polymers by Attenuated Total Reflectance Fourier-Transform Infrared Spectroscopy: Vinyl Acetate and Methyl Content of Polyethylenes, 2309P
Mirowski, K. See Żurakowska-Orszagh, J., 1775C
Mishra, M. K.
Effect of Additives on Dye-Sensitized (Photo) Polymerization of Ethyl Acrylate (Communication), 2349C
Redox-Initiated Graft Copolymerization onto Modified Wool (Note), 1143C
Misono, T. See Abe, Y., 205L
Misra, A.
—; Garg, S. N.: Morphology and Properties of Poly(butylene Terephthalate), 121L
Misra, G. S.
—; Bhattacharyya, S. N.: Polymerization of Acrylamide Initiated by the Ce^{4+}/Thiourea Redox System, 131C
Miyaji, H. See Suzuki, Y., 563L
Miyamoto, Y. See Suzuki, Y., 563L
Miyasaka, K. See Tanioka, A., 2197P
Moacanin, J. See Tsay, F-D., 763P
Mohajer, Y.
—; Wilkes, G. L.: Structure-Property Behavior of Films Containing Disk Spherulites: A Model Study, 457P
Molaire, M. F.
A Free-Volume Model for Photopolymerizable/Crosslinkable Dry-Film Systems, 847C
Moliton, J. P. See Vareille, J. C., 1327P
—; Boutinaud, C.; Decossas, J. L.; Vareille, J. C.; Teyssier, J. L.; Delaunay, B.: Distribution Spatiale des Dommages produits par les Ions $^{84}_{36}Kr$ (1 MeV/amu) et $^{35}_{17}Cl$ (1 MeV/amu) dans le Triacetate de Cellulose, 1289P
—; Boutinaud, C.; Vareille, J. C.; Decossas, J. L.; Teyssier, J. L.; Delaunay, B.: Etude Cinetique des Effets de Fluence Energetique, de Debit de Fluence, et d'Effacement Induits par des Ions Lourds et des Photons γ dans le Triacetate de Cellulose, 1313P
Montaudo, G. See Caruso, S., 1685C
Moore, J. A.
—; Partain, E. M., III: Synthesis and Polymerization of 3-Aza-8-Oxabicyclo[3.2.1]octane-2-one, 521L
Morawetz, H. See Sawant, S., 385L
Review of *History of Polymer Science and Technology*. R. B. Seymour, Ed. 671L
Review of *Molecular Motion in High Polymers*, R. T. Bailey, A. M. North, and R. A. Pethrick, 201L
Review of *Polymers and Their Properties, Volume 1—Fundamentals of Structure and Mechanics*, J. W. S. Hearle, 397L
Moreau, R. D. See Jasne, S. J., 35C
Mori, K.
—; Azabe, N.; Nakamura, Y.: Study of Triazine Thiols. III. Preparation of Triazine Thiol-Containing Polymers, 321L
Mori, Y.
—; Ookubo, N.; Hayakawa, R.; Wada, Y.: Low-Frequency and High-Frequency Relaxations in Dynamic Electric Birefringence of Poly(γ-benzyl-L-glutamate) in *m*-Cresol, 2111P
Morimoto, H. See Takahashi, S., 565C
Morishima, Y. See Itoh, Y., 467C
—; Itoh, Y.; Hashimoto, T.; Nozakura, S.-I.: Amphiphilic Block Copolymer of 9-Vinylphenanthrene and Methacrylic Acid: Fluorescence Quenching of Phenanthrene Residue in Aqueous Medium, 2007C
—; Hashimoto, T.; Itoh, Y.; Kamachi, M.; Nozakura, S.-I.: Syntheses of Amphiphilic Block Copolymers. Block Copolymers of Methacrylic Acid and *p*-*N*,*N*-dimethylaminostyrene, 299C
Morita, S. See Yamashita, N., 327C
Moriwaki, H. See Ouchi, T., 1133C
Morosoff, N. See Liepins, R., 1587C
Review of *Plasma Science and Technology*. H. V. Boenig, 558L
Morra, B. S.
—; Stein, R. S.: Melting Studies of Poly(vinylidene Fluoride) and Its Blends with Poly(methyl Methacrylate), 2243P
—; Stein, R. S.: Morphological Studies of Poly(vinylidene fluoride) and Its Blends with Poly(methyl methacrylate), 2261P
Morris, E. R. See Frangou, S. A., 531L
Mortier, R. M. See Paton, R. M., 573L
Morton, M. See Fetters, L. J., 199C
Moss, B.
—; Dorset, D. L.: Refinement of Linear Polymer Crystal Structures Determined from Electron Diffraction Data, 1789P
Moteleb, M. M. A.
—; Naoum, M. M.; Shinouda, H. G.; Rizk, H. A.: Some of the Dielectric Properties of Cotton Cellulose and Viscose, 765C
Moustafa, A. B.
—; Badran, A. S.; Ebdon, J. R.; Hunt, B. J.: Structure and Polydispersity of Some Poly(methyl Methacrylates) Prepared by Different Methods, 2903C
Mujie, Y. See Zhiquan, S., 411L
Mukai, H. See Kamogawa, H., 3121C
Mukherji, A. K. See Rand, W. G., 501L
Mukherji, S. See Anandakumaran, K., 1669P
Muller, W. See Wondraczek, R. H., 1517C
Mulvaney, J. E.
—; Ottaviani, R. O.: α-Acetoxystyrene as a Comonomer for the Formation of a Polymeric Initiator (Communication), 1941C
—; Ottaviani, R. O.; Laverty, J. J.: Preparation of Vinyl Boronate Copolymers and Reactions (Communication), 1949C
Munie, G. C. See Brown, D. R., 1659P
Murakami, T. See Higashi, F., 103C
Muramatsu, T. See Chau, N., 137C
Murata, E. See Takahashi, S., 565C
Murayama, N. See Ouchi, T., 1133C
Murray, S. G. See Hartley, F. R., 2395C
Murthy, R. A. N. See Ghatge, N. D., 347L
Musi, L. See Cuniberti, C., 265L

Nagamatsu, T. See Yoneda, F., 667L
Nagarajan, S.
—; Stachurski, Z. H.; Hughes, M. E.; Larkins, F. P.: A Study of the PE–PTFE System. II. ESCA Measurements, 1001P
—; Stachurski, Z. H.: A Study of the PE-PTFE System. I. IR and NMR Measurements, 989P
Nakahama, S. See Yamaguchi, K., 1185C
Nakahira, T.
—; Sakuma, T.; Iwabuchi, S.; Kojima, K.: Singlet Energy Migration and Excimer Formation in Polymers of 2-*tert*-Butyl-6-Vinylnaphthalene, 1863P
Nakajima, Y. See Kamogawa, H., 3121C
Nakamae, K.
—; Kameyama, M.; Yoshikawa, M.; Matsumoto, T.: Elastic Modulus of Crystalline Regions of Poly(butylene Terephthalate) in the Direction Parallel to the Chain Axis, 319P
Nakamura, A. See Araki, T., 3337C
Nakamura, Y. See Igawa, M., 165L; Mori, K., 321L
Nakanishi, F. See Nakanishi, H., 653L
Nakanishi, H.
—; Suzuki, M.; Nakanishi, F.: Solid-State Photopolymerization of 5,5′-1,4-Phenylene-Bis(2-Cyano-2,4-Pentadienoic Acid) Derivatives, 653L
Nakano, H.
—; Yagi, T.; Sangen, O.; Yamamoto, Y.: Effect of Quaternized Poly(4-Vinyl Pyridine) on the α,β-Elimination of Tryptophan Catalyzed by Pyridoxal (Phosphate) and Copper Ion: Role of Hydrophobic Interaction, 23L

—; Yamane, R.; Sangen, O.; Yamamoto, Y.: Effect of Quaternized Poly(4-Vinyl Pyridine) on the Cleavage of Threonine Catalyzed by Pyridoxal or Pyridozal Phosphate, 2335C
Nakashima, Y. See Fukuda, H., 1401C
Nan, R. See Imai, Y., 2995C
Nanasawa, M. See Kamogawa, H., 3121C
Nandi, U. S. See Chatterji, P. R., 213C; Marjit, D. N., 3369C; Thiagarajan, R., 675C
Nanjan, M. J. See Jayaprakash, D., 1959C
Naoum, M. M. See Moteleb, M. M. A., 765C
Natansohn, A. See Simionescu, C. I., 63C, 655C
Naviroj, S. See Ishida, H., 701P
Nawrot, S. See Chanzy, H., 1909P
Nayak, B. L. See Samal, R. K., 2409C
Nayak, M. C. See Samal, R. K., 53C
Nayak, P. L. See Dash, S. B., 2371C; Lenka, S., 2097C; Pradhan, A. K., 257C
Neckers, D. C. See Gupta, I., 147C; Gupta, S. N., 1609C
Neely, J. W. See Ford, W. T., 1213C
Negishi, N.
—; Ishihara, K.; Shinohara, I.: Complex Formation of Amphiphilic Polymers with Azo Dyes and Their Photoviscosity Behavior, 1907C
Nerger, D. See Burchard, W., 157P
Ng, S. C.
—; Chee, K. K.: Determination of Rate Constants of Benzoyl Peroxide and Azobisisobutyronitrile Dissociation via Polymerization Kinetics, 409C
Ngo, N. K. See Rosenberg, H., 1C
Ni, Z. See Bailey, W. J., 3021C
Nicholson, P. N. See Hartley, F. R., 2395C
Nieves, V. E. R.
—; Ribaldo, E. J.; Baroud, R.; Quina, F. H.: Acceleration of the Rate of Alkaline Ester Hydrolysis by Linear Amphiphilic Ionenes, 433L
Ninomiya, S-I. See Kamachi, M., 1489C
Nir, Z.
—; Vogl, O.; Gupta, A.: Functional Polymers. XVI. Synthesis and Polymerization of 2(2-Hydroxy-5-Isopropenylphenyl)-2H-Benzotriazole and a New Synthesis of 2(2-Hydroxy-5-Vinylphenyl)2H-Benzotriazole, 2735C
Niume, K.
—; Toyofuku, K.; Toda, F.; Uno, K.; Hasegawa, M.; Iwakura, Y.: Polybenzimidazoles Containing Anthracene Photodimer, 663C
—; Toda, F.; Uno, K.; Hasegawa, M.; Iwakura, Y.: Syntheses of Polyketones Containing Tricyclic Fused Rings and Conversion to the Polyamides in Polyphosphoric Acid (Communication), 1965C
Nomura, M.
—; Minamino, Y.; Fujita, K.; Harada, M.: The Role of Chain Transfer Agents in the Emulsion Polymerization of Stryene, 1261C
Noonan, J. M. See Connelly, R. W., 259P
Nozakura, S.-I. See Furue, M., 291L; Itoh, Y., 467C; Kamachi, M., 1489C; Morishima, Y., 299C, 2007C

Oberlin, A.
—; Ayache, J.; Oberlin, M.; Guigon, M.: High-Resolution Dark-Field Imaging in Epoxy and Polyimide Systems, 579P
Oberlin, M. See Oberlin, A., 579P
Ochi, M.
—; Okazaki, M.; Shimbo, M.: Mechanical Relaxation Mechanism of Epoxide Resins Cured with Aliphatic Diamines, 689P
Ochiai, M. See Kaneko, M., 1011C
O'Connor, K. M. See Wool, R. P., 7L
O'Connor, M. N. See Lancaster, J. E., 547L
O'Donnell, J. H. See Hill, D. J. T., 241C
Ogata, N.
—; Sanui, K.; Kato, A.: Polycondensation of Diesters with Hetero Atom Groups with Hexamethylenediamine in the Presence of Polymer Matrix (Note), 227C
Ogata, S.-I. See Higashi, F., 2081C
Ogawa, E. See Tomoi, M., 3015C, 3421C
Ogiwara, Y.
—; Torikoshi, K.; Kubota, H.: Vapor Phase Photografting of Acrylic Acid on Polymer Films: Effects of Solvent Mixed with Monomer, 17L
Oh, K. H.
—; Lenk, R. S.: Erratum: Pressure Drop in Linearly Tapering Channels, 401L
—; Lenk, R. S.: Pressure Drop in Linearly Tapering Channels, 135L
Ohashi, Y. See Kanazawa, H., 1847P
Ohtaka, A. See Ishizu, K., 3199C
Ohtsuki, T. See Katoh, T., 2167P
Ohyabu, M. See Shirai, M., 555C
Oishi, T.
—; Fujimoto, M.; Kimura, T.: Reactivities of Dialkyl Mesaconates in Radical Copolymerization with Styrene (Communication), 2999C
—; Fujimoto, M.: Syntheses and Polymerizations of Some *N*-Fluorenyl Acrylamide and Methacrylamide (Communication), 2727C
Oiwa, M. See Matsumoto, A., 2611C, 3207C
Okamoto, J. See Omichi, H., 521C, 1559C
Okamoto, Y. See Ueba, Y., 1271C
Okamura, S. See Hayashi, K., 643L
Review of *Advances in Polymer Science 39—Polymer Products*, contributions by L. Andreeva, K. Geckeler, M. Mutter, N. R. Pillai, F. A. Shutov, and V. Tsvetkov, 76L
Okawara, M. See Fukuda, H., 2935C; Tsubokawa, N., 2205C
Okazaki, M. See Ochi, M., 689P
Okubo, M.
—; Katsuta, Y.; Matsumoto, T.: Studies on Suspension and Emulsion. LI. Peculiar Morphology of Composite Polymer Particles Produced by Seeded Emulsion Polymerization, 45L
Okuyama, K. See Xu, D., 159L
Olaj, O. F. See Kauffmann, H. F., 2943C
Olson, A. P. See Salamone, J. C., 1153C
Omichi, H.
—; Okamoto, J.: Solvent Effects on the Synthesis of Ion-Exchange Membranes by Radiation-Induced Graft Polymerization of Methyl α,β,β-Trifluoroacrylate, 1559C
—; Okamoto, J.: Synthesis of Ion-Exchange Membranes by Radiation-Induced Multiple Grafting of Methyl α,β,β-Trifluoroacrylate, 521C
Onishi, Y. See Hayase, S., 3155C
Ono, Y. See Shirai, M., 555C
Oobayashi, A. See Tanioka, A., 2197P
Ookubo, N. See Mori, Y., 2111P
Orbon, S. J.
—; Plazek, D. J.: Some Evidence Against the Existence of the Liquid–Liquid Transition. IV. The Temperature Dependence of Shear Viscosity, 1575P
Orbzut, J. See Pielichowski, J., 2887C
Osaki, K.
—; Kurta, M.: Stress Relaxation of a Polymer Solution in Double-Step Shear Deformations: A Separate Evaluation of the Stress Components due to Entangled Segments of Different Orientations, 623P
Osawa, Z.
—; Kuroda, H.: Luminescence Emission of High-Density Polyethylene, 577L
—; Uchida, Y.: Reaction of Poly(vinyl Chloride) with Electrogenerated Superoxide Anion, 2259C
Oshmyan, V. G. See Enikolopyan, N. S., 1231C
Otsu, T. See Quach, L., 2501C, 2513C
Ottaviani, R. O. See Mulvaney, J. E., 1941C, 1949C
Ottenbrite, R. M.
Review of *Polymer Science and Technology, Volume 14—Biomedical and Dental Applications of Polymers*, Charles G. Gebelein and Frank K. Koblitz, Eds. 197L
Ouchi, T.
—; Inaba, M.; Tadano, K.; Imoto, M.: Vinyl Polymerization. 410. Polymerizations of Vinyl Monomers Initiated by Poly(styrene-co-Sodium Acrylate) or Poly(methyl Methacrylate-co-Sodium Methacrylate). A Verification of the Concept of Hard and Soft Hydrophobic Areas and Monomers, 2089C

—; Moriwaki, H.; Murayama, N.; Imoto, M.: Vinyl Polymerization. 402. Radical Polymerization of Vinyl Monomers Initiated by Anion Exchange Resin [Crosslinked Poly(*p*-Methylstyrene)–Trimethyl Ammonium Chloride] (Note), 1133C
Overberger, C. G. See Arora, K. S., 403L, 610L; Ludwick, A. G., 2123C, 2139C: Pavlisko, J. A., 1650C
Oya, M.
—; Takahashi, T.: Copolymerization of *N*-Carboxy N^{ϵ}-Carbobenzoxy L-Lysine Anhydride with *N*-Carboxy β-Benzyl L-Aspartate Anhydride in Acetonitrile, 529C

Packter, A.
—; Doherty, W. O. S.: The Complexing of Polymetaphosphate Anions with Calcium Cations: A Potentiometric (pCa) Study, 917C
Padias, A. B.
—; Hall, H. K., Jr.: Alkali Metal Enolates as New Electron-Rich Monomers in Free Radical Copolymerization, 217L
Painter, P. C.
—; Brozoski, B. A.; Coleman, M. M.: FTIR Studies of Calcium and Sodium Ionomers Derived from an Ethylene–Methacrylic Acid Copolymer, 1069P
Paleos, C. M.
—; Christias, C.; Evangelatos, G. P.; Dais, P.: Polymerization of Oriented Monomers. VI. Polymerization of Monomeric Di(undecenyl) Phosphate Vesicles to Stable Polymeric Vesicles, 2565C
—; Margomenou-Leonidopoulou, G.; Filippakis, S. E.; Malliaris, A.; Dais, P.: Thermotropic Liquid Crystalline Polymers. II. Further Examples on Their Synthesis by the Interaction of Poly(acryloyl Chloride) with Mesogenic Compounds, 2267C
Panayotov, I. M. See Dimov, D. K., 1389C; Velichkova, R., 2895C
Panda, G. See Samal, R. K., 53C
Pappas, S. P.
—; Asmus, R. A.: Photoinitiated Polymerization of Methyl Methacrylate with Benzoin Methyl Ether. III. Independent Photogeneration of the Ether Radical, 2643C
Paredes, E.
—; Fischer, E. W.: On the Mechanism of Fibril Growth in Polycarbonate and Poly(methyl Methacrylate) Crazes (Note), 929P
Park, J. M. See Han, Y. K., 1549C
Parker, J. A. See Achar, B. N., 269C, 1785C, 2073C, 2773C, 2781C; Varma, I. K., 283C
Parmar, J. S.
—; Patel, M. R.; Patel, M. M.: Resacetophenone Oxime–Formaldehyde Resin and Its Metal Chelates. III, 205C
Partain, E. M., III. See Moore, J. A., 521L
Pascault, J. P. See Camberlin, Y., 383C, 1445C
Patel, D. L.
—; Gilbert, R. D.: Investigation of Molecular Order in Liquid-Crystalline Solutions of Cellulose Triacetate using PMR Spectroscopy, 1019P
Patel, G. N.
—; Khanna, Y. P.: One-Dimensional Order/Disorder in a Polydiacetylene, 1029P
Patel, M. M. See Parmar, J. S., 205C
Patel, M. R. See Parmar, J. S., 205C
Patel, M. S.
—; Patel, S. R.: Poly-Schiff Bases. I. Preparation of Poly-Schiff Bases from 4,4′-Diacetyl Diphenyl Ether (DDE) with Various Diamines, 1985C
Patel, S. R. See Patel, M. S., 1985C
Pati, N. C. See Dash, S. B., 2371C; Pradhan, A. K., 257C
Paton, R. M.
—; Stobie, I.; Mortier, R. M.: Modification fo Acrylonitrile–Styrene and Acrylonitrile–Vinylidene Chloride Copolymers via 1,3-Dipolar Cycloaddition with 4-Nitrobenzonitrile Oxide, 573L
Patterson, G. D. See Lindsay, S. M., 583L
Paul, D. R. See Masi, P., 15P
Pavlisko, J. A.
—; Overberger, C. G.: Polyethylenimine Catalysts Containing an Isolated Apolar Binding Site: Solvolysis of *p*-Nitrophenyl Esters (Erratum), 1650C
—; Huang, S. J.; Benicewicz, B. C.: Polymers Containing Hydrogen Bonding Rings. Synthesis and Thermal Properties of Poly(enamine-ketones), 3079C
Pearce, E. M. See Khanna, Y. P., 253C; Prasadarao, M., 1669C; Zhi-zhong, Y., 244L
Review of *Principles of Polymer Systems, 2nd ed.*, Ferdinand Rodriguez, 244L
Review of *Thermal Analysis in Polymer Characterization*, Edith A. Turi, Ed. 200L
Pearson, D. S. See Helfand, E., 1249P
—; Rochefort, W. E.: Behavior of Concentrated Polystyrene Solutions in Large-Amplitude Oscillating Shear Fields, 83P
Pearson, G. H. See Connelly, R. W., 259P
Peat, I. R. See Wild, L., 441P
Peeling, J.
—; Jazzar, M. S.; Clark, D. T.: An ESCA Study of the Surface Ozonation of Polystyrene Film, 1797C
Peguy, A. See Chanzy, H., 1909P
Peiffer, D. G.
—; Weiss, R. A.; Lundberg, R. D.: Microphase Separation in Sulfonated Polystyrene Ionomers, 1503P
Percec, V. See Simionescu, C. I., 63C, 655C
Pereira, J. R. C. See Ito, M., 61L
Perico, A. See Cuniberti, C., 265L
Periyasamy, M. See Balakrishnan, T., 1885C
Persona, A. See Matysik, J., 3451C
Peterlin, A. See DeCandia, F., 269P, 1175P
Accordian-Type Laser-Raman Scattering by Polymers, 2329P
Review of *Developments in Crystalline Polymers—1*. D. C. Bassett, Ed. 559L
Petermann, J. See Hachmann, U., 1633P; Young, R. J., 961P
—; Gohil, R. M.; Schultz, J. M.; Hendricks, R. W.; Lin, J. S.: The Kinetics of Defect Clustering in Fibrillar Polypropylene Crystals, 523P
Petrak, K.
—; Degen, I.; Beynon, P.: Some 1-Substituted Quaternary Imidazolium Compounds and Related Polymers: Qualitative and Quantitative Infrared Analysis, 783C
Pham, Q. B. See Bataille, P., 795C, 811C
Pham, Q-T. See Tighzert, H-L., 417L
Phillips, D. See Soutar, I., 1759P
—; Roberts, A. J.; Soutar, I.: Transient Decay Studies of Photophysical Processes in Aromatic Polymers. V. Temperature Dependence of Excimer Formation and Dissociation in Copolymers of 1-Vinylnaphthalene and Methyl Methacrylate, 411P
Phillips, R. R. See Lundberg, R. D., 1143P
Pielichowski, J.
—; Orbzut, J.: Spectrophotometric Studies of CT Complexes of Poly(*N*-Vinylhalogenocarbazole)s with 2,4,7-Trinitrofluorenone, 2887C
Pietralla, M.
—; Grossmann, H.-P.; Kruger, J. K.: Theoretical Birefringence of Ultraoriented Polyethylene from Model Structure Calculations, 1193P
Piirma, I.
—; Chang, M.: Emulsion Polymerization of Styrene: Nucleation Studies with Nonionic Emulsifier, 489C
Pijpers, J. P. L. See Smith, P., 2229P
Pineri, M. See Roche, E. J., 107P; Rodmacq, B., 603P; Volino, F., 481P
Pitchumani, S.
—; Reddy, C. R.; Rajadurai, S.: Reactivity Ratios of Ethyl Acrylate, *n*-Butyl Methacrylate Copolymer System by ^{1}H-NMR, 277C
Pitt, C. G. See Schindler, A., 319C
Pittman, C. U., Jr. See Ueda, M., 2819C, 2829C
Pizzi, A.
The Chemistry and Kinetic Behavior of Cu-Cr-As/B Wood Preservatives. II. Fixation of the Cu/Cr System on Wood, 707C

The Chemistry and Kinetic Behavior of Cu-Cr-As/B Wood Preservatives. III. Fixation of a Cr/As System on Wood, 725C
The Chemistry and Kinetic Behavior of Cu-Cr-As/B Wood Preservatives. IV. Fixation of CCA to Wood, 739C
Platzer, N.
Review of *H. Staudinger, H. Mark, and K. H. Meyer—Theses on Size and Structure of Macromolecules*, C. Priesner, 140L
Review of *Manufacture and Processing of PVC*, R. H. Burgess, Ed. 350L
Review of *Particulate Nature of PVC: Formation, Structure, and Processing*. G. Butters, Ed. 601L
Review of *Plastics Pneumatic Conveying and Bulk Storage*, G. Butlers, Ed. 351L
Review of *Plastics vs. Corrosives*, Raymond B. Seymour, 462L
Review of *Polymer Degradation—Principles and Practical Applications*. W. Schnabel, 509L
Review of *Standards and Guidelines for Electroplated Plastics*. American Society of Electroplated Plastics, 511L
Review of *Structural Biomaterials*, Julian F. V. Vincent, 281L
Review of *The Technology of Plasticizers*, J. Kern Sears and Joseph R. Darby, 459L
Plazek, D. J. See Chen, J., 1565P; Orbon, S. J., 1575P
Some Evidence Against the Existence of the Liquid–Liquid Transition. I. Transitions or Dispersions: A Quantitative Explanation of One Torsional Braid Log Decrement Peak, 1533P
—; Gu, G-F.: Some Evidence Against the Existence of the Liquid–Liquid Transition. II. Properties of and Measurements with a Torsional Braid Analyzer, 1551P
The Temperature Dependence of the Viscoelastic Softening and Terminal Dispersions of Linear Amorphous Polymers, 729P
Pochan, J. M.
—; Gibson, H. W.: Chemically Bound Sensitizers: Dye Sensitization of Poly(*N*-vinylcarbazole) via Sulfonation and Ion Exchange, 2059P
Poller, R. C. See Ayrey, G., 2249C
Polowinski, S. See Bortnowska-Barela, B., 3267C
Ponnusamy, E. See Vijayakumar, C. T., 2715C
Ponrathnam, S. See Blumstein, A., 877P
Pons, M.
—; Johnston, D. S.; Chapman, D.: A Study of the Spectra of Diacetylenic Phospholipid Polymers in Solvents and Dispersions, 513C
Porter, R. S. See Ito, M., 61L; Kanamoto, T., 1485P; Wang, L-H., 633P
Review of *Developments in Crystalline Polymers—1*. D. C. Bassett, Ed. 602L
Prabhu, U. D. G. See Ishizu, K., 2851C
Pradhan, A. K.
—; Pati, N. C.; Nayak, P. L.: Grafting Vinyl Monomers onto Nylon 6. V. Graft Copolymerization of Methyl Methacrylate onto Nylon 6 with the Tetravalent Cerium–Thiourea Redox System (Note), 257C
Pramanick, D.
—; Chatterjee, A. K.: Studies on the Kinetics of Ceric–Thiourea-Initiated Aqueous Polymerization of Methyl Methacrylate. I. Mechanistic Features in Moderately Acid Solution, 1203C
Prasadarao, M.
—; Pearce, E. M.: Modification of PET with Sterically Hindered Diols, 1669C
Preston, J. See Asrar, J., 79C, 373C; Krigbaum, W. R., 109L
—; Krigbaum, W. R.; Kotek, R.: Synthesis of High-Molecular-Weight Rodlike Polyamides and Block Copolymers, 3241C
Pritchard, G. See Douglas, W., 1223P
Prud'homme, R. E. See Belorgey, G, 191P
Fractionation in Mixtures of Polyethylene Oxide Fractions During Crystallization, 307P
Purgett, M. D.
—; Deits, W.; Vogl, O.: Functional Polymers. XIX. Biuret Oligomers and Polymers of Biologically Active Primary Aliphatic Amines, 2477C
Qian, R. See Xu, D., 159L
Quach, L.
—; Otsu, T.: Head-to-Head Vinyl Polymers. VII. Hydrolysis of Head-to-Head Poly(methyl Acrylate), 2513C
—; Otsu, T.: Head-to-Head Vinyl Polymers. VI. Preparation and Characterization of Head-to-Head Poly(allyl Alcohol) and Its Esters, 2501C
Quina, F. H. See Nieves, V. E. R., 433L
Quintero, M. P. D. See Mazon-Arechederra, J. M., 25C

Rabolt, J. F. See Clarke, T. C., 117P
Rajadurai, S. See Pitchumani, S., 277C
Rajora, P. See Gupta, S. K., 933P
Ramakrishna, M. S. See Dhal, P. K., 1581C
Rand, W. G.
—; Mukherji, A. K.: Molecular Weight Determination of Polystyrenes Using Size Exclusion Chromatography Interfaced with a Low-Angle Laser Light Scattering Photometer: The Influence of Flow Rates, 501L
Ravindranath, K.
—; Mashelkar, R. A.: Reanalysis of Kinetics of Transesterification of Dimethylterephthalate with Ethyleneglycol (Communication), 3447C
Raynal, B. See Gamichon, C., 3255C
Raynal, S. See Gamichon, C., 3255C
Reddy, C. R. See Pitchumani, S., 277C
Reed, T. F.
Review of *Rubber Chemistry*, J. Brydson, 202L
Rees, D. A. See Frangou, S. A., 531L
Reichmanis, E. See Bowmer, T. N., 2661C
Reineke, K. E. See Hall, H. K., Jr., 361C
Renuncio, J. A. R. See Canovas, A. A., 783P
Revoil, M. F. See Amouroux, J., 1373C
Reynolds, J. R. See Clarke, T. C., 117P
Riande, E. See Garrido, L., 1805P, 3377C
Ribaldo, E. J. See Nieves, V. E. R., 433L
Ricciardi, F.
—; Joullie, M. M.; Romanchick, W. A.; Griscavage, A. A.: Mechanism of Imidazole Catalysis in the Curing of Epoxy Resins, 127L
Richardson, R. K. See Frangou, S. A., 531L
Richter, D. See Ewen, B., 233L, 562L
Ried, J. H. See Hall, H. K., Jr., 361C
Riffle, J. S.
—; Shchori, E.; Banthia, A. K.; Freelin, R. G.; Ward, T. C.; McGrath, J. E.: Synthesis of Hydroxyl-Terminated Polycarbonates of Controlled Number-Average Molecular Weight, 2289C
Ringsdorf, H. See Bader, H., 1623C
Rizk, H. A. See Moteleb, M. M. A., 765C
Roberts, A. J. See Phillips, D., 411P; Soutar, I., 1759P
Robertsson, M. E. See Boyd, R. H., 73P
Roche, E. J.
—; Pineri, M.; Duplessix, R.: Phase Separation in Perfluorosulfonate Ionomer Membranes, 107P
Rochefort, W. E. See Pearson, D. S., 83P
Rodmacq, B.
—; Pineri, M.; Coey, J. M. D.; Meagher, A.: Mossbauer Spectroscopy of Nafion Polymer Membranes Exchanged with Fe^{2+}, Fe^{3+}, and Eu^{3+}, 603P
Rodrigues, J. F.
—; Galembeck, F.: Interaction of Tb(III) and Hydrolyzed Polyacrylamides in Solution as a Gel and in the Solid State, 1569C
Rogovina, S. Z. See Enikolopyan, N. S., 1231C
Rokicki, G. See Yamaguchi, K., 1185C
—; Kuran, W.; Kielkiewicz, J.: Synthesis of a Polycarbonate by Reaction of Carbon Dioxide, Dipotassium 4,4′-Isopropylidenediphenolate and α,ω-Dihalo Compounds, 967C
Romanchick, W. A. See Ricciardi, F., 127L
Romano, G. See DeCandia, F., 1525P
Roovers, J. See Hadjichristidis, N., 743P
Rosen, S. L. See Lin, C.-Y., 1497P

Rosenberg, H.
—; Tsai, T-T.; Ngo, N. K.: Synthesis of Carbonate-Containing High Temperature Poly(arylene-Siloxanylenes), 1C
Rosser, R. W.
—; Chen, T. S.; Cheng, C. H.: Perfluoroalkylene-Ether Triazine Elastomers, 467L
Ross-Murphy, S. B. See Frangou, S. A., 531L
Rubio, R. G. See Canovas, A. A., 783P
Rubner, M.
—; Deits, W.: Synthesis and Characterization of a New Conjugated Polymer: Polytrifluoromethylacetylene, 2043C
Rudin, A. See Elsdon, W. L., 3271C; Goldwasser, J. M., 1993C; Tchir, W. J., 1443P
Rumbies, G. See Soutar, I., 1759P
Runt, J.
—; Hanrahan, B. D.; Harrison, I. R.: The Effect of Interlamellar Forces on the Longitudinal Acoustic Mode of Polyethylene Crystals, 1687P
Russel, W. B.
Polyelectrolyte Solutions: Counterion Condensation and Intermolecular Interactions, 1233P
Russell, T. P.
—; Stein, R. S.: Small-Angle X-Ray and Neutron Scattering Studies of Amorphous Polymer Blends, 1593P
Russo, R. See DeCandia, F., 269P, 1175P, 1525P
Ryle, T. R. See Wild, L., 441P

Saam, J. C.
—; Huebner, D. J.: Condensation Polymerization of Oligomeric Polydimethylsiloxanols in Aqueous Emulsion, 3351C
Sabino, N. A. See Brueggemann, W. L., 91L
Sachse, W. H. See Wang, W-C. V., 1371P
Sadler, D. M.
—; Harris, R.: A Neutron Scattering Analysis: How Does the Conformation in Polyethylene Crystals Reflect that in the Melt? 551P
—; Harris, R.: A Neutron Scattering Analysis: How Does the Conformation in Polyethylene Crystals Reflect that in the Melt? (Erratum), 1755P
Saegusa, Y. See Chau, N., 3387C
Saeki, S.
—; Holste, J. C.; Bonner, D. C.: Vapor–Liquid Equilibria for Polybutadiene and Polyisoprene Solutions, 793P
—; Holste, J. C.; Bonner, D. C.: Vapor–Liquid Equilibria for Polyisobutylene Solutions, 805P
St. John Manley, R. See Kalb, B., 1207P
Saito, S. See Arai, M., 1021C; Konno, M., 3251C
Sakhonenko, L. S. See Enikolopyan, N. S., 1231C
Sakuma, T. See Nakahira, T., 1863P
Sakuma, Y. See Inaki, Y., 1917C
—; Inaki, Y.; Takemoto, K.: Functional Monomers and Polymers. CII. Synthesis and Properties of Oligomer Models of Polyethyleneimine Derivatives Containing Pendant Adenine Bases, 3431C
Salamone, J. C.
—; Mahmud, M. U.; Watterson, A. C.; Olson, A. P.; Ellis, E. J.: Polymerization of Vinylpyridinium Salts. XII. Occurrence of Radical Polymerization in Spontaneous Reactions, 1153C
Salmon, M.
—; Kanazawa, K. K.; Diaz, A. F.; Krounbi, M.: A Chemical Route to Pyrrole Polymer Films, 187L
Samal, R. K.
—; Satrusallya, S. C.; Nayak, B. L.: Acidic Peroxo Salts: A New Class of Initiators for Vinyl Polymerization. III. Kinetics of Polymerization of Methyl Methacrylate Initiated by Potassium Monopersulfate Catalyzed by Co(II), 2409C
—; Nayak, M. C.; Panda, G.; Suryanarayana, G. V.; Das, D. P.: Polymerization of Acrylonitrile. Kinetics of the Reaction Initiated by the Ce(IV)/Thioacetamide Redox System, 53C
Samyn, C.
—; Smets, G.: Synthesis, Polymerization, and Copolymerization of Lactam-Substituted Styrenes, 987C
Sanechika, K.
—; Yamamoto, T.; Yamada, A.: Preparation of Copolymers Composed of 2,5-Thienylene and 2,4-Thienylene Units. Effect of Copolymer Composition on Electronic Spectrum, Electric Conductivity, and Chemical Properties, 365L
Sangen, O. See Nakano, H., 23L, 2335C
Sangita. See Varma, I. K., 621L
Sangster, D. F. See Garnett, J. L., 171L
Santappa, M. See Devarajan, R., 1863C; Elayaperumal, P., 3325C
Sanui, K. See Ogata, N., 227C
Sasada, Y. See Kanazawa, H., 1847P
Satake, H. See Kojima, M., 2153P
Sato, M.
—; Kondo, H.; Yokoyama, M.: Preparation of Phosphorus-Containing Polymers. XXVII. Polyester-Imides That Contain Phenoxaphosphine Rings, 335C
Satrusallya, S. C. See Samal, R. K., 2409C
Savariar, C. M. See Burfield, D. R., 515L
Sawant, S.
—; Morawetz, H.: Reaction of Polyacrylamide Provides Evidence for Some Head-to-Head Addition of Monomer Residues, 385L
Schindler, A.
—; Hibionada, Y. M.; Pitt, C. G.: Aliphatic Polyesters. III. Molecular Weight and Molecular Weight Distribution in Alcohol-Initiated Polymerizations of ε-Caprolactone, 319C
Schlick, S. See McGarvey, B. R., 2145P
Schmitt, N. See Chapiro, A., 1791C
Schmutz, P. See Sutter, A., 609C
Schneider, B. See Spevacek, J., 1623P
Schrag, J. L. See Lodge, T. P., 1409P
Schrijver, J.
—; Ammerdorffer, J. L.; German, A. L.: Effect of Pressure on Free-Radical Copolymerization Kinetics. III. An Improved Method of Measuring Monomer Reactivity Ratios under High-Pressure Conditions, 2693C
Schultz, J. M. See Babajko, S., 497P; Lin, J. S., 1365P; Petermann, J., 523P
Schutz, H. See Velichkova, R., 2895C; Wondraczek, R. H., 1517C
Schwartz, L. J. See Henrichs, P. M., 775C
Scole, D. A. See Galanti, A. V., 233C
Seeley, E. G. See Miller, R. L., 2297P
Seferis, J. C. See Cooper, C. A., 173P
Seguchi, T. See Arakawa, K., 2681C
Sekhon, G.
—; Armstrong, R. C.; Jhon, M. S.: The Origin of Polymer Migration in a Nonhomogeneous Flow Field, 947P
Sekiguchi, H. See Kricheldorf, H. R., 2353C
Sellen, D. B. See Key, P. Y., 659P
Senga, M.
—; Kondo, S.; Tsuda, K.: Preparation and Free Radical Polymerization of a Vinyl Monomer Containing Sulfonium Ylide Structure, 657L
Seno, M. See Igawa, M., 165L
Sentman, R. C. See Hall, H. K., Jr., 361C
Shacklette, L. W. See Elsenbaumer, R. L., 1781P
Sharaby, Z.
—; Jagur-Grodzinski, J.; Martan, M.; Vofsi, D.: Kinetics and Mechanism of the Anionic Polymerization of Cyclohexadienes Initiated by Naphthalene Radical Anions and Dianions, 901C
Shchori, E. See Riffle, J. S., 2289C
Shea, F. P. See Jones, A. A., 681P
Shen, D. Y.
—; Venkatesh, G. M.; Burchell, D. J.; Shu, P. H. C.; Hsu, S. L.: Spectroscopic Study of Rigid-Rod Polymers. II. Protonation Effect, 509P
Sheperd, L. See Jelinski, L. W., 3285C
Sherrington, D. C. See Mckenzie, W. M., 431C
Shet, R. T.
—; Atanu, E. Y.: Acid–Base Properties of Solid Polyelectrolytes: Dissociation of Cellulosic Polyanions, 477C
Sheu, M.-F. See Chang, S., 2053C
Shih, J. S.
—; Brandt, J. F.; Zussman, M. P.; Tirrell, D. A.: Poly[(2-Chloroethyl)oxirane], Poly[(3-Chloropropyl)oxirane] and Poly[(4-Chlorobutyl)oxirane]: New Polyether Elastomers of Improved Chemical Reactivity, 2839C

Shimamura, K. See Chien, J. C. W., 97L
Shimbo, M. See Ochi, M., 689P
Shimomichi, S. See Hayashi, S., 839C
Shimotsuma, W. See Kishimoto, Y., 845P
Shinkai, S.
—; Hara, Y.; Manabe, O.: Coenzyme Models. 32. Catalytic Activity of Polymer-Bound Thiazolium Ions as Estimated by Flavin Trapping Technique, 1097C
Shinohara, I. See Negishi, N., 1907C; Watanabe, M., 2669C
Shinouda, H. G. See Moteleb, M. M. A., 765C
Shirai, M.
—; Ohyabu, M.; Ono, Y.; Tanaka, M.: Interaction between Dyes and Polyelectrolytes. XIII. Effect of Dye Aggregation on the Excitation Energy Transfer between Bound Dyes, 555C
Shu, P. H. C. See Shen, D. Y., 509P
Siano, D. B.
—; Bock, J.: A Microemulsion Method for Polymer Molecular Weight Determination, 151L
Siesler, H. W. See Kulicke, W.-M., 553P
Sikora, A. See Spevacek, J., 1623P
Sikorski, A. See Kolinski, A., 177L, 3147C
Simha, R. See Jain, R. K., 1399P
Simionescu, C. I.
—; Percec, V.; Natansohn, A.: Intramolecular Charge Transfer Complexes. 16. Copolymers of *N,N*-dimethyl-*p*-aminobenzyl Methacrylate with Acryloyl- and Methacryloyl-*β*-hydroxyethyl-3,5-dinitrobenzoate, 63C
—; Percec, V.; Natansohn, A.: Intramolecular Charge Transfer Complexes. VIII. Poly[*N*-(2-Hydroxyethyl) Carbazolyl Acrylate-co-2,4-dinitrophenyl Methacrylate], 655C
Sinta, R. See Jaycox, G. D., 1629C
Sixou, P. See Dayan, S., 33L
Skerjanc, J.
—; Dolar, D.: Thermodynamic Properties of a Polyelectrolyte Solution Containing a Mixture of Counterions of the Same Charge, 1355P
Smets, G. See Samyn, C., 987C
Smid, J. See Jaycox, G. D., 1629C
Smith, J. D. B. See Williamson, M. A., 1875C
Smith, P. See Chanzy, H., 1909P
—; Lemstra, P. J.; Pijpers, J. P. L.: Tensile Strength of Highly Oriented Polyethylene. I. Effect of Molecular Weight Distribution, 2229P
Smith, S. A. See Kambour, R. P., 2069P
Smoorenburg, H. See Terrell, D. R., 1933P
Soh, S. K.
—; Sundberg, D. C.: Diffusion-Controlled Vinyl Polymerization. I. The Gel Effect, 1299C
—; Sundberg, D. C.: Diffusion-Controlled Vinyl Polymerization. II. Limitations on the Gel Effect, 1315C
—; Sundberg, D. C.: Diffusion-Controlled Vinyl Polymerization. III. Free Volume Parameters and Diffusion-Controlled Propagation, 1331C
—; Sundberg, D. C.: Diffusion-Controlled Vinyl Polymerization. IV. Comparison of Theory and Experiment, 1345C
Solc, K.
Multiphase Equilibria in Solutions of Polydisperse Homopolymers. I. Three-Phase Equilibria in Ternary and Quasiternary Systems, 1947P
Sone, Y. See Tsubokawa, N., 27L, 1943C, 3297C
Sonogashira, K. See Takahashi, S., 565C
Soutar, I. See Phillips, D., 411P
—; Phillips, D.; Roberts, A. J.; Rumbles, G.: Transient Decay Studies of Photophysical Processes in Aromatic Polymers. VI. Intramolecular Excimer Formation and Dissociation in Polystyrene and Styrene–Methyl Methacrylate Copolymers, 1759P
South, M. See Mathias, L. J., 473L
Southwick, J. G. See Jamieson, A. M., 1513P
Spange, S. See Velichkova, R., 2895C
Spevacek, J.
—; Schneider, B.; Bohdanecky, M.; Sikora, A.: NMR Spectroscopic, Osmometric, and Viscometric Study of Association of Syndiotactic Poly(methyl Methacrylate) in Dilute Solutions, 1623P
Spruiell, J. E. See Choi, K-J., 27P
Srinivasan, M. See Srinivasan, P. R., 1145C, 3095C
Srinivasan, P. R.
—; Srinivasan, M.; Mahadevan, V.: Preparation and Properties of Polybenzimidazoles Containing Azo Groups (Note), 1145C
—; Mahadevan, V.; Srinivasan, M.: Preparation and Properties of Polybenzimidazoles Containing Cardo Groups, 3095C
Srivastava, A. K. See Gupta, M. C., 541C
Stachurski, Z. H. See Nagarajan, S., 989P, 1001P
Stamm, M.
Influence of the Conformation of Polyethylene on Wide-Angle Neutron Scattering Patterns, 235P
Stannett, V. T. See Lee, K. S., 997C
Review of *Developments in Polymer Photochemistry—3*, Norman S. Allen, Ed. 461L
Starkweather, H. W., Jr.
The Density of Amorphous Polytetrafluoroethylene (Communication), 2159P
—; Zoller, P.; Jones, G. A.; Vega, A. J.: The Heat of Fusion of Polytetrafluoroethylene, 751P
Stein, R. S. See Cembrola, R. J., 1279P; Florjanczyk, Z., 1051C; Gilmer, J., 2219P; Morra, B. S., 2243P, 2261P; Russell, T. P., 1593P; Tabar, R. J., 2041P
Stern, M.
—; Fridkin, M.; Warshawsky, A.: Functionalization of Polystyrene. III. Synthesis of Polymeric Thiol Reagents, 1469C
Stevens, G. C.
—; Champion, J. V.; Liddell, P.: Investigation of Local Order in Unreacted DGEBA Epoxy Resin Monomers by Light Scattering, 327P
Stilbs, P. See Brown, W., 1771P
Stobie, I. See Paton, R. M., 573L
Storey, R. F. See Wondraczek, R. H., 43C
Street, G. B. See Clarke, T. C., 117P
Strzelecki, L. See Hardouin, F., 975P
Suda, Y. See Inaki, Y., 1917C
Suehiro, S. See Cembrola, R. J., 1279P
Sugeta, H. See Hayashi, S., 69L
Sugihara, M. See Uragami, T., 1193C
Sullivan, J. L.
—; Demery, V. C.: The Nonlinear Viscoelastic Behavior of a Carbon-Black-Filled Elastomer, 2083P
Sumi, K. See Furue, M., 291L
Sundberg, D. C. See Soh, S. K., 1299C, 1315C, 1331C, 1345C
Supakorn, O. See Tazuke, S., 2239C
Surles, J. See Liepins, R., 1587C
Suryanarayana, G. V. See Samal, R. K., 53C
Sutter, A.
—; Schmutz, P.; Marvel, C. S.: Polyaromatic Ether-Ketones Containing Various Biphenylene Units as Crosslinking Sites, 609C
Suzuki, M. See Nakanishi, H., 653L
Suzuki, S. See Hayase, S., 1433C, 1652C, 3155C
Suzuki, Y.
—; Tazuke, S.: A Functional Polycation Bearing Pendant *l*-Menthoxymethyl Groups, 259L
—; Miyamoto, Y.; Miyaji, H.; Asai, K.: Pressure Effects on Phase Diagrams in Mixtures of Poly(ethyl Acrylate) and Poly(vinylidene Fluoride), 563L

Tabar, R. J.
—; Stein, R. S.; Long, M. B.: A Two-Dimensional Position-Sensitive Detector for Small-Angle Light Scattering, 2041P
Tadano, K. See Ouchi, T., 2089C
Taguchi, Y. See Higashi, F., 103C
Takagishi, T.
—; Kozuka, H.; Kim, G. J.; Kuroki, N.: Binding of Methyl Orange and Its Homologs by Polyion Complex in Ethylene Glycol, 2231C
—; Hayashi, A.; Kuroki, N.: Crosslinked Polyvinylpyrrolidones with Increased Affinity and Specificity for Methyl Orange and Its Homologs, 1533C
—; Fujii, S.; Kuroki, N.: Peculiar Temperature Dependence on the Binding of Pentyl Orange by Crosslinked Poly(vinylpyrrolidone) (Note), 221C

Takahama, T.
—; Geil, P. H.: Dynamic Mechanical Properties of Epoxy Resins, 453L
—; Geil, P. H.: The β Relaxation Behavior of Bisphenol-Type Resins, 1979P
Takahashi, K. See Igawa, M., 165L
Takahashi, M. See Ueda, M., 2819C
Takahashi, S.
—; Morimoto, H.; Murata, E.; Kataoka, S.; Sonogashira, K.; Hagihara, N.: Studies on Polyyne Polymers Containing Transition Metals in the Main Chain. VII. Synthesis and Characterization of Palladium-Polyyne Polymers, 565C
Takahashi, T. See Imai, Y., 249C, 683C, 1497C; Masuda, T., 2603C; Oya, M., 529C
Takaso, S. See Konno, M., 3251C
Takayanagi, M. See Xu, D., 159L
Takemori, M. T. See Yee, A. F., 205P
—; Matsumoto, D. S.: An Unusual Fatigue Crack-Tip Plastic Zone: The Epsilon Plastic Zone of Polycarbonate, 2027P
Takemoto, K. See Inaki, Y., 1917C; Sakuma, Y., 3431C
Takeuchi, K. See Hirai, H., 159C
Takizawa, Y. See Watanabe, M., 2669C
Tanaka, M. See Igawa, M., 165L; Shirai, M., 555C; Tsunooka, M., 589L
Tanaka, S. See Tsunooka, M., 589L
Tanioka, A.
—; Oobayashi, A.; Kageyama, Y.; Miyasaka, K.; Ishikawa, K.: Effects of Carbon Filler on Sorption and Diffusion of Gases through Rubbery Materials, 2197P
Taylor, L. T. See Furstch, T. A., 1287C
Tazuke, S. See Suzuki, Y., 259L; Yuan, H. L., 81L
—; Supakorn, O.; Inoue, T.: Tribo- and Photopolymerization of 9-Ethyl-3-Vinylcarbazole Crystals, 2239C
Tchir, W. J.
—; Rudin, A.; Fyfe, C. A.: Effects of Data Analysis on Accuracy and Precision of GPC Results, 1443P
Teramoto, A. See Fujita, H., 893P
Terrell, D. R.
—; Evers, F.: Stereocontrol in the Cationic Polymerization of *N*-Vinylcarbazole, 2529C
—; Evers, F.; Smoorenburg, H.; van den Bogaert, H. M.: The Dependence of the Glass Transition Temperature of Poly(*N*-vinylcarbazole) upon Steric Microstructure and Molecular Weight, 1933P
Tesoro, G. C.
Review of *Textile Reinforcement of Elastomers*. W. C. Wake and D. B. Wootton, Eds. 561L
Teyssie, Ph. See Fayt, R., 2209P
Teyssier, J. L. See Moliton, J. P., 1289P, 1313P; Vareille, J. C., 1327P
Thaler, W. A.
Sulfonation and Subsequent Reactions of Ethylidene Norbornane and Dihydrodicyclopentadiene. The Chemistry of Some Small Molecule Models for EPDM Rubbers, 875C
Thiagarajan, R.
—; Kalpagam, V.; Nandi, U. S.: Mixed Ligand Complexes in Vinyl Polymerization. I. [*N,N'*-ethylenebis(salicylideneiminato)] (acetylacetonato)cobalt(III) as an Initiator, 675C
Thomas, E. L. See Chacko, V. P., 2177P
Thomas, J. W., Jr.
—; Frank, C. W.; Holden, D. A.; Guillet, J. E.: Fluorescence Studies of Polymer Blends: Effect of Host Matrix on Copolymers of 1-Naphthyl Alkyl Methacrylates and 9-Anthryl Methyl Methacrylate (Note), 1749P
Tighzert, H-L.
—; Berticat, P.; Chabert, B.; Pham, Q-T.: The Polycondensation between Epoxy Resins and Aromatic Amines in Bulk: Study by ^{1}H-NMR at 350 MHz, 417L
Timmons, M. L. See Liepins, R., 1587C
Tirrell, D. A. See Shih, J. S., 2839C
Tobias, R. H. See Gent, A. N., 2051P, 2317P
Toda, F. See Niume, K., 663C, 1965C
Tomich, D. See Von Meerwall, E., 1037P
Tomoi, M.
—; Ogawa, E.; Hosokawa, Y.; Kakiuchi, H.: Novel Synthesis of Spacer-Modified Polymer Supports and Activity of Phase-Transfer Catalysts Derived from the Polymer Supports (Communication), 3015C
—; Ogawa, E.; Hosokama, Y.; Kakiuchi, H.: Phase-Transfer Reactions Catalyzed by Phosphonium Salts Attached to Polystyrene Resins by Spacer Chains, 3421C
Toneaki, N. See Watanabe, M., 2669C
Torikoshi, K. See Ogiwara, Y., 17L
Toriumi, H. See Krigbaum, W. R., 109L
Tosun, I. See Yilmaz, L., 569L
Touillaux, R. See Devaux, J., 1881P
Toyofuku, K. See Niume, K., 663C
Tripathy, A. K. See Lenka, S., 1139C
Tripathy, S. K. See Balik, C. M., 2003P, 2017P; Ishida, H., 701P
Truesdell, J. W.
—; Van De Mark, M. R.: Synthesis of Corrosion-Inhibiting Polythioesters, 1899C
Tsai, T-T. See Rosenberg, H., 1C
Tsay, F-D.
—; Hong, S. D.; Moacanin, J.; Gupta, A.: Studies of Magnetic Resonance Phenomena in Polymers. I. The Effects of Free Volume and Segmental Mobility on the Motion of Nitroxide Spin Probes and Labels in Poly(methyl Methacrylate), 763P
Tsubokawa, N.
—; Endo, T.; Okawara, M.: Electron Transfer between Insoluble Dihydronicotinamide Polymer and Insoluble Benzoquinone Polymer, 2205C
—; Funaki, A.; Hada, Y.; Sone, Y.: Grafting onto Carbon Black: Graft Polymerization of β-Propiolactone onto Carbon Black Surface, 27L
—; Matsumoto, H.; Sone, Y.: Grafting onto Carbon Black: Reaction of Urethane Prepolymer with Carbon Black Surface (Communication), 1943C
—; Funaki, A.; Hada, Y.; Sone, Y.: Grafting Polyesters onto Carbon Black. I. Polymerization of β-Propiolactone Initiated by Alkali Metal Carboxylate Group on the Surface of Carbon Black, 3297C
Tsuchida, E. See Kaneko, M., 593L
Tsuda, K. See Senga, M., 657L
Tsukube, H.
Noncyclic Crown-Type Polyether Polymers for Transport of Alkali Cation and Amino Acid Anion (Communication), 2989C
Tsunooka, M.
—; Ueda, T.; Tanaka, S.; Tanaka, M.; Egawa, H.: Anthracene-Sensitized Photocrosslinking of Poly(2,3-Epithiopropyl Methacrylate) in the Solid Phase, 589L
Tsvetanov, C. B. See Dimov, D. K., 1389C
Turner, D. T. See Atsuta, M., 1609P; LaBarre, E. E., 557P

Uchida, Y. See Osawa, Z., 2259C
Uden, P. C. See Chien, J. C. W., 2159C
Ueba, Y.
—; Zhu, K. J.; Banks, E.; Okamoto, Y.: Rare-Earth-Metal-Containing Polymers. 5. Synthesis, Characterization, and Fluorescence Properties of Eu^{3+}-Polymer Complexes Containing Carboxylbenzoyl and Carboxylnaphthoyl Ligands, 1271C
Ueda, M. See Imai, Y., 249C, 683C, 1497C, 2995C
—; Kumakura, T.; Imai, Y.; Pittman, C. U., Jr.: Radical-Initiated Homo- and Copolymerizations of Methacryloyl Fluoride, 2829C
—; Takahashi, M.; Imai, Y.; Pittman, C. U., Jr.: Radical-Intiated Homo- and Copolymerization of α-Methylene-γ-Butyrolactone, 2819C
Ueda, T. See Tsunooka, M., 589L
Ueda, Y. See Ashida, M., 3107C

Uno, K. See Niume, K., 663C, 1965C
Uragami, T.
—; Watanabe, S.; Sugihara, M.: Studies on Syntheses and Permeabilities of Special Polymer Membranes. 48. Transport of Organic Ions through Crosslinked Poly(isobutylene-Alternative co-Maleic Anhydride) Membranes, 1193C
Urushido, K. See Matsumoto, A., 3207C
Uryu, T.
—; Kitano, K.; Matsuzaki, K.: Ring-Opening Polymerization of 5,6-Anhydro-Glucose and -Allose Derivatives. Effect of Substitutional or Configurational Difference at the Position of Sugar Monomers on Polymerization Behavior, 2181C
—; Hatanaka, K.; Yoshinari, K.; Matsuzaki, K.: Syntheses of 1,6-Anhydro-2,3,4-tri-*O*-benzyl-β-D-altropyranose and of 1,6-Anhydro-2-*O*-benzyl-3,4-*O*-isopropylidene-β-D-galactopyranose and Their Ring-Opening Copolymerizations, 343C

Van, B. T. See Bataille, P., 795C, 811C
Van Antwerp, R. See Von Meerwall, E., 1037P
Vancso-Szmercsanyi, I.
—; Kallo, A.: Coordination Polymers. XIII. Synthesis and Investigation of Polymers Obtained by the Reaction of Maleic Acid with ZnO, 639C
Van De Mark, M. R. See Truesdell, J. W., 1899C
van den Bogaert, H. M. See Terrell, D. R., 1933P
Vantelon, J. P. See Gaboriaud, F., 2063C
Varadarajan, K.
—; Boyer, R. F.: Effects of Thermal History, Crystallinity, and Solvent on the Transitions and Relaxations in Poly(bisphenol-A carbonate), 143P
Vareille, J. C. See Moliton, J. P., 1289P, 1313P
—; Decossas, J. L.; Moliton, J. P.; Teyssier, J. L.; Delaunay, B.: Observations par Microscopie Electronique de Traces d'Ions Lourds dans le Triacetate de Cellulose, 1327P
Varma, I. K.
—; Gupta, A.; Sangita: Addition Polyamides. II. Polyaspartimide Oligomers, 621L
—; Fohlen, G. M.; Parker, J. A.: Synthesis and Thermal Characteristics of Bisimides. I, 283C
Vega, A. J. See Starkweather, H. W., Jr., 751P
Velichkova, R.
—; Panayotov, I. M.; Doicheva, J.; Heublein, G.; Schutz, H.; Adler, P.; Spange, S.; Wondraczek, R. H.: On The Interaction of Triphenylmethyl Salts with α-Methylstyrene, 2895C
Vellutini, M. J. See Dayan, S., 33L
Venkatesh, G. M. See Shen, D. Y., 509P
Vijayakumar, C. T.
—; Ponnusamy, E.; Balakrishnan, T.; Kothandaraman, H.: Thermal and Pyrolysis Studies of Copolyesters, 2715C
Vilasagar, S. See Blumstein, A., 877P
Villaroel, E. See Kang, E. T., 143L
Viswanathan, B. See Devarajan, R., 1863C
Vittoria, V. See DeCandia, F., 269P, 1175P, 1525P
Vofsi, D. See Sharaby, Z., 901C
Vogl, O. See Florjanczyk, Z., 1051C; Malanga, M., 2033C; Nir, Z., 2735C; Purgett, M. D., 2477C; Yoshida, S., 2215C
Volino, F.
—; Pineri, M.; Dianoux, A. J.; De Gever, A.: Water Mobility in a Water-Soaked Nafion Membrane: A High-Resolution Neutron Quasielastic Study, 481P
Von Meerwall, E.
—; Grigsby, J.; Tomich, D.; Van Antwerp, R.: Effect of Chain-End Free Volume on the Diffusion of Oligomers, 1037P
Voorhees, K. J.
—; Lattimer, R. P.: Mechanisms of Pyrolysis for a Specifically Labeled Deuterated Urethane, 1457C
Vukovic, R. See Javni, I., 977C

Wada, M. See Hayase, S., 1433C, 1652C, 3155C
Wada, Y. See Mori, Y., 2111P
Walsh, D. J. See Egboh, H. S., 2879C
Wang, C. H. See Cavanaugh, D. B., 1641P, 1647P
Wang, L-H.
—; Choy, C. L.; Porter, R. S.: Thermal Expansion of Ultradrawn Polystyrene, 633P
Wang, W-C. V.
—; Kramer, E. J.; Sachse, W. H.: Effects of High-Pressure CO_2 on the Glass Transition Temperature and Mechanical Properties of Polystyrene, 1371P
Ward, I. M. See Capaccio, G., 1107P; Frye, C. J., 1677P
Ward, T. C. See Riffle, J. S., 2289C
Warshawsky, A. See Stern, M., 1469C
Watanabe, M.
—; Toneaki, N.; Takizawa, Y.; Shinohara, I.: Microstructure and Electric Properties of Elastomeric Ionene–TCNQ Salts, 2669C
Watanabe, S. See Ichimura, K., 1419C; Uragami, T., 1193C
—; Ichimura, K.: The Selective Intermacromolecular Photocrosslinking of Poly(vinyl Cinnamate) Derivatives. A New Method for Improvement of Photosensitivity (Communication), 3261C
Watanabe, Y. See Arakawa, K., 2681C
Waters, P. F. See Chiang, A. C., 1807C
Watkins, V. H. See Hobbs, S. Y., 651P
Watnick, P. I. See Jelinski, L. W., 3285C
Watterson, A. C. See Salamone, J. C., 1153C
Weinhold, S.
—; Litt, M. H.; Lando, J. B.: The Crystal Structure of the Alternating Copolymer of Hexafluoroisobutylene and Vinylidene Fluoride, 535P
Weiss, P.
Review of *Adhesion 6*. K. W. Allen, Ed. 513L
Weiss, R. A. See Peiffer, D. G., 1503P
The Effect of Aging on the Thermal Behavior of Sulfonated Polystyrene, 65P
White, A. J.
—; Filisko, F. E.: Tacticity Determination of Poly(methyl Methacrylate) (PMMA) by High-Resolution NMR, 525L
White, J. L. See Choi, K-J., 27P
Widmaier, J. M. See Meyer, G. C., 389P
Wignall, G. D.
—; Mandelkern, L.; Edwards, C. O.; Glotin, M.: Wide-Angle Neutron Scattering Studies of Mixed Crystals of Polyethylene and Deuteropolyethylene, 245P
Wild, L.
—; Ryle, T. R.; Knobeloch, D. C.; Peat, I. R.: Determination of Branching Distributions in Polyethylene and Ethylene Copolymers, 441P
Wiles, D. M. See Carlsson, D. J., 575C; Garton, A., 273L
Wilkes, G. L. See Mohajer, Y., 457P
Wilkins, C. W., Jr. See Bowmer, T. N., 2661C
Williams, E. E. See Dunn, T. S., 1599C
Williams, J. L. See Dunn, T. S., 1599C
Williams, R. J. J. See Aranguren, M. I., 311C
Williamson, M. A.
—; Smith, J. D. B.; Castle, P. M.; Kauffman, R. N.: Laser-Initiated Polymerization of Charge-Transfer Monomer Systems, 1875C
Winter, W. T. See Lupinacci, D., 1013P
Review of *Diffraction for Material Scientists*, Jerold M. Schultz, 199L
Wissbrun, K. F.
—; Griffin, A. C.: Rheology of a Thermotropic Polyester in the Nematic and Isotropic States, 1835P
Wittmann, J. C.
—; Lotz, B.; Candau, F.; Kovacs, A. J.: Liquid-Crystalline Textures in Binary and Ternary Block Copolymer–Solvent Systems, 1341P
Woerner, T.
—; MacDiarmid, A. G.; Heeger, A. J.: Direct Synthesis of Oriented Polyacetylene, $(CH)_x$, from Acetylene Gas, 305L
Wondraczek, R. H. See Velichkova, R., 2895C
—; Muller, W.; Schutz, H.; Heublein, G.: Copolymerization of Isobutene and α-Methylstyrene as a Function of Reaction Conditions, 1517C

—; Kennedy, J. P.; Storey, R. F.: New Telechelic Polymers and Sequential Copolymers by Polyfunctional Initiator-Transfer Agents (Inifers). XIII. Influence of Lewis Acid Strength and Counteranion Stability on the Synthesis of Telechelic Polyisobutylenes, 43C
—; Kennedy, J. P.: Nylon 6–Polyisobutylene Sequential Copolymers. II. Synthesis, Characterization, and Morphology of Di-, Tri-, and Radial Block Copolymers, 173C
Woo, J. C.
—; Kim, S. H.; Chin, C. S.: Polymerization of Acrylonitrile in the Presence of a Perchloratoacrylonitrileiridium Complex (Communication), 1947C
Woodward, A. E. See Anandakumaran, K., 1669P
Wool, R. P.
—; O'Connor, K. M.: Time Dependence of Crack Healing, 7L
Worsfold, D. J.
Concentrated Solution Viscosities of Polymeric Associates, 99P
Wu, J.-C. See Chien, J. C. W., 2019C, 2445C, 2461C
Wu, S.-R. See Bailey, W. J., 3021C
Wunderlich, B. See Meesiri, W., 719P
Review of *Low-Temperature Properties of Polymers*, I. I. Perepechko, 241L

Xu, B. Z. See Chen, W. Y., 547C
Xu, D.
—; Okuyama, K.; Kumamaru, F.; Takayanagi, M.; Zhang, S.; Qian, R.: Structural Studies on Large Spherulites of Poly(*p*-Phenylene Terephthalamide), 159L

Yagi, T. See Nakano, H., 23L
Yalpani, M.
—; Hall, L. D.: Some Chemical and Analytical Aspects of Polysaccharide Modifications, II. A High-Yielding, Specific Method for the Chemical Derivatization of Galactose-Containing Polysaccharides: Oxidation with Galactose Oxidase Followed by Reductive Amination, 3399C
Yamada, A. See Kaneko, M., 593L, 1011C; Sanechika, K., 365L
Yamaguchi, K.
—; Rokicki, G.; Kawanobe, W.; Nakahama, S.; Yamazaki, N.: Direct Synthesis of a Polyamide by an Enol Phosphite and Imidazole, 1185C
Yamamoto, K. See Masuda, T., 2603C
Yamamoto, T. See Sanechika, K., 365L
Yamamoto, Y. See Mah, S., 1709C, 2151C; Nakano, H., 23L, 2335C
Yamane, R. See Nakano, H., 2335C
Yamasaki, M. See Kawakami, M., 251L
Yamashita, N.
—; Morita, S.; Maeshima, T.: Conformational and Neighboring Effects in Graft Polymerization of Acrolein onto Imidazole-Containing Polymer, 327C
Yamashita, Y. See Kawakami, M., 251L
Yamato, H. See Yoneda, F., 667L
Yamazaki, N. See Yamaguchi, K., 1185C
Yanagihara, K.
—; Yasuda, H.: Plasma Polymerization of Tetrafluoroethylene. IV. Comparison of Ethylene and Tetrafluoroethylene by Measurements of Electron Temperature and Density of Positive Ions, 1833C
Yang, H. H.
—; Chouinard, M. P.; Lingg, W. J.: Birefringence of Highly Oriented Fibers, 981P
Yang, J. See Lu, C., 1151C
Yang, T. Q.
—; Chen, Y.: Stress Response and Energy Dissipation in a Linear Viscoelastic Material Under Periodic Triangular Strain Loading, 1437P
Yang, W.-L. See Hsu, Y.-G., 611L
Yasuda, H. See Masuoka, T., 2633C; Yanagihara, K., 1833C
Yee, A. F.
—; Takemori, M. T.: Dynamic Bulk and Shear Relaxation in Glassy Polymers. I. Experimental Techniques and Results on PMMA, 205P
Yeh, H. C.
—; Eichinger, B. E.; Andersen, N. H.: Metal-Acetylacetonate Chelate Crosslinked Gels, 2575C
Yilmaz, L.
—; Tosun, I.: A Note on Peterlin's Formulation of Case II Diffusion, 569L
Yiping, C. See Zhiquan, S., 411L
Yokoyama, M. See Sato, M., 335C
Yokoyama, Y.
—; Hall, H. K., Jr.: Polymerization Ability of *cis*- and *trans*-4,5-Epoxy-2-Pentenal with Ionic and Free Radical Initiators. Cyclopolymerization of the cis Isomer, 2195C
Yoneda, F.
—; Yamato, H.; Nagamatsu, T.; Egawa, H.: Autorecycling Oxidation of Alcohol by Pyridodipyrimidine Bound to Crosslinked Polystyrenes, 667L
Yonezawa, N. See Hasegawa, M., 309L
Yoon, S. C. See Cho, H. G., 1247C
Yoshida, S.
—; Lillya, C. P.; Vogl, O.: Functional Polymers. XIII. Synthesis and Polymerization of 2(2-Hydroxy-5-Methylphenyl)-5-Vinyl-2H-Benzotriazole, 2215C
Yoshikawa, M. See Nakamae, K., 319P
Yoshikiyo, K. See Hayase, S., 3155C
Yoshinari, K. See Uryu, T., 343C
Yoshioka, T. See Fujita, T., 1639C
Young, R. J.
—; Petermann, J.: Defects in Polydiacetylene Single Crystals. II. Dislocations in pTS, 961P
Yuan, H. L.
—; Tazuke, S.: Synthesis and Emission Properties of Polyesters Starting from 2-(4-*N*,*N*-Dimethylaminobenzyl)-2-(1-Pyrenylmethyl)propane-1,3-Diol, 81L

Zachariades, A. E. See Kanamoto, T., 1485P
Zamora, F. See Calahorra, E., 181L; Gonzalez, M. C., 375L
Degradation of Polyethylene by a Nonisothermal Method Using Thermogravimetry, 539L
—; Guzman, G. M.: Interaction Parameter in the Polyethylene-1,2,4,5-Tetrachlorobenzene Eutectic System, 223L
Zettlemoyer, A. C.
Review of *Surface and Colloid Science*. E. Matijevic, Ed. 671L
Zhang, S. See Xu, D., 159L
Zhang, Z.-M.
—; Mark, J. E.: Model Networks of End-Linked Polydimethylsiloxane Chains. XIV. Stress-Strain, Thermoelastic, and Birefringence Measurements on the Bimodal Networks at Very Low Temperatures, 473P
Zhiquan, S.
—; Mujie, Y.; Mingxiao, S.; Yiping, C.: New Coordination Catalysts Based on Rare-Earth Compounds for the Stereospecific Polymerization of Acetylene, 411L
Zhizhenkov, V. V. See Egorov, E. A., 1089P
Zhi-zhong, Y.
—; Pearce, E. M.: Review of *Interpenetrating Polymer Networks and Related Materials*, L. H. Sperling, 244L
Zhongde, X. See Hadjichristidis, N., 743P
Zhu, K. J. See Ueba, Y., 1271C
Zoller, P. See Jain, R. K., 1399P; Starkweather, H. W., Jr., 751P
A Study of the Pressure-Volume-Temperature Relationships of Four Related Amorphous Polymers: Polycarbonate, Polyarylate, Phenoxy, and Polysulfone, 1453P
—; Hoehn, H. H.: Pressure-Volume-Temperature Properties of Blends of Poly(2,6-dimethyl-1,4-phenylene Ether) with Polystyrene, 1385P

Zrinyi, M.
—; Horkay, F.: Studies on Mechanical and Swelling Behavior of Polymer Networks on the Basis of the Scaling Concept. 3. The Osmotic Compressibility of Gels, 815P
Zubov, V. P.
—; Lachinov, M. B.; Ignatova, E. V.; Georgiev, G. S.; Golubev, V. B.; Kabanov, V. A.: Mechanism of Alternating Copolymerization of Methyl Methacrylate with Styrene in the Presence of Diethylaluminum Chloride, 619C
Zurakowska-Orszagh, J.
—; Mirowski, K.; Chajewski, A.: Solid-State Polymerization of Acrylamide and Its Derivatives Complexed with Some Lewis Acids. II. Radiation-Induced In-Source Polymerization, 1775C
Zussman, M. P. See Shih, J. S., 2839C

Statement of Ownership, Management and Circulation
(Required by 39 U.S.C. 3685)

1. Title of publication: Journal of Polymer Science
2. Date of filing: 15 September 1982
3. Frequency of publication: Monthly in 3 sections
   A. Number of issues published annually: 36
   B. Annual subscription price: $685.00
4. Complete mailing address of known office of publication: John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158
5. Complete mailing address of the headquarters or general business offices of the publishers: John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158
6. Publisher: John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158
   Board of Editors: H. Mark, Polytechnic Institute of New York, 333 Jay Street, Brooklyn, NY 11201 and C. G. Overberger, Department of Chemistry, University of Michigan, Ann Arbor, MI 48104
   Managing Editor: None
7. Owner: John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158

   The following is a list of stockholders owning or holding 1% or more of John Wiley & Sons, Inc. stock as of July 1982: Cynthia W. Darby, Box 651, Bridgehampton, NY 11932; Hamilton Darby, Box 651, Bridgehampton, NY 11932; W. B. Wiley, W. B. Wiley II, P. B. Wiley, & Deborah Wiley, Executors of the Estate of Edward P. Hamilton, c/o Gifford, Woody, Palmer & Searles, 14 Wall Street, New York, NY 10005; W. Bradford Wiley & Deborah Wiley, Trustees, Elizabeth W. Hamilton Trust, 605 Third Avenue, New York, NY 10158; Morgan Guaranty Trust and W. B. Wiley, Trustees under will of Elizabeth Wiley Hamilton, c/o Morgan Guaranty Trust Co., P.O. Box 491, Church St. Station, New York, NY 10008; Jenny R. Proskauer, P.O. Box 238, Church St. Station, New York, NY 10008; W. Bradford Wiley and Peter Booth Wiley, Trustees, f/b/o/ Deborah Elizabeth Wiley, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158; Cede & Co., Box 20, Bowling Green Station, New York, NY 10006; J. E. Orr & Co., Chemical Bank, P.O. Box 1368, Church St. Station, New York, NY 10008; W. Bradford Wiley & W. Bradford Wiley II, Trustees, f/b/o/ Peter Booth Wiley, 605 Third Avenue, New York, NY 10158; W. Bradford Wiley & Deborah Wiley, Trustees, f/b/o/ William Bradford Wiley II, c/o John Wiley & Sons, Inc., 605 Third Avenue, New York, NY 10158; Hamilton D. Darby and Cynthia Wiley Darby, Trustees under will of William O. Wiley, c/o Gifford, Woody, Palmer & Searles, 14 Wall Street, New York, NY 10005; Adele E. Windheim, 8 Dundee Road, Larchmont, NY 10538; Mrs. Rosamond R. Pennywitt, 49 Bristol Place, Bay Head, NJ 08742; Morgan Guaranty Trust Company, 23 Wall Street, New York, NY 10015; W. Bradford Wiley, 605 Third Avenue, New York, NY 10158.

8. Known bondholders, mortgagees, and other security holders owning or holding one percent or more of the total amount of bonds, mortgages, or other securities: None
10. Extent and nature of circulation

	Average number of copies of each issue during preceding 12 months	Actual number of copies of single issue published nearest to filing date
A. Total number of copies	2325	2200
B. Paid circulation		
1. Sales through dealers and carriers, street vendors and counter sales	none	none
2. Mail subscriptions	2022	1985
C. Total paid circulation	2022	1985
D. Free distribution by mail, carrier or other means, samples, complimentary, and other free copies	128	128
E. Total distribution	2150	2113
F. Copies not distributed		
1. Office use, left over, unaccounted, spoiled after printing	175	87
2. Returns from news agents	none	none
G. Total	2150	2200

11. I certify that the statements made by me above are correct and complete.

Mary Curtis, *Publisher*

Subject Index to Volume 20

This index covers the Polymer Chemistry, Polymer Physics, and Polymer Letters Editions of the *Journal of Polymer Science*, Vol. 20, 1982. The edition in which an item appears is indicated by a C, P, or L, respectively, following the page number. Notes and Errata are indicated by the letters N and E, respectively, following the page number.

ABS, ^{13}C-NMR in solid state, 3285C
Absorption coefficients, for PS and PMMA in visible and near-IR regions, 357P(N)
α-Acetoxystyrene, polymerization and reaction of, 1941C(C)
Acidic peroxo salts, initiates, 2409C
Acrylamide, initiated by the Ce^{4+}/thiourea (TU), 131C
—, solid-state polymerization, 1775C
2-Acrylamido-2-methylpropanesulfonic acid (AMPS), 467C
Acrylate, solvent effects on radical polymerization of, 1489C
Acrylic copolymers, reactivity ratios of, 277C
Acrylic thermoset polymers, 1581C
Acrylonitrile, copper complex-initiated polymerization, 3369C
—, redox polymerization, 53C
Acrylonitrile and vinylidene chloride copolymers, NMR measurements in, 775C
Acrylonitrile polymerization initiated by peroxydiphosphate–ascorbic acid redox system, 2117C
Acrylonitrile–4-vinylpyridine copolymers, properties of, 1653C
Adhesive interface interactions, 1031C
Adsorbed water in perfluorosulfonate ionomer, phase distribution of, 107P
Aggregates in sulfonated polystyrene ionomers, 1503P
Aggregation in solutions of epoxy polymers, 327P
Aggregation of aromatic polyimides, 837P
Aggregation of syndiotactic PMMA in dilute solutions, 1623P
Aging of piezoelectric poly(vinylidene fluoride), 1987P
Alfrey–Price *Q–e* values calculated from ^{13}C-NMR data, 1745C
Alkali metal enolates as electron-rich monomers, 217L
Allyl esters, cyclopolymerization, 3207C
Alternating copolymerizations of styrene & methyl methacrylate, 159C
Aminosilane, 701P
Amphiphilic block copolymers, 299C
—, fluorescence quenching in, 2007C
Amphiphilic copolymers, 467C
Amphiphilic imines, catalytic properties, 433L
Amphiphilic polymers, hydrophobic interactions in, 1907C
Amylose–polyester block copolymers, 997C
Analysis of poly(ethylene–vinyl acetate) copolymer by infrared techniques, 2309P
1,6-Anhydrosugars, polymerizations of, 343C
5,6-Anhydro sugars, ring-opening polymerization, 2181C
1,6-Anhydro-2,3,4-tri-*O*-benzyl-β-D-altropyranose, ring opening polymerization of, 343C
Anion exchange resin, initiation of ring polymerization by, 1133C(N)
Annealing of drawn polyethylene, shrinkage and retractive force in, 1175P
Annealing process in polypropylene, x-ray study of, 523P
Antioxidant, BHT, association of reagents with, 1617P
Aromatic hydrocarbons, polymerization of, 1119C
Aromatic polymers, characterization of, 1697C
(Aryloxy)cyclotriphosphazenes, Friedel–Crafts reactions of, 647L
Association, measurement of degree of, 99P
Asymmetric catalysis by acrylonitrile–cinchona alkaloid copolymer, 85L
Asymmetric-selective polymerization, 423L
3-Aza-8-oxabicyclo[3.2.1]octane-2-one, synthesis and polymerization, 521L
Azido-polymers of butadiene, 1505C
Azobisisobutyronitrile, dissociation rate constants, 409C
Azoxybenzene moieties, 877P

Benzotriazole light stabilizer in wool, diffuse reflectance analysis, 2417C
—, mechanism of photostabilization, 2429C
Benzoyl peroxide, dissociation rate constant, 409C
Benzoyl peroxide–Cr^{2+} living radical polymerization, 457C
Beta relaxation, associated with nonlinearity, 73P
Biphenylene units as crosslinking sites, 609C
Birefringence, of bimodal polydimethylsiloxane networks, 473P
—, dynamic electric, as effected by fluctuation in reptation, 1963P
—, dynamic, of polyethylene, 1279P
—, of highly oriented fibers, 981P
—, of oriented polymer films, 1641P
—, in oscillatory flow of polystyrene and poly(α-methylstyrene) solutions, 1409P
—, of poly(γ-benzyl-L-glutamate), relaxations in, 2111P
—, in stress-induced crystallization of rubber, 1525P
—, of ultradrawn polystyrene, 633P
—, of ultraoriented polyethylene, model structure calculation of, 1193P
3,3-Bis(chloromethyl)oxacyclobutane, polymerization of, 897C(N)
Bisimide monomers, synthesis of, 233C(N)
Bisimide resins, synthesis and characterization of, 283C
Bis(2-oxazolines), polyamides derived from, 137C
Bisphenol epoxides, relaxation of, 1979P
Biuret oligomers and polymers, 2477C
Blends, amorphous, x-ray and neutron diffraction from, 1593P
—, chemical contrast in SEM of, 651P
—, compatibility of poly(ethylene oxide)–poly(vinyl acetate) in, 1259P
—, equation of state for, 1399P
—, fluorescence in, 1749P(N)
—, miscible of polycaprolactone and chlorinated polyethylene, 191P
—, polystyrene and poly(dimethyl phenylene oxide), crack propagation in, 2069P
—, *P–V–T* properties of PPO–polystyrene glasses and melts, 1385P
Blends and copolymers, neutron scattering from microphases in, 593P
Blends of polyethylene and polytetrafluoroethylene, 989P, 1001P
Blends of polystyrene and polyethylene, emulsifying effect of copolymers in, 2209P
Blends of poly(vinylidene fluoride) with PMMA, morphology of, 2243P, 2261P
Block copolymers, glass transition temperatures of ABA poly(styrene-*b*-isoprene), 389P

Book reviews, 75L, 76L, 137L, 138L, 139L, 140L, 195L, 197L, 198L, 199L, 200L, 201L, 202L, 241L, 242L, 243L, 244L, 279L, 281L, 283L, 284L, 285L, 349L, 350L, 351L, 397L, 459L, 460L, 461L, 462L, 509L, 510L, 511L, 512L, 513L, 557L, 558L, 559L, 561L, 599L, 601L, 602L, 603L, 604L, 606L, 671L
Bovine serum albumin, partitioning in porous glass, 857P
Branching distribution, 1427P
Branching number, 1427P
Brillouin scattering, detection of hypersonic shear waves, 583L
—, of oriented polymer films, 1641P, 1647P
Brillouin spectroscopy, of solutions of epoxy polymers, 327P
Bulk relaxation, dynamic, glassy polymers, 205P
Butadiene, azido-polymers of, 1505C

Calorimetric procedure, for study of enthalpy relaxation of glassy polymers, 279P
Calorimetry of stress-induced crystallization of rubber, 1525P
ϵ-Caprolactone, molecular weight distribution in, 319C
Carbonaceous adsorbents, 1213C
N-Carboxy–amino acid anhydrides, solid state polymerization of, 1847P
Carboxylbenzoyl and carboxylnaphthoyl polymeric ligands, 1271C
Cardopolymers, 3095C
Catalyst activity, effect of drawing polymer support on, 173P
Cationic copolymerization, effect of reaction conditions on, 1517C
—, of β-pinene, 1279C
Cationic latex in fiber–clay paper composites, 615L
Cationic polymerization, quantum chemistry relations in, 131P
Ce(IV)/thioacetamide redox system, 53C
Cellulose, Cr/As fixation in, 725C
—, Cu/Cr/As fixation in, 739C
—, Cu/Cr fixation in, 707C
—, dielectric properties, 765C
—, fiber formation in coagulation of, 1207P
—, interaction with aqueous Br_2, 929C
Cellulose acetates, phase diagrams of mesomorphic order in, 33L
Cellulose-g-acrylamide, 939C
Cellulose-g-styrene, 939C
Cellulose in liquid ammonia/ammonium thiocyanate solutions, 499C
Cellulose IVII, single crystals of, 1081P
Cellulose solutions in *N*-methyl morpholine *N*–oxide/water, melting and crystallization of, 1909P
Cellulose triacetate, heavy-ion radiation damage in, 1289P
—, heavy-ion tracks in irradiation of, 1327P
—, mesophases in solutions of, 1019P
Cellulosic polyanions, acid–base properties of, 477C
Ce^{4+}/thiourea redox system, 131C
Chain branching, effect on refractive index increment of, 2163P(C)
Chain conformation, in epoxy resins networks, 1055P
—, in melt-crystallized polyethylene, 561P
Chain dimensions, unperturbed, of polybutadiene and polyisoprene, 743P
Chain dimensions of polystyrene, in moderately concentrated solutions, 911P
—, in solutions with PMMA, 1497P
Chain dynamics, from infinite-dilution oscillatory flow birefringence, 1409P
—, of poly(2,6-dimethyl-1,4-phenylene oxide) in solution, 681P
Chain entanglements, and craze structure, 899P
—, and polymerization kinetics, 1695P
—, in polymer melts, 1037P
—, in polymer solutions, 623P
Chain folding in polyethylene crystals, studied by neutron scattering, 235P, 245P
Chain motion, and free volume of PMMA, 763P
—, in polyethylenes, 641P
—, in uniaxially stretched polymers, 1089P
Chain orientation, in ultradrawn polystyrene, 633P
Chain packing in crystals of atactic comblike polymer, 1013P
Chain structure and dynamics in nonlinear rheological behavior, 1817P
Chain transfer agents, 1261C
Charge transfer complexes, 63C
—, as photoinitiator, 2097C
Charge transfer copolymerization, laser-initiation, 1875C
Chelating polymers, 1609C
Chlorinated polyethylene–polycaprolactone blends, miscibility of, 191P
Chlorine-containing fluoromethane, glow discharge polymerization, 2303C
1-Chloro-2-phenylacetylene polymerization, 1043C
Chrysene, polymerization of, 1119C
Cloud point of poly(ethylene oxide) in aqueous salt, 1585P
Coagulation of cellulose in extensional flow, 1207P
Coenzyme models, 1097C
Composite polymer emulsions, morphologies of, 45L
Compound concentration scale for crosslinked polyolefins, 2909C
Conducting complexes of poly(phenylene sulfide) derivatives, 1781P
Conductivity, of AsF_5-treated poly(*p*-phenylene sulfide), 117P
Conformational composition of semicrystalline PET from infrared spectra, 2277P
Conformational energy calculations, 701P
Conformation of aliphatic chains at interfaces, 867P
Copolyamides, ^{13}N-NMR sequence analysis, 2791C
Copolyester of poly(butylene terephthalate) and bisphenol-A polycarbonate, structure of, 1875P, 1881P
—, transesterification, 1895P, 1901P
Copolymerization, of diallyl compounds, 2611C
—, of glycidyl methacrylate with alkyl acrylate monomers, 1581C
—, of lysine and aspartate NCAs, 529C
—, of *N*-oxyl biradical with α-chloro-*p*-xylylene, 1639C
—, temperature dependence of, termination rates in, 487L
Copolymers, acrylonitrile–styrene, crazing in, 1129P
—, as compatibilizing agents in blends of polystyrene and polyethylene, 2209P
—, divinylbenzene–*p*-cresol and bisphenol A, molecular weight distribution by GPC of, 1709P
—, ethylene–methacrylic acid, infrared study of sodium and calcium ionomers of, 1069P
—, hexafluoroisobutylene-vinylidene fluoride, crystal structure of, 535P
—, mechanical properties of polyester films, 457P
—, methyl methacrylate–styrene, crazing in, 1129P
—, poly(ethylene–vinyl acetate), infrared analysis of, 2309P
—, SBS triblock, relaxation of linear and diblock polymers in networks of, 2125P
—, styrene-acrylonitrile, phase separation in ethyl acetate solutions of, 773P(N)
—, styrene–methyl methacrylate, fluorescence study of, 1759P
—, 1-vinylnaphthalene and methyl methacrylate, fluorescence spectroscopy of, 411P
Copolymers of polyethylene, analysis of short-chain branching in, 441P
Crack healing, time dependence of, 7L
Crack propagation in poly(2,6-dimethyl-1,4-phenylene oxide), polystyrene, and blends, 2069P
Craze initiation in deformation of polystyrene, poly(dimethyl phenylene oxide), and their blends, 2069P
Craze microstructure and molecular entanglements, 899P
Crazes, fibril growth in, 929P(N)
Crazing of glassy polymers, stress analysis and mechanism of, 1129P
Crazing of polycarbonate, 2027P

Creep recovery of poly(vinyl acetate), 729P
Critical points in quasiternary systems, 1947P
Crosslinked polymers, additive properties of epoxy resins, 1269P
Crosslinkings by using metallated polymer, 2545C, 2555C
Crown-type polyether polymers, 2989C(C)
Crystal growth on preseeded fibrillar crystals, 1633P
Crystalline order in atactic comblike polymer, 1013P
Crystalline polymers, morphology of etched surfaces, 2153P(C)
Crystalline size in linear polyethylene, 1677P
Crystallinity, of polyethylene, in presence of filler, 2177P
—, of polyethylene, in tubular films, 27P
—, of polytetrafluoroethylene, 751P
Crystallization, epitaxial deposition of polyethylene on graphite, 399P
—, epitaxial, of polyoxymethylene, 2003P, 2017P
—, isothermal solution annealing, 1L
—, stress-induced, in natural rubber, 1525P
Crystallization and morphology of poly(ethylene oxide) fractions, 1465P
Crystallization fractionation, of branched polyethylenes, 441P
Crystallization–gelation process of polymers from solution, 355L
Crystallization kinetics of syndiotactic polypropylene, 2297P
Crystallization of linear polyethylene, 1365P
Crystallization of mixed PEH and PED molecules of polyethylene, 1155P
Crystallization of polyethylene from melt, kinetics of, 1717P, 1733P
Crystallization of polyethylene oxide mixtures, fractionation during, 307P
Crystallization of poly(ethylene terephthalate), 1847C
Crystallization of *trans*-1,4-polyisoprene, 1669P
Crystallization of sharp fractions of cellulose IV$_{II}$, 1081P
Crystallizaton and melting of ternary cellulose–solvent system, 1909P
Crystal morphology in mixed crystals of polyethylene, 1155P
Crystal morphology of polydiacetylene, 961P
Crystals, chain folding in polyethylene, 235P, 245P
Crystal structure of hexafluoroisobutylene-vinylidene fluoride alternating copolymer, 535P
Crystal structure of linear polymers from electron diffraction, 1789P
Cu dipivaloylmethide–initiated vinyl polymerization, 213C
Cyclic ether copolymerizations, 2033C
Cyclohexadienes, anionic polymerization of, 901C
Cyclohexene oxide, photopolymerization with $Ph_3SiCOPh$-Al complex catalysts, 1433C
—, polymerization with an aluminum/silanol catalyst, 3155C

Dead-end polymerization kinetics, 241C(N)
Deformation, measurement of Poisson's ratio in, 777P(N)
—, oscillatory, of polymers in shear flow, 423P
Deformation and stress in annealing of drawn polyethylene, 1175P
Deformation of entangled chains under shear, 623P
Deformation of nylons as affected by NH_3 plasticization, 1485P
Deformation of oriented polymer in films, 1647P
Degradation of cellulose triacetate by heavy-ion irradiation, 1289P
Degradation of polyethylene, effect of molecular weight, drawing and annealing on, 1107P
Dextran, partitioning in porous glass, 857P
—, self-diffusion and sedimentation in water, 1771P
Dialkyl mesaconates copolymerization with styrene, 2999C(C)
Diallyl phthalate–dialkyl fumarate copolymerization, 2611C
Dielectric behavior of poly(dimethyl oxetane) networks, 1805P
Dielectric relaxation study of affinity of BHT antioxidant for reagents, 1617P
Differential scanning calorimetry (DSC), effect of aging, 65P
—, isothermal aging, 279P
—, of mesophase macromolecules, 719P
—, of *trans*,1,4-polyisoprene crystallization, 1669P
—, of polystyrene above T_g, 1565P
—, of sulfonated polystyrene, 65P
—, of syndiotactic polypropylene, 2297P
—, of ternary cellulose–solvent systems, 1909P
Differential thermal analysis (DTA), of poly(*p*-phenylene sulfide) doped with AsF_5, 117P
Diffusion, of dextran in agarose networks, 659P
Diffusion (case II), in glassy polymers, 569L
Diffusion coefficients, of dextran in water, 1771P
—, of linear homologs in networks, 2317P
—, of xanthan, 1513P
Diffusion-controlled vinyl polymerization, 1299C, 1315C, 1331C, 1345C
Diffusion of polymers in melts by spin-echo technique, 1037P
Diffusion of water, in polyelectrolyte membrane, 481P
N,N-dimethyl-*p*-aminobenzyl methacrylate, synthesis and polymerization, 63C
Dimethyldicyanofumarate, copolymerization of, 361C
3,4-Dimethyltetrahydrofuran copolymerization, 2033C
2,2-Diphenylhexafluoropropane, polymer intermediate, 2381C
Diphenyliodonium hexafluorophosphate catalyst for radiation-induced cationic polymerization, 2151C
Disorder and light scattering by spherulites, 1P
Dispersion polymerization, particle size distribution in, 417C
Distribution of short-chain branching in polyethylenes, 441P
DME, continuous viscosity measurements, 3451C(C)
Doi-Edwards theory, application to large sinusoidal deformation, 83P
Dye sensitization of poly(*N*-vinylcarbazole) by chemically bound groups, 2059P
Dynamic mechanical behavior of polyethylene, 1279P
Dynamic mechanical properties, of amine-cured epoxides, 689P
—, of poly(ethylene oxide)–poly(vinyl acetate) blends, 1259P
—, of styrene-crosslinked unsaturated polyester resin, 1223P
—, theory of, 1249P

Elastic modulus, of polyacrylamide–water gels, longitudinal, 225P
—, of poly(butylene terephthalate) crystallites, 319P
Elastomers, threshold tear strength of, 2051P
Electrical conduction in salt–polymer composites, 845P
Electroactive polymers, 109C
Electron diffraction, of linear polymers, 1789P
—, of ultrahigh modulus polyethylene, 1677P
Electron microscopy, of blends, 651P
—, of crystal epitaxy in polyoxymethylene, 2003P
—, of deformed spherulitic films, 457P
—, of epoxy and polyimide systems, 579P
—, of heavy-ion tracks in cellulose triacetate, 1327P
—, molecular imaging in, 579P
—, of polyacetylene crystal defects, 961P
Electron spin resonance (ESR), of poly(methyl methacrylate), 763P
Electron transfer between insoluble polymers, 2205C
Electron transport by TCNQ anion-radical salt in polymer matrix, 845P
Electrostatic potentials around rodlike polyelectrolyte in solution, 2167P
Emulsion copolymerization, radiation initiation, 863C
Emulsion polymerization, of methyl methacrylate, 1021C

—, monomer phase distribution in, 3251C(C)
—, nucleation mechanism, 489C
—, of styrene initiated by potassium persulfate, 811C
—, of styrene, 1261C
—, of styrene, review of, 795C
Emulsions, formation of fine particle by high-dose-rate polymerization, 643L
End groups in copolymers prepared by free radical initiation, 2655C
Energetics of deposition of polyoxymethylene on alkali halide (001) surfaces, 2017P
Epoxide resins, kinetics of formation, 1231C
—, mechanical relaxation of, 689P
Epoxy and aldehyde telechelic polyisobutylenes, 2809C
4,5-Epoxy-2-pentenal, polymerization, 2195C
Epoxy polymers, aggregation in solutions of, 327P
—, Brillouin spectroscopy and Rayleigh scattering in, 327P
Epoxy resin, dynamic mechanical properties, 453L
—, volume flow of, 1971C
Epoxy resins, condensation with aromatic amines, 417L
—, crosslinked, ultrasonic measurements on, 1269P
—, curing mechanisms by imidazole catalysis, 127L
—, glass fiber-filled, characterization of interface in, 2135P
—, high resolution electron microscopy of, 579P
—, molecular motion from NMR, 1055P
—, uneven curing in, 439L
Equation of state for polymer melts, 1247C
Errata, 401L, 562L, 610L, 1151C, 1649C, 1650C, 1652C, 1755P
Etching technique and surface morphology of crystalline polymers, 2153P(C)
Ethyl acrylate, effect of additives on dye-sensitized photopolymerization, 2349C(C)
[*N,N'*-ethylenebis(salicylideneiminato)] (acetylacetonato)cobalt(III) as a vinyl polymerization initiator, 675C
Ethylene–octene copolymers, 1427P
Ethylene–propylene terpolymers, sulfonation of, 875C
9-Ethyl-3-vinylcarbazole, tribo- and photopolymerization, 2239C
Eu^{3+}-polymer complexes, 1271C
Expoxide resins, torsion pendulum relaxation study of, 1979P

Factor-jump thermogravimetry, 1065C, 1169C
Fiber formation in coagulation of cellulose, shear dependence of, 1207P
Fibers, oriented, characterization by birefringence of, 981P
Filled polymers, crack propagation in, 1925P
—, infrared spectroscopy of fiber-reinforced epoxy resin, 2135P
—, modelled by spherulitic semicrystalline polymer, 457P
—, morphology of $CaCO_3$–polyethylene composites, 2177P
—, tensile properties of glass-filled polybutadiene, 49P
—, tensile strength of, 2103P
—, viscoelasticity of carbon-black elastomer composites, 2083P
Filler polymers, sorption of gases in carbon-filled rubber, 2197P
Films, application of two-dimensional light scattering detector to, 2041P
Flexible spacers, 877P
Flory–Huggins interaction parameter in ternary solution, 893P
Flow field, nonhomogeneous, polymer migration in, 947P
N-Fluorenyl acrylamide and methacrylamide, synthesis and polymerization, 2727C(C)
Fluorescence depolarization in polymers, 953P
Fluorescence of blends of copolymers, 1749P(N)
Fluorescence of polystyrene and styrene–MMA copolymers, 1759P
Fluorescence probe study of bulk polymerization, 825P
Fluorescence quenching in block copolymers, 2007C
Fluorescence spectroscopy of aromatic polymers, 411P
Fluorescence spectroscopy of substituted polyvinylnaphthalene, 1863P
Fourier transform IR spectroscopy, 701P
Fractionation, during crystallization of polyethylene oxide mixtures, 307P
Fractionation by solution crystallization of branched polyethylenes, 441P
Fractography of nylon monofilaments, use in relation to ultimate stress, 297P
Fracture of filled polymers, 2103P
Fracture of glassy polymers, mechanism of, 1609P
Fracture of networks under threshold conditions, 2051P
Free induction decay of polypropylene, 91L
Free radical copolymerization, effect of pressure, 2693C
Free-volume model for photopolymerizable/crosslinkable film systems, 847C
Free volume parameters and diffusion-controlled propagation in vinyl polymerization, 1331C

Galactose-containing polysaccharides, chemical derivatization of, 3399C
Galactose oxidase, oxidation with, 3399C
Gel effect, in diffusion controlled polymerization, 1299C
—, initiations in diffusion-controlled polymerization, 1315C
Gel permeation chromatography (GPC), of acid-etched polyethylene, 1107P
—, of branched condensation polymer, 1709P
—, of copolymers, densimeter detector in, 3271C
—, data analysis and accuracy of, 1443P
Gibbs–Thomson equation, applicability to nylon-6, 635L
Glass transition, rules involving properties of, 551L
Glass transition of polystyrene under high-pressure CO_2, 1371P
Glass transition of poly(*N*-vinylcarbazole), 1933P
Glass transition of PPO–polystyrene blends, 1385P
Glass transition temperatures of poly(styrene-*b*-isoprene) ABA block copolymers, 389P
Glassy polymers, crack propagation in, 2027P
—, craze microstructure in, 899P
—, entanglement and craze micromechanics in, 1129P
—, enthalpy relaxation in calorimetry of, 279P
—, fibril growth in crazing of, 929P(N)
—, fracture morphology in, 1609P
—, pressure–volume–temperature relationships of, 1453P
—, sorption of gases in, 15P
—, sorption of water and diluents in, 557P(N)
Grafting onto carbon black, 27L
Graft polymerization, methyl α,β,β-trifluoroacrylate on polyethylene, 1559C

Head-to-head poly(allyl alcohol), 2501C
Heterogeneous polymerization, mechanism of termination, 543L
Hydrodynamic interaction effect in migration of polymer in flow field, 947P
Hydroperoxide decomposition by hindered amines, 575C
Hydrophobic interaction, 1907C
2(2-Hydroxy-5-isopropenylphenyl)-2H-benzotriazole synthesis and polymerization, 2735C
2(2-Hydroxy-5-methylphenyl)-5-vinyl-2H-benzotriazole, synthesis and polymerization of, 2215C

Imidazole catalysis in the curing of epoxy resins, 127L
Imidazolium compounds, quantitative IR analysis, 783C
Infrared and Raman spectra, model for molecular oscillations giving rise to, 2329P

Infrared spectra, of AsF_5-doped poly(phenylene sulfide), 1781P
—, of copolyester of poly(butylene terephthalate) and bisphenol-A polycarbonate, 1881P
—, of deuterated polyacrylamide, 553P(N)
—, of PE–PTFE blends, 989P
—, of polyethylene, in mixed crystals, 1155P
—, of sodium and calcium salts of ethylene–methacrylic acid copolymer, 1069P
—, study of matrix–silane coupling agent interface in fiber-filled epoxy resin, 2135P
Infrared spectroscopic characterization of conformations in PET, 2277P
Infrared spectroscopic techniques for quantitative analysis of polymers, 2309P
Interface morphology in mica-reinforced polypropylene, 273L
Intramolecular cycloaddition curing reaction, 1953C(C)
Intramolecular excimers, screening of hydrodynamic and excluded volume interactions, 265L
Intrinsic viscosity, of metal sulfonate ionomers, 1143P
—, of polybutadiene and polyisoprene, 743P
—, of poly(ethylene oxide) in aqueous salt, 1585P
—, of syndiotactic PMMA, 1623P
—, of xanthan, 1513P
Ionene–TCNQ salts, microstructure, 2669C
Ion-exchange membranes, 1559C
Ion exchange resins, 1213C
Ionic polymerization, kinetics, 2915C
Ionomers, calcium and sodium, of ethylene–methacrylic acid copolymer, 1069P
—, effect of aging on thermal behavior, 65P
—, of polyester type, melt rheology of, 259P
Irradiation by heavy ions, kinetic theory of damage in cellulose triacetate, 1313P
Irradiation of cellulose triacetate by heavy ions, 1289P
Isobutene and α-methylstyrene, copolymerization of, 1517C

Kerr constants for poly(γ-benzyl-L-glutamate) in *m*-cresol, 2111P
Kinetics of epoxide resins formation, 1231C
Kinetics of free-radical polymerization and termination, 1695P
Kinetics of heavy-ion radiation damage in cellulose triacetate, 1313P
Kinetics of lamellar crystal growth, 1633P
Kinetics of reversible polycondensation, simulation of, 933P

Lactam copolymerization, ^{13}C-NMR sequence analysis, 2353C
Lactams, anionic polymerization mechanism, 2341C(C)
Lactam-substituted styrenes, synthesis and polymerization of, 987C
Ladder polymers, electrical conductivity in, 663L
Lasar Raman spectroscopy, 701P
Laser calorimetric measurements, of light absorption coefficients for PS and PMMA, 357P(N)
Laser-initiated polymerization, 1875C
Light absorption coefficients, for PS and PMMA in visible and near-IR regions, 357P(N)
Light scattering, from blends of polystyrenes with poly(*o*-chlorostyrene), 2219P
—, Brillouin spectrum of oriented films, 1641P
—, of polystyrene in isorefractive PMMA–toluene media, 1497P
—, from solutions of polybutadiene and polyisoprene, 743P
—, static and quasielastic, of branched chains, 157P
—, by three-dimensional spherulites, 1P
—, two-dimensional small-angle detector for, 2041P
Linear polyesters, 877P
Liposomes from α,ω-dipolar amphiphiles, 1623C
Liquid crystal, polyesters, magnetic and rheological properties of, 975P
Liquid crystalline behavior of block copolymer with solvents, 1341P
Liquid-crystalline solutions of cellulose triacetate, 1019P
Liquid-crystalline state of polyester, rheology in, 1835P
Liquid crystal polyesters, 109L
Liquid–liquid transition of thermoplastics, 495L
Lithium polyisoprenyl, 199C

Magic-angle ^{13}C-NMR spectroscopy, of aromatic polymers, 1697C
Magnesium-chloride-supported catalysts for olefin polymerization, electron paramagnetic resonance studies, 2461C
—, reactions between aluminum alkyl and promoters, 2445C
Maleic acid and ZnO coordination polymers, 639C
Mechanical properties, of aromatic polyimides, 837P
—, of crosslinked polyethylene, 269P
—, of polyethylene, effect of molecular weight on, 2229P
—, of polystyrene under high-pressure CO_2, 1371P
—, of spherulite-containing films, 457P
—, stress relaxation of styrene-butadiene rubber, 363P
—, technique for measuring Poisson's ratio, 777P(N)
Mechanical relaxation, of epoxide resins, 689P
Melting of polytetrafluoroethylene, thermodynamics of, 751P
Mesomorphic phases in block copolymer–solvent systems, 1341P
Mesomorphic polyesters, magnetic effects and viscosity in, 975P
Metal-acetylacetonate chelate polymers, 2575C
Metallated polymer crosslinking reaction, 3199C
Methacrylic acid and *p*-*N*,*N*-dimethylaminostyrene, block copolymers of, 299C
Methacryloyl fluoride, copolymerization of, 2829C
Methyl aryloxymethacrylates polymerization, 1863C
α-Methylene-γ-butyrolactone, copolymerization, 2819C
α-Methylene cyclic ethers, ring-opening polymerization, 361L
2-Methylene-1,3-dioxepane, free radical ring opening polymerization, 3021C
Methylenedioxolanes, spontaneous copolymerization of, 1401C
Methylene malonamide, synthesis of, 35C
Methyl methacrylate, aqueous polymerization of, 2371C
—, ceric–thiourea-initiated polymerization, 1203C
—, charge transfer polymerization, 297L
—, CT polymerization, 3181C
—, effect of ferric cyanide on polymerization, 297L
—, emulsion, polymerization, 1021C
Methyl methacrylate and 3-oximino-2-butanone methacrylate, radiation degradation, 2661C
Methyl methacrylate and styrene, mechanism of copolymerization, 619C
α-Methylstyrene, ground-state dynamics, 2943C
—, interaction with triphenylmethyl salts, 2895C
α-Methylstyrene and isobutene, copolymerization of, 1517C
α-Methylstyrene and maleic anhydride alternating copolymer, 977C
Methyl α,β,β-trifluoroacrylate grafting reactions, 521C
Microstructure changes, kinetics of in annealing of polypropylene, 497P
Microviscosity in depolarization of fluorescence, 953P
Moduli of epoxy resins, additive properties related to, 1269P
Molecular dynamics of xanthan in water, 1513P
Molecular motion, of poly(γ-benzyl-L-glutamate) in *m*-cresol), 2111P
—, in polysilastyrene, 2145P
—, of rodlike polymers in concentrated solution, 1963P
—, in semicrystalline polymers, infrared and Raman evidence of, 2329P
—, in solutions of poly(dimethyl phenylene oxide), 681P
Molecular weight averages from GPC, accuracy and precision of, 1443P

Molecular weight determinations, by fluorescence spectroscopy, 117L
—, by a microemulsion method, 151L
Molecular weight distributions, in branched condensation polymers, 1709P
—, effect on tensile strength of polyethylene of, 2229P
Monolayers, effect of chain-length mixing on conformation of chains in, 867P
Morphology, of polyethylene in tubular films, 27P
Morphology of blends, 651P
Morphology of $CaCO_3$-filled polyethylenes, 2177P
Morphology of crystals of sharp fractions of cellulose IVII, 1081P
Morphology of etched surfaces of polymer crystals, 2153P(C)
Morphology of PE–PTFE blends, 1001P
Morphology of polydiacetylene, order–disorder in, 1029P
Morphology of polyethylene and theoretical birefringence, 1193P
Morphology of poly(ethylene oxide)–poly(vinyl acetate) blends, 1259P
Morphology of poly(ethylene oxide) related to molecular weight, 1465P
Morphology of poly(vinylidene fluoride) and blends with PMMA, 2243P, 2261P
Mossbauer spectroscopy, of Nafion exchanged with iron or europium, 603P

NDE, effect of saturation and varying, 775C
Nematogenic block copolymers, 373C
Networks, bimodal, elasticity and birefringence of, 473P
—, diffusion and swelling by linear homologs of, 2317P
—, epoxy resins, molecular motion in, 1055P
—, mechanical and transport properties in polyethylene, 269P
—, polybutadiene, stress relaxation and entanglements in, 1659P
—, of poly(dimethyl oxetane), thermoelastic and dielectric properties of, 1805P
—, relaxation of linear chains within, 2125P
—, scaling concept applied to mechanical and swelling behavior of, 815P
—, stress-induced crystallization in natural rubber, 1525P
—, structure of agarose gels, 659P
—, styrene-crosslinked polyester resin, relaxation of, 1223P
—, swollen, tear strength of, 2051P
Neutron quasielastic scattering study of water-polymer interaction in Nafion, 481P
Neutron scattering, from amorphous blends, 1593P
—, from melt-crystallized polyethylene, 561P
—, from polyacrylamide–water gels, 225P
—, studies, of chain folding in polyethylene, 235P
—, studies, of polyethylene and deuteropolyethylene, 245P
—, study of crossover phenomena, 233L
—, in two-phase materials, method for, 593P
Nitropolyamides containing ether bonds, 3007C(C)
NMR measurements in copolymers, 775C
Nonlinear anelasticity, of glassy polymers, 73P
Novolac curing reactions of, 311C
Nuclear magnetic resonance (NMR), of copolyester of poly(butylene terephthalate) and bisphenol-A polycarbonate, 1881P
—, in cured epoxy resins, 1055P
—, of dilute PMMA solutions, 1623P
—, of linear and branched polyethylenes, 641P
—, of PE–PTFE blends, 989P
—, of polymers under tension, 1089P
—, of polysilastyrene, 2145P
—, of relaxation in polybutadiene networks, 1659P
—, of solutions of poly(2,6-dimethyl-1,4-phenylene oxide), 681P
Nucleic acid analogs, 2123C
Nylon-6, effect of tension on NMR of, 1089P
—, graft polymerization on, 257C(N)
Nylon 12, solution crystals from, 345P
Nylon 66, HCN evolution from, 85C
Nylon 6 and 6,6 reversibly plasticized with NH_3, 1485P
Nylon-g-methyl methacrylate, 1139C(N)
Nylon monofilaments, tensile strength of wet and dry, 297P
Nylon 6–polyisobutylene sequential copolymers, 173C

Olefin polymerization, magnesium chloride catalyst for, 2019C
Optical absorption spectra, of protonated PBT, 509P
Optical microscopy, of deformed spherulitic films, 457P
—, of fractures in ethylene glycol dimethacrylate networks, 1609P
—, of liquid crystals in block copolymer–solvent systems, 1341P
Organocuprate, initiation of vinyl polymerization, 1549C
Osmometry of syndiotactic PMMA, 1623P
Osmotic pressure in concentrated polyelectrolyte solutions, theory of, 1233P
1,2,4-Oxadiazole modification via 1,3-dipolar cycloaddition reactions, 573L
Ozonation of polystyrene film, ESCA studies of, 1797C

Palladium-polyyne polymers, 565C
Partition coefficients, concentration dependence of, 857P
Partitioning of dextrans and serum albumin in porous glass, 857P
PBT (rigid rod polymer), protonation effect in spectra of, 509P
Pendant adenine bases, 3431C
Perchloratoacrylonitrileiridium complex, initiation of acrylonitrile polymerization, 1947C(C)
Perfluoroalkylene-ether triazine elastomers, 467L
Perfluoro-2-butyltetrahydrofuran, plasma polymerization and ESCA study of, 691C
Perfluorosulfonate ionomer (Nafion), phase separation in, 107P
Perfluorosulfonic acid, metal ion-containing membranes of, 603P
Permeation of water in Nafion membrane, 481P
Peroxydiphosphate–ascorbic acid redox system, 2117C
Peroxydiphosphate initiation of vinyl polymerization, 587C
Phase diagrams in mixtures of poly(ethyl acrylate) and poly(vinylidene fluoride), effects of pressure on, 563L
Phase relations in ternary system of two polymers with solvent, 893P
Phase separation, in blends of polystyrene and poly(*o*-chlorostyrene), 2219P
—, in ethyl acetate solutions of styrene-acrylonitrile copolymer, 773P(N)
—, in fluorescent polymer blends, 1749P(N)
—, of sorbed water in perfluorosulfonate ionomer membranes, 107P
—, of sulfonated polystyrene ionomers, 1503P
—, in ternary solvent–polymer 1–polymer 2 systems, 1947P
Phase-transfer reactions, 3421C
Phase transitions, in poly(ethylene terephthalate-*co*-*p*-oxybenzoates), 719P
Phenoxy polymers, *P–V–T* study of glassy and molten, 1453P
Phenylacetylene, polymerization by WCl_6-Ph_4Sn, 2603C
—, polymerization of, 1807C
5,5′-1,4-Phenylene-bis(2-cyano-2,4-pentadienoic acid) derivatives, photopolymerization of, 653L
Phenylglycidyl ethers, polymerization of, 191C
N-Phenyl-2-phenylethynlbenzamide thermosetting polymers, 1953C(C)
Phosphate vesicles, polymerization, 2565C
Phosphinated polypropylene supports, 2395C
Phosphine-containing resins, 431C
Phospholipids, polymerization of, 513C

Phosphonium salts, 3421C
Phosphorus-containing polymers, 335C
Photochemical synthesis of block copolymers, 1935C(C)
Photocrosslinking, of poly(2,3-epithiopropyl methacrylate) in the solid phase, 589L
—, poly(vinyl alcohol), 1419C
—, of poly(vinyl alcohol), 1411C
Photoinduced electron transfer, 1011C
Photoinitiated polymerization of methyl methacrylate, 2643C
Photoinitiators, water-soluble, 315L
Photophysical processes in aromatic polymers, 411P
Photopolymerization, carbonyl sensitizers, 73C
—, initiated by charge transfer complex, 2097C
Photoresists, water-soluble, 1411C
Photosensitization by chemically bound dye, 2059P
Phthalocyanine oligomers, synthesis and characterization, 1785C
Phthalocyanine polymers, 269C, 2773C, 2781C
—, high-temperature resistant, 2073C
Piezoelectricity in poly(vinylidene fluoride), 1987P
Piezoelectric polymer films, 1587C
β-Pinene, styrene oxide and *N*-vinylpyrrolidone copolymerization, 1279C
Plasma polymerization, double probe method in, 1833C
—, of fluorobenzene, 1729C
—, of hexafluoroethane, 2633C
—, of perfluorobenzene, ESCA studies of the, 1717C
—, of tetrafluoroethylene, 1833C
Plasticization of nylons with NH_3, stress–strain and structural results of, 1485P
Plasticization of polystyrene by high-pressure CO_2, 1371P
PMMA, dynamic bulk and shear relaxation, 205P
PNVC–chlorobenzene–methanol, preferential adsorption effects of, 375L
Poisson's ratio, experimental technique for measurement, 205P
Polyacetal, polymerization of tetraethylene glycol vinyl ether, 2731C(C)
Polyacetylene, coordination catalysts based on rare-earth compounds for stereospecific preparation of, 411L
—, direct synthesis of oriented, 305L
—, electrochemical induced cis–trans isomerization, 427L
—, pyrolysis of, 2159C
—, synthesis and characterization of bromine-substituted, 211L
Poly(*cis*-acetylene), electron diffraction study of pristine- and iodine-doped, 97L
Polyacids, complex with poly(crown ether)s, 1629C
Polyacrylamide, head-to-head addition, 385L
—, infrared spectra in deuteration of, 553P(N)
—, interaction with Tb(III), 1569C
—, study of stereoregularity by ^{13}C-NMR, 547L
Polyacrylamide–water gels, neutron and quasi-elastic light scattering from, 225P
Polyacrylates, fluorescence probe of bulk synthesis of, 825P
—, herbicide sustained release, 263C(N)
Polyacrylonitrile, base-catalyzed transformation, 2105C
—, degradation and stabilization of, 2249C
Poly(*p*-acryloylozyazobenzene), polymer liquid crystal, 2267C
Poly(allyl alcohol), head-to-head, 2501C
Polyamic acid, surface conditioners for, 1031C
Polyamide, enol phosphite and imidazole catalysis, 1185C
—, yamazoles reactions, 1185C
Poly-β-amide, conformational studies, 2345C(C)
Polyamide-esters, properties and preparation, 683C
Polyamide-phthalimidines from chloroformylphthalides, 1497C
Polyamide-quinazolinediones, synthesis of, 3387C
Polyamides, containing conjugated backbone, 309L
—, containing oxymethylene linkages, 137C
—, photocleavage reactions in, 309L
—, preparation from polyketones, 1965C(C)
—, rodlike block copolymers, 3241C
Poly-β-aminobutyric acid, conformation studies, 2345C(C)
Polyaromatic ether-ketones, 609C
Polyaromatic ether-keto-sulfones, 393C
Polyaromatic keto-sulfones with internal acetylene units, 401C
Polyarylate, *P–V–T* study of glassy and molten, 1453P
Poly(arylene-siloxanylenes), synthesis of, 1C
Polyaspartimide oligomers, addition polyamides, 621L
Poly-4,4′-benzanilides, 79C
Polybenzimidazoles, containing anthracene photodimer, preparation of, 663C
—, containing azo groups, preparation and properties of, 1145C(N)
—, containing cardo groups, 3095C
Poly(γ-benzyl-L-glutamate), dynamic electric birefringence of, 2111P
Poly(*p*-biphenyl acrylate), thermotropic liquid crystal polymer, 2267C
Poly(bisphenol-A carbonate), relaxations and transitions in, 143P
Polybutadiene, characteristic ratio of, 743P
—, glass-filled, crack propagation in, 1925P
—, glass-filled, effect of bead size on tensile properties of, 49P
—, swelling and elastic anisotropies, 341L
—, vapor–liquid equilibria for solutions of, 793P
—, viscoelastic behavior of concentrated solutions of, 1817P
Polybutadiene networks, stress relaxation and chain entanglements in, 1659P
Polybutadiene relaxation in SBS networks, 2125P
Poly(butylene terephthalate), morphology and properties of, 121L
Poly(butylene terephthalate) crystallites, elastic modulus of, 319P
Poly(*t*-butyl styrene), crazing in, 1129P
Poly(2-*t*-butyl-6-vinylnaphthalene), excimer emission and fluorescence quenching in, 1863P
Polycaprolactone–chlorinated polyethylene blends, miscibility of, 191P
Polycarbonate, crack growth in, 2027P
—, crazing of, 929P(N)
—, *P–V–T* study of glassy and molten, 1453P
Polycarbonate–copolyester blends, sorption of gas in, 15P
Polycarbonates, hydroxyl-terminated, 2289C
—, new synthetic route for, 967C
Poly(carbonate-siloxane) block copolymers, 1C
Poly(chloro-2,4-phenylene isophthalamide), configurational analysis of, 253C(N)
Polychlorotrifluoroethylene, elastic constants from Brillouin scattering of, 1647P
Polycondensates, exchange reactions between, 1875P, 1895P
Polycondensation of diesters, 227C(N)
Polycondensation reaction promoted with triphenyl phosphite, 2081C
Polycondensations, reversible, simulation of batch reactor for, 933P
Poly(crown ethers), complex with polyacids, 1629C
Polydiacetylene, order–disorder transition in, 1029P
Polydiacetylene single crystals, defects in, 961P
Poly(3,3-dimethyl oxetane), thermoelastic and dielectric studies of, 1805P
Poly(dimethyl phenylene oxide), crazing in, 1129P
Polydimethylsiloxane, diffusion in melts, 1037P
Polydimethylsiloxanes, stress-strain and birefringence in bimodal networks of, 473P
Polydimethylsiloxanols, polymerization in aqueous emulsion, 3351C
Polyelectrolytes, interactions with dyes, 555C
—, with mixed counterions, thermodynamics of, 1355P
—, Mossbauer spectroscopy of perfluorosulfonic acid membranes, 603P
—, rodlike, end effects for, 2167P
—, theory of double layer in concentrated solutions of, 1233P
Poly(enamine-ketones), synthesis and thermal properties of, 3079C
Polyesterification kinetics, 1819C
Poly(ester-imides), synthesis of, 335C
Polyesterionomer, melt rheology of, 259P

—, shear and tensile viscoelastic properties of, 259P
Polyesters, containing an exciplex-forming pair, 81L
—, effect of trimellitic acid on thermal properties of, 611L
—, forming thermotropic smectic mesophases, 109L
—, grafting on carbon black, 3297C
—, nematic and cholesteric phases, 877P
—, pyrolysis mass spectrometry of, 119C
—, thermotropic, rheology in nematic and isotropic states of, 1835P
Poly-β-esters, selective synthesis of isomeric forms, 3337C
Polyesters and polyamides from sebacyl bisketene, 2979C
Polyether, cation binding to, 1389C
Polyether elastomers, reactivity of, 2839C
Polyethylene, blends with polystyrene, copolymer emulsifying agents for, 2209P
—, crosslinked, mechanical transport properties of, 269P
—, crystalline order, 1427P
—, crystallinity in tubular films of, 27P
—, effect on tensile strength of molecular weight distribution of, 2229P
—, fold period in dry and swollen crystals of, 1687P
—, linear and branched, NMR of, 641P
—, luminescence emission in, 577L
—, melt-crystallized, neutron scattering from, 561P
—, retractive forces in annealing of, 1175P
—, rheo-optical study of, 1279P
—, SAXS measurements during crystallization of, 1365P
—, stretched, NMR of, 1089P
—, structural study by acid-etching and EPC, 1107P
—, temperature-rising elution fractionation of, 441P
—, theoretical birefringence of, 1193P
—, thermal degradation of, 1065C
—, ultrahigh modulus, crystalline size in, 1677P
Polyethylene and deuteropolyethylene mixed crystals, neutron scattering from, 235P, 245P
Polyethylene crystallization from melt at high supercoolings, 1733P
Polyethylene crystallization from melt at low supercoolings, 1717P
Polyethylene glycol liquid membranes, 251L
Poly(ethylene-g-maleic anhydride), peroxide, catalyzed, 481L
Polyethylene-g-methyl α,β,β-trifluoroacrylate, 1559C
Polyethylene-g-styrene, kinetics of, 15C
Polyethyleneimine derivatives, containing pendant thymine bases, 1917C
—, oligomer models of, 3431C
Polyethylene on graphite, expitaxial deposition of, 399P
Poly(ethylene oxide), aqueous salt solution properties of, 1585P
—, interactions with alkali picrates, 1389C
—, morphology of fractions of, 1465P
—, salvation complexes of, 1389C
Poly(ethylene oxide) mixtures, fractionation during crystallization, 307P
Polyethylene–polytetrafluoroethylene blends, ESCA study of cleaved surfaces of, 1001P
—, IR and NMR of, 989P
Poly(ethylene terephthalate), conformational composition of, 2277P
—, crystallization and effect of processes, 1847C
—, effect of stabilizers on polymerization of, 2053C
—, effect of tension on NMR of, 1089P
—, flamability studies, 1669C
—, modification of, 1373C
—, modification with hindered diols, 1669C
—, surface characterization of, 61L
—, swelling in organic solvents, 629L
Poly(ethylene terephthalate) copolymers, thermal properties, 2621C
—, thermal studies, 2715C
Poly(ethylene terephthalate) film treated by corona discharge, 1373C
Poly(ethylene terephthalate-*co*-*p*-oxybenzoates), glass and melting transition in, 719P
Polyethylene-1,2,4,5-tetrachlorobenzene eutectic system, effect of molecular weight, 181L
—, interaction parameters, 223L
Polyethylene treated with gas plasma, properties, 3107C
Polyethylene with grafted sulfonated styrene as polymer-supported catalyst, 173P
Polyethylenimine backbone polynucleotide models, spectroscopic examination, 2139C
—, synthesis and characterization, 2123C
Polyethylenimine containing 9-carboxymethyl carbazole pendants, synthesis of, 403L
Polyhydrazides, synthesis and characterizations, 1959C(C)
Poly[*N*-(2-hydroxyethyl) carbazolyl acrylate-co-2,4-dinitrophenyl methacrylate], charge transfer complexes, 655C
Polyimide, surface conditioners for, 1031C
Polyimides, aromatic, molecular aggregation and mechanical properties of, 837P
—, high resolution electron microscopy of, 579P
—, palladium-doped, 1287C
—, XPS studies of, 1287C
Poly(imide-sulfonate)s, synthesis of, 1107C
Polyionenes, containing pendant *l*-menthoxymethyl groups, 259L
Polyionomer, binding of methyl orange and its homologs, 2231C
Polyisobutylene, statistical thermodynamic properties of solutions of, 783P
—, telechelic, 43C
—, vapor–liquid equilibria for solutions of, 805P
Poly(isobutylene-alternative co-maleic anhydride) membranes for ion exchange, 1193C
Polyisoprene, characteristic ratio of, 743P
—, refractive index increment of, 2163P(C)
—, vapor–liquid equilibria for solutions of, 793P
Trans-1,4-polyisoprene, crystallization of, 1669P
Polyisoprenes, diffusion in melts, 1037P
Poly(4,4′-isopropylidene diphenylene sebacate), γ radiolysis of, 541C
Polyketones, conversion to polyamides, 1965C(C)
Polymer blends, light scattering study of phase separation in, 2219P
Polymeric thiol reagents, synthesis of, 1469C
Polymerization in solid state, 1847P
Polymerization of interfaces, 2565C
Polymers, thermal fragmentation processes, 1685C
Polymer solutions, fluidity and concentration relationships, 2169C
Polymer-substrate interaction energetics for polyethylene on graphite, 399P
Polymer-supported catalyst, 173P
Polymer-supported phosphines, 431C
Polymer supports, spacer modified, 3015C(C)
Poly(metal phthalocyanino) benzimidazoles, synthesis of, 269C
Polymetaphosphate, complex with calcium, 917C
Polymethanes, DSC studies for hard segments of, 383C
—, mechanism for thermal degradation, 2063C
Poly(methyl acrylate), head-to-head, 2513C
Poly(methyl methacrylate), aggregation in dilute solutions of, 1623P
—, crazing of, 929P(N)
—, ESR study of, 763P
—, fluorescence probe of bulk synthesis of, 825P
—, light absorption coefficients in visible and near-IR regions, 357P(N)
—, microstructure and dispersity, 2903C
—, morphology of blends with poly(vinylidene fluoride), 2243P, 2261P
—, nonlinear viscoelasticity, 73P
—, sorption of water following removal of methanol from, 557P(N)
—, tacticity determination by NMR, 525L
Poly(methyl methacrylate-co-sodium methacrylate), initiator for vinyl polymerizations, 2089C
Poly(4′-methyl-4-vinyl-2,2′-bipyridine), chelates of, 1609C
Polynucleotides, synthesis analysis, 1917C
Polyoxymethylene, epitaxial morphologies of, 2003P, 2017P
—, stretched, NMR of, 1089P
Polypeptides, polymerized in solid state, 1847P
Polyphenylacetylene, semiconductor properties of, 143L

Poly(*p*-phenylene) and the deuterated analog, ESR studies, 3305C
Poly(*p*-phenylene)s and the perdeuterated analog, properties, 3313C
Poly(phenylene sulfide), infrared spectra of AsF_5-doped derivatives of, 1781P
Poly(*p*-phenylene sulfide) hexafluoroarsenate conducting systems, 117P
Poly(*p*-phenylene terephthalamide), high molecular weight, 2081C
—, spherulite structure, 159L
Poly(phenyl methacrylates), hydrolysis kinetics, 3267C
Polyphthalimidine from 5-amino-3-benzylidenephthalide, 2995C(C)
Poly(β-pinenes), effect of reaction conditions, 3219C
—, synthesis and characterization, 3229C
Polypropylene, crystallization kinetics of, 2297P
—, FID correlations in, 91L
—, high-modulus by zone-annealing, 329L
—, kinetics of defect clustering in, 523P
—, microstructure rearrangement in, 497P
—, stretched, NMR of, 1089P
—, thermal degradation of, 1169C
—, time-resolved spectroscopy of stretched, 445L
Polypropylene hydroperoxide, 575C
Polypropylene-supported metal complex catalysts, 2395C
Polypyromellitimidines, crosslinking of, 249C(N)
Polysaccharide modifications, 3399C
Polysaccharide rheology, 531L
Polysaccharides, xanthan, dilute solution, 1513P
Poly-Schiff bases, synthesis and properties of, 1985C
Polysilastyrene, NMR study of, 2145P
Polysiloxanes from silicic acid, 205L
Polystyrene, blends with polyethylene, copolymer emulsifying agents for, 2209P
—, blends with PPO, equation of state of, 1399P
—, and blends with PPO, lamellar crystal growth rates of, 1633P
—, blends with PPO, *P–V–T* properties of, 1385P
—, chain dimensions of, in moderately concentrated solutions, 911P
—, chain transfer agents in emulsion polymerization, 1261C
—, crazing in, 1129P
—, effect of high presssure CO_2 on, 1371P
—, examination by DSC for liquid–liquid transition above T_g in, 1565P
—, fluorescence probe of bulk synthesis of, 825P
—, light absorption coefficients in visible and near-IR regions, 357P(N)
—, liquid–liquid transition above T_g unsupported by viscosity data for, 1575P
—, oscillatory flow birefringence at infinite dilution, 1409P
—, phase separation in blends of poly(*o*-chlorostyrene) with, 2219P
—, photophysical processes in, 1759P
—, refractive index increment of, 2163P(C)
—, sulfonated, intrinsic viscosity of ionomers of, 1143P
—, sulfonated, phase separation in ionomers of, 1503P
—, thermal expansion and birefringence of, 633P
—, viscosity of moderately concentrated solutions of, 911P
Poly(styrene-co-sodium acrylate), initiator vinyl polymerization, 2089C
Poly(styrene-co-*p*-vinylbenzophenone-*p'*-*tert*-butyl perbenzoate), 147C
Poly(styrene-co-vinylbipyridine) pendant $Ru(bpy)_3^{2+}$ complex, photochemical reactivity of, 593L
—, preparation, 593L
Poly(styrene-g-methacrylate), synthesis of, 1941C(C)
Poly(styrene-*b*-isoprene) ABA block copolymers, glass transition temperatures of, 389P
Polystyrene pendant tris(2,2′-bipyridyl)ruthenium (II) complex, 1011C
Polystyrene resins, 3421C
Polystyrene sulfonated, effect of aging on thermal behavior, 65P
Polystyrene terminated with dimethylamino group, association of, 99P
Polystyrene-tricresyl phosphate solutions, nonlinear viscoelastic properties, 83P
Polysulfohexyl methacrylate, synthesis of, 547C
Polysulfone, multiple secondary relaxations of, 381L
—, *P–V–T* study of glassy and molten, 1453P
Polysulfones, acetylene terminated, 3131C
—, electrochemical preparation of, 245C(N)
Polyterephthalates, effect of aliphatic substituents on T_g and T_m, 1051C
Polytetrafluoroethylene, density of, 2159P(C)
—, heat of fusion of, 751P
—, stretched, NMR of, 1089P
Poly[2,5(4)-thienylene], properties of, 365L
Polythioesters, synthesis and properties of, 1899C
Polytrifluoromethylacetylene, synthesis and characterization of, 2043C
Polyureas from carbon dioxide and diamines, 103C
Polyurethanes, model hard segments for, 1445C
—, process conditions, effect on properties, 2863C
—, thermal degradation and HCN evolution, 2313C
Poly(urethane-*g*-*N*-vinyl pyrrolidone), synthesis, 2879C
Poly(vinyl acetate), interaction with iron (III), 3115C
—, temperature dependence of viscoelasticity in, 729P
Poly(vinyl acetate) and iodine–iodide complex formation, 69L
Poly(vinyl acetate) gels, scaling law applied to swelling and mechanical behavior of, 815P
Poly(vinyl acetate)–iodine–iodide complex, composition of, 839C
Poly(vinyl acetate) microgels, quasielastic light scattering from, 157P
Poly(vinyl alcohol), stretched, NMR of, 1089P
Poly(vinyl alcohol)-derived water-soluble photoresists, 1411C
Polyvinylbenzophenone, electron transfer process in, 109C
Poly(vinyl-2,2′-bipyridine), preparation and complex formation of, 291L
Poly(vinyl bromide), thermal degradation of, 25C
Poly(*N*-vinylcarbazole), chemical modification of, 333L
—, dye sensitization by sulfonation and ion exchange, 2059P
—, glass transitions in, molecular basis of, 1933P
—, microstructure, 2529C
Poly(vinyl chloride), dehydrochlorination, 3189C
—, nonlinear viscoelasticity, 73P
—, reaction with electrogenerated superoxide anion, 2259C
Poly(vinyl chloroformate), pharmacological activity, 3255C(C)
Poly(vinyl cinnamate), photocrosslinking, 3261C(C)
Polyvinylfluorides, equilibrium swelling ratios of, 1791C
Poly(*N*-vinylhalogenocarbazole)s with 2,4,7-trinitrofluorenone, CT complexes, 2887C
Poly(vinylidene fluoride), morphology of blends with PMMA, 2243P, 2261P
—, piezoelectric decay in, 1987P
Polyvinylidene fluorides, equilibrium swelling ratios of, 1791C
Poly(vinyl imidazole), conformational and neighboring effects, 327C
Poly(vinyl imidazole-g-acrolein), synthesis of, 327C
Poly(4-vinyl pyridine), effect on α,β-elimination of tryptophan, 23L
—, effect on pyridoxal-catalyzed cleavage of threonine, 2335C
—, hydrophobic interactions, 23L
Poly(vinyl pyrrolidone), binding sites in, 221C(N)
Poly(vinyl pyrrolidones), binding affinity and specificity in, 1533C
—, crosslinking of, 1533C
Polyyne polymers, 565C
Position-sensitive detector for light scattering, 2041P
Pressure drop in linearly tapering channels, 135L
Proton magnetic resonance (PMR) of mesomorphic cellulose triacetate solutions, 1019P
Pyrene, polymerization of, 1119C
Pyridodipyrimidine bound to crosslinked polystyrenes, as NADP models, 667L

Pyrolysis/chemical ionization mass spectrometry of polymers, 1765C
Pyrolysis products of a model urethane, 1457C
Pyrrole, polymerization of, 1089C
Pyrrole polymer films, chemical route to, 187L

Quasielastic light scattering, from polyacrylamide–water gels, 225P
—, study of structure of agarose gels, 659P
Quinoxaline, acetylene terminated synthesis and curing, 3069C
—, oligomers, acetylene-terminated, 2851C

Radiation-induced cationic polymerization of styrene, 1709C, 2151C
Radiation-induced grafting, of styrene monomer, effect of mineral acid on, 171L
Radiation-induced oxidation of polymers, 2681C
Radical scavenging activity, 1599C
Radius of gyration of polystyrene in solution with PMMA, 1497P
Raman scattering and chain motion of polymers, 2329P
Raman spectra, of AsF_5-treated poly(*p*-phenylene sulfide), 117P
—, of protonated PBT, 509P
Raman spectroscopy of dry and swollen polyethylene crystals, 1687P
Reactivity ratios, determination of, 515L
—, determined by ^{1}H-NMR, 277C
Refractive index increment of polystyrene and polyisoprene solutions, effect of molecular weight, 2163P(C)
Relaxation, of epoxide resins, 1979P
—, in heating of glassy polymer, 279P
—, of orientation in polybutadiene, 953P
—, of poly(γ-benzyl-L-glutamate) in *m*-cresol, 2111P
—, in poly(bisphenol-A carbonate), 143P
—, of styrene-crosslinked unsaturated polyester resin, 1223P
Relaxations and transitions, distinctions between, 1533P, 1551P
Relaxation times, 1427P
Reptation–rotation and fluctuation contributions to molecular dynamics of concentrated solutions, 1963P
Resacetophenone oxime–formaldehyde resin, 205C
Reverse osmosis separation of alkaline metal ions, 165L
Ring-opening polymerization of 5,6-anhydro-glucose and -allose derivatives, 2181C
Rubber, carbon-black filled, nonlinear viscoelasticity of, 2083P
Rubber polymers, filled velocity of crack propagation in, 1925P
Rubbery polymers, carbon-filled, sorption and diffusion of gases in, 2197P
—, glass-filled polybutadiene, tensile properties of, 49P
—, reduced-variable mechanical characterization of, 363P
—, solvent interactions with, 793P, 805P

Scattering function, single-chain, in heterogeneous two-phase materials, 593P
Q–e scheme, molecular orbital study, 3167C
Schiff base copolymers, 1885C
Schiff base polymers, 3121C
Schmidt reaction in polymer modifications, 1965C(C)
Second virial coefficient, 1497P
Sedimentation of dextran in concentrated solutions, 1771P
Sedimentation rate, concentration dependence on, 389L
Self-avoiding random walks (SARW) confined to strips and capillaries, 2705C
Shear relaxation, dynamic, glassy polymers, 205P
Shear stress, in flow of elastic fluids, 423P
Silane coupling agent, 701P
Silarylene–siloxane alternating copolymers, structure–property relationships, 593C
Silarylene–siloxane alternating polymers, 951C
—, synthesis and properties, 2277C
Silicone rubber, glass-filled, crack propagation in, 1925P
Sinusoidal deformation, large amplitude, 83P
Size exclusion chromatography of polystyrene, influence of flow rates, 501L
Solvent effects on dissociation of metal sulfonate ionomers, 1143P
Solvent mobility profile between parallel plates, 373L
Sorption and diffusion of gases in carbon-filled rubbers, 2197P
Sorption and transport of gases in copolyester and polycarbonate, 15P
Sorption of vapor in polybutadiene and polyisoprene solutions, 793P
Sorption of vapor in polyisobutylene solutions, 805P
Sorption of water in glassy polymers following removal of methanol, 557P(N)
Spacer chains, 3421C
Spherulite growth rates of syndiotactic polypropylene, 2297P
Spherulites, mechanical properties of films containing, 457P
—, scattering of light by, 1P
Spiro ortho esters, copolymerization with maleic acid derivatives, 2935C
Stabilizers, for poly(ethylene terephthalate), 2053C
—, radical scavengers, 1599C
Star-branched polymers, Monte Carlo studies, 3147C
Star polymers, calculation of the Θ point, 177L
—, scaling analysis for dynamic behavior, 103L
Statistical mechanics, of aliphatic chain monolayers, 867P
—, nonlinear stress of polymers in oscillatory shear, 1249P
Statistical thermodynamics of polymer solutions, nonrandom interactions, 783P
Stereoelective polymerization of racemic *cis*-2-azabicycle[3.2.0]heptan-3-one by L-phenylalanine, 423L
Storage moduli of chemically crosslinked polyethylene and polypropylene, 53L
Stress, nonlinear, in oscillatory shear fields, 1249P
Stress relaxation, of carbon-black filled elastomers, 2083P
—, in polybutadiene networks, 1659P
—, of polymer solutions, 623P
—, reduced variable function of, 363P
—, in SBS block copolymer, 2125P
Stress response of linear viscoelastic material under periodic strain (theory), 1437P
Stress-strain relations, in bimodal polydimethylsiloxane networks, 473P
—, in glass-filled polybutadiene, 49P
Structure of Nafion membranes, Mossbauer spectroscopic study of, 603P
Styrene, dispersion photopolymerization of, 2755C
Styrene and methyl methacrylate, emulsion copolymerization of, 1993C
Styrene-butadiene copolymers, reduced-variable mechanical characterization of, 363P
Styrene emulsion polymerization, 811C
—, effects of purity, 2969C
—, mechanism, 3031C
Sulfonation of ethylene–propylene terpolymers, 875C
Sulfonium ylide monomers, preparation and polymerization of, 657L
Surfaces of PE–PTFE blends, ESCA study of, 1001P
Surfactants, nonionic, 443C
Swelling of networks with linear homologs, 2317P
Swelling of polyethylene crystals, interlamellar forces in, 1687P
Swelling of poly(vinyl acetate) gels, scaling law applied to, 815P

Tacticity of poly(*N*-vinylcarbazole), glass transitions affected by, 1933P
TCNQ radical anion salts dispersed in poly(vinyl acetals), 2765C

Telechelic polyisobutylenes, 43C, 173C
Temperature dependence of viscoelasticity of linear amorphous polymers, 729P
Temperature-jump experiments for volume recovery, 375P
Template effects in chelating polymers, 1609C
Tensile strength and fractography of nylon monofilaments, 297P
Tensile strength of filled polymers, 2103P
Termination in heterogeneous polymerization, 543L
Termination rate constant for polymerization, 1695P
Tetrahydrofuran-3,3-dimethyloxetane, copolymerization and microstructure, 3377C
Tetrahydrofuran ring containing polymers, 521L
Tetramethylethylene tetracarboxylate, copolymerization of, 361C
T_g, interrelationships of other properties, 551L
Thermal expansion, of ultradrawn polystyrene, 633P
Thermodynamic parameters, for melting of polytetrafluoroethylene, 751P
—, of polymer blends, 1399P
—, *P–V–T* properties of blends of PPO with polystyrene, 1385P
—, and reactivity in cationic polymerization, 131P
—, *P–V–T* relationships of polycarbonate, polyarylate, phenoxy, and polysulfone, 1453P
Thermodynamics of polyelectrolyte solutions with mixed counterions, 1355P
—, theory of, 1233P
Thermodynamics of ternary polymer–polymer–solvent system, 893P
Thermoelastic properties of poly(dimethyl oxetane) networks, 1805P
Thermogravimetry, factor-jump, 1169C
—, nonisothermal method, 539L
Thermotropic liquid crystalline polymers, 2267C
Thermotropic polyesters, 877P
Theta temperature for poly(ethylene oxide) in aqueous salt, 1585P
Thiazolium containing polymers, catalytic activity of, 1097C
Time-resolved spectroscopy of polymers, 445L
Torsional braid analysis, 1533P, 1551P
Transesterfication, of dimethylterephthalate with ethyleneglycol, kinetics, 3447C(C)
Transesterification, kinetics and mechanism of reaction of polycondensates, 1901P
Transitions above T_g, evaluation of, 1565P
Transitions in polydiacetylene, 1029P
Transitions in polyethylenes, 641P
Transitions versus relaxations above T_g, 1533P, 1551P
Triazine thiol-containing polymers, preparation of, 321L
Tris(thioglycolate), synthesis of, 347L

Ultracentrifugation, buoyancy and flow rates, 57L
Ultraviolet absorption spectra, of protonated PBT, 509P
Urethane, mechanism of pyrolysis for, 1457C
—, specific deuterated labeled, 1457C
Urethane prepolymer reaction with carbon black surface, 1943C(C)

Vapor phase photografting of acrylic acid on polymer films, 17L
Vesicles, polymeric, 1623C
Vinyl boronate copolymers, preparation of, 1949C(C)
Vinyl ethers, synthesis and polymerization of, 473L
Vinyl monomers, absolute reactivity, 3325C
Vinylpyridinium salts, polymerization of, 1153C
Viscoelastic behavior, in oscillatory shear flow of solutions and melts, 423P
—, of polyester in isotropic and liquid-crystalline states, 1835P
—, and thermodynamic transitions, 1533P, 1551P
Viscoelasticity, bulk, in glassy materials, 375P
—, of carbon-black filled rubber, 2083P
—, of glassy polymers, nonlinear, 73P
—, nonlinear sinusoidal deformation, 83P
—, of polymer solutions in shear flow, 1817P
Viscoelastic properties, of polyesterionomers in shear and tension, 259P
—, stress response and energy dissipation under periodic strain, 1437P
Viscoelastic softening and terminal dispersions of linear amorphous polymers, 729P
Viscosity, of associated polymers, 99P
—, of coagulating cellulose solutions, 1207P
—, of polystyrene above T_g, 1575P
—, of polystyrene in moderately concentrated solutions, 911P
Volume recovery in glassy materials, 375P
Vulcanization activators, 3005C(C)

Water-soluble copolymers of acrylamide with sulfonated comonomers, 817C
Wool-g-methyl methacrylate, 1143C(N)

Xanthan solution rheology, 531L
X-ray diffraction, from amorphous blends, 1593P
—, annealing of oriented polypropylene, 497P
—, of AsF_5-treated poly(*p*-phenylene sulfide), 117P
—, of atactic comblike polymer, 1013P
—, of hexafluoroisobutylene-vinylidene fluoride alternating copolymer, 535P
—, of perfluorosulfonate ionomer membranes, 107P
—, study of crystallization of polyethylene, 1365P
—, study of drawing of polypropylene, 523P
—, of sulfonated polystyrene ionomers, 1503P
—, of tubular films of polyethylene, 27P
X-ray photoelectron study of polyimides, 1287C

Yamazaki phosphorylation reaction, 79C
Yamazaki reactions for rigid chain polyamides, 373C
Young's modulus, experimental technique for measurement, 205P

Journal of Polymer Science

Polymer Physics Edition

Volume 20, 1982

Board of Editors: **H. MARK • C. G. OVERBERGER**

Advisory Editors: **J. J. HERMANS • H. W. MELVILLE • G. SMETS**

Associate Editors: **E. F. CASASSA • H. MARKOVITZ**

Advisory Board:

G. ALLEN, *London*
W. O. BAKER, *Murray Hill, NJ*
H. BENOIT, *Strasbourg*
F. A. BOVEY, *Murray Hill, NJ*
P. G. DE GENNES, *Orsay*
A. EISENBERG, *Montreal*
J. D. FERRY, *Madison, WI*
E. W. FISCHER, *Mainz*
P. J. FLORY, *Stanford, CA*
H. L. FRISCH, *Albany, NY*
H. FUJITA, *Toyonaka*
G. GEE, *Manchester*
A. N. GENT, *Akron, OH*
W. E. GIBBS, *Leominster, MA*
W. W. GRAESSLEY, *Evanston, IL*
S. GRATCH, *Birmingham, MI*
C. A. J. HOEVE, *College Station, TX*
J. D. HOFFMAN, *Washington, DC*
H. D. KEITH, *Murray Hill, NJ*
A. KELLER, *Bristol*
A. J. KOVACS, *Strasbourg*
G. KRAUS, *Bartlesville, OK*
W. R. KRIGBAUM, *Durham, NC*
S. KRIMM, *Ann Arbor, MI*
M. KURATA, *Kyoto*
R. F. LANDEL, *Altadena, CA*
P. H. LINDENMEYER, *Seattle, WA*
L. MANDELKERN, *Tallahassee, FL*
J. E. MARK, *Cincinnati, OH*
B. MAXWELL, *Princeton, NJ*
L. E. NIELSEN, *Redmond, OR*
A. PETERLIN, *Durham, NC*
R. S. PORTER, *Amherst, MA*
G. V. SCHULZ, *Mainz*
A. R. SHULTZ, *Schenectady, NY*
A. SILBERBERG, *Rehovot*
R. SIMHA, *Cleveland, OH*
W. P. SLICHTER, *Murray Hill, NJ*
T. L. SMITH, *San Jose, CA*
R. S. STEIN, *Amherst, MA*
W. H. STOCKMAYER, *Hanover, NH*
M. TAKAYANAGI, *Fukuoka*
P. WEISS, *Rochester, MI*
B. WUNDERLICH, *Troy, NY*

an Interscience® Publication
published by JOHN WILEY & SONS

The *Journal of Polymer Science* is published as follows: *Polymer Chemistry Edition*, monthly; *Polymer Physics Edition*, monthly; *Polymer Letters Edition*, monthly; *Polymer Symposia*, irregularly.

Published monthly (one volume per year) by John Wiley & Sons, Inc. Copyright © 1982 by John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158. All rights reserved. Reproduction or translation of any part of this work beyond that permitted by Sections 107 or 108 of the United States Copyright Law without the permission of the copyright owner is unlawful: Second-class postage paid at New York, New York and at additional mailing offices.

The code and the copyright notice appearing at the bottom of the first page of an article in this journal indicate the copyright owner's consent that copies of the article may be made for personal or internal use, or for the personal or internal use of specific clients, on the condition that the copier pay for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The per-copy fee for each article appears after the dollar sign and is to be paid through the Copyright Clearance Center, Inc., 21 Congress St., Salem, MA 01970. (The fee for articles published prior to 1978 is $1.00 per article.) This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes, for creating new collective works, or for resale. Such permission requests and other permission inquiries should be addressed to the publisher.

Subscription price (1983): $750.00 per volume. Postage and handling outside U.S.A.: $80.00 by surface; $456.00 by air. Please allow 4 weeks for change of address. Back volumes, microfilm, and microfiche are available for previous years. Request price list from publisher.

The contents of this journal are indexed by the following: *Applied Mechanics Reviews*, *Chemical Abstracts*, *Current Contents/Physical, Chemical and Earth Sciences*, *Science Citation Index*, *Engineering Index*, *RAPRA Abstracts*, and *Chemical Titles*.

Postmaster: Send address changes to Subscription Department, John Wiley & Sons, Inc., 605 Third Avenue, New York, New York 10158.

Claims for undelivered copies must be made no later than three months following month of publication. Missing copies will be supplied when losses have been sustained in transit and where reserve stock will permit.

Journal of Polymer Science: Polymer Physics Edition

Contents, Volume 20, 1982

Issue 1, January 1982

Effect of Disorder in the Twist Angle on Light Scattering by a Three-Dimensional Spherulite
M. Matsuo and K. Ihara 1

Gas Sorption and Transport in a Copolyester and Its Blend with Polycarbonate
P. Masi, D. R. Paul, and J. W. Barlow 15

Orientation and Morphology of High-Density Polyethylene Film Produced by the Tubular Blowing Method and its Relationship to Process Conditions
K.-J. Choi, J. E. Spruiell, and J. L. White 27

Effect of Glass Filler Size on the Tensile Properties and Tear Strength of Polybutadiene
Y. Eckstein and P. Dreyfuss 49

The Effect of Aging on the Thermal Behavior of Sulfonated Polystyrene
R. A. Weiss 65

The Nature of the Nonlinear Anelasticity of Glassy Polymers
R. H. Boyd, M. E. Robertsson, and J. F. Jansson 73

Behavior of Concentrated Polystyrene Solutions in Large-Amplitude Oscillating Shear Fields
D. S. Pearson and W. E. Rochefort 83

Concentrated Solution Viscosities of Polymeric Associates
D. J. Worsfold 99

Phase Separation in Perfluorosulfonate Ionomer Membranes
E. J. Roche, M. Pineri, and R. Duplessix 107

Poly(*P*-Phenylene Sulfide) Hexafluoroarsenate: A Novel Conducting Polymer
T. C. Clarke, K. K. Kanazawa, V. Y. Lee, J. F. Rabolt, J. R. Reynolds, and G. B. Street 117

Use of Quantum Chemistry Relations in Cationic Polymerization: A Critical Examination
C. Bunel and E. Marechal 131

Effects of Thermal History, Crystallinity, and Solvent on the Transitions and Relaxations in Poly(bisphenol-A Carbonate)
K. Varadarajan and R. F. Boyer 141

Information for Contributors 155

Issue 2, February 1982

Static and Dynamic Scattering Behavior of Regularly Branched Chains: A Model of Soft-Sphere Microgels
W. Burchard, K. Kajiwara, and D. Nerger 157

The Influence of Draw-Induced Structural Changes on the Activity of a Semicrystalline Polymer-Supported Catalyst
C. A. Cooper, B. C. Gates, R. L. McCullough, and J. C. Seferis 173

Miscibility of Polycaprolactone/Chlorinated Polyethylene Blends
G. Bélorgey and R. E. Prud'homme 191

Dynamic Bulk and Shear Relaxation in Glassy Polymers. I. Experimental Techniques and Results on PMMA
A. F. Yee and M. T. Takemori 205

Comparison between Neutron and Quasielastic Light Scattering by Polyacrylamide Gels
E. Geissler, A. M. Hecht, and R. Duplessix 225

Influence of the Conformation of Polyethylene on Wide-Angle Neutron Scattering Patterns
M. Stamm 235

Wide-Angle Neutron Scattering Studies of Mixed Crystals of Polyethylene and Deuteropolyethylene
G. D. Wignall, L. Mandelkern, C. Edwards, and M. Glotin 245

Melt Rheology of Ion-Containing Polymers. I. Effect of Ionic Content in a Model Polyesterionomer
R. W. Connelly, R. C. McConkey, J. M. Noonan, and G. H. Pearson 259

Mechanical and Transport Properties of Drawn Crosslinked Low-Density Polyethylene
F. DeCandia, R. Russo, V. Vittoria, and A. Peterlin 269

Improved Calorimetric Procedure for Monitoring the Approach to Thermodynamic Equilibrium in Glassy Polymers
R. R. Lagasse 279

Studies of Tensile Failure in Oriented Polymeric Fibers by Quantitative Fractography
G. E. R. Lamb 297

Fractionation in Mixtures of Polyethylene Oxide Fractions During Crystallization
R. E. Prud'homme 307

Elastic Modulus of Crystalline Regions of Poly(butylene Terephthalate) in the Direction Parallel to the Chain Axis
K. Nakamae, M. Kameyama, M. Yoshikawa, and T. Matsumoto 319

Investigation of Local Order in Unreacted DGEBA Epoxy Resin Monomers by Light Scattering
G. C. Stevens, J. V. Champion, and P. Liddell 327

Solution Crystallization of Nylon 12
M. Kyotani 345

NOTE

Dye-Laser Calorimetry of Polymer Glasses
B. Crist and M. E. Marhic 357

Information for Contributors 361

Issue 3, March 1982

Reduced-Variable Mechanical Characterization of Styrene-Butadiene Rubber with Varying Crosslink Density, Temperature, and Finite Strain States
R. J. Arenz and R. F. Landel 363

Characterizing the Kinetics of Volume Recovery in Glasses by Instantaneous Temperature-Jump Experiments
R. R. Lagasse, R. E. Cohen, and A. Letton 375

Glass Transition Temperatures of ABA Poly(styrene-*b*-isoprene) Block Copolymers by Differential Scanning Calorimetry
G. C. Meyer and J. M. Widmaier 389

The Energetics of the Epitaxial Deposition of Polyethylene onto the Basal Plane (0001) of Graphite
P. R. Baukema and A. J. Hopfinger 399

Transient Decay Studies of Photophysical Processes in Aromatic Polymers. V. Temperature Dependence of Excimer Formation and Dissociation in Copolymers of 1-Vinylnaphthalene and Methyl Methacrylate.
D. Phillips, A. J. Roberts, and I. Soutar 411

Oscillatory Shear Flow of Polymeric Systems
A. I. Isayev and C. A. Hieber 423

Determination of Branching Distributions in Polyethylene and Ethylene Copolymers
L. Wild, T. R. Ryle, D. C. Knobeloch and I. R. Peat 441

Structure-Property Behavior of Films Containing Disk Spherulites: A Model Study
Y. Mohajer and G. L. Wilkes 457

Model Networks of End-Linked Polydimethylsiloxane Chains. XIV. Stress-Strain, Thermoelastic, and Birefringence Measurements on the Bimodal Networks at Very Low Temperatures
Z.-M. Zhang and J. E. Mark 473

Water Mobility in a Water-Soaked Nafion Membrane: A High-Resolution Neutron Quasielastic Study
F. Volino, M. Pineri, A. J. Dianoux, and A. De Geyer 481

Kinetics of Microstructure Rearrangement During Annealing of Cold-Drawn Isotactic Polypropylene
S. Babajko and J. M. Schultz 497

Spectroscopic Study of Rigid-Rod Polymers. II. Protonation Effect
D. Y. Shen, G. M. Venkatesh, D. J. Burchell, P. H. C. Shu, and S. L. Hsu 509

The Kinetics of Defect Clustering in Fibrillar Polypropylene Crystals
J. Petermann, R. M. Gohil, J. M. Schultz, R. W. Hendricks, and J. S. Lin 523

The Crystal Structure of the Alternating Copolymer of Hexafluoroisobutylene and Vinylidene Fluoride
S. Weinhold, M. H. Litt, and J. B. Lando 535

NOTES

IR Studies of the Deuteration of Polyacrylamide
W.-M. Kulicke and H. W. Siesler 553

Increased Water Sorption of Poly(methyl Methacrylate) after Removal of Methanol
E. E. LaBarre and D. T. Turner 560

Issue 4, April 1982

A Neutron Scattering Analysis: How Does the Conformation in Polyethylene Crystals Reflect that in the Melt?
D. M. Sadler and R. Harris 561

High-Resolution Dark-Field Imaging in Epoxy and Polyimide Systems
A. Oberlin, J. Ayache, M. Oberlin, and M. Guigon 579

Small-Angle Neutron Scattering from Two-Phase Polymeric Systems
J. T. Koberstein 593

Mössbauer Spectroscopy of Nafion Polymer Membranes Exchanged with Fe^{2+}, Fe^{3+}, and Eu^{3+}
B. Rodmacq, M. Pineri, J. M. D. Coey, and A. Meagher 603

Stress Relaxation of a Polymer Solution in Double-Step Shear Deformations: A Separate Evaluation of the Stress Components due to Entangled Segments of Different Orientations
K. Osaki and M. Kurata 623

Thermal Expansion of Ultradrawn Polystyrene
L.-H. Wang, C. L. Choy, and R. S. Porter 633

An Analysis of the β Transition of Linear and Branched Polyethylenes by Carbon-13 NMR
J. J. Dechter, D. E. Axelson, A. Dekmezian, M. Glotin, and L. Mandelkern 641

The Use of Chemical Contrast in the SEM Analysis of Polymer Blends
S. Y. Hobbs and V. H. Watkins 651

A Laser Light-Scattering Study of the Structure of Agarose Gels
P. Y. Key and D. B. Sellen 659

Spin-Lattice Relaxation in the Rotating Frame in Solutions of Poly(2,6-dimethyl-1,4-phenylene Oxide)
A. A. Jones and F. P. Shea 681

Mechanical Relaxation Mechanism of Epoxide Resins Cured with Aliphatic Diamines
M. Ochi, M. Okazaki, and M. Shimbo 689

The Structure of an Aminosilane Coupling Agent in Aqueous Solutions and Partially Cured Solids
H. Ishida, S. Naviroj, S. K. Tripathy, J. J. Fitzgerald, and J. L. Koenig 701

Phase Transition in Mesophase Macromolecules. III. The Transitions in Poly(ethylene Terephthalate-co-p-oxybenzoate)
W. Meesiri, J. Menczel, U. Gaur, and B. Wunderlich 719

The Temperature Dependence of the Viscoelastic Softening and Terminal Dispersions of Linear Amorphous Polymers
D. J. Plazek 729

The Characteristic Ratios of Stereoirregular Polybutadiene and Polyisoprene
N. Hadjichristidis, X. Zhongde, L. J. Fetters, and J. Roovers 743

The Heat of Fusion of Polytetrafluoroethylene
H. W. Starkweather, Jr., P. Zoller, G. A. Jones, and A. J. Vega 751

Studies of Magnetic Resonance Phenomena in Polymers. I. The Effects of Free Volume and Segmental Mobility on the Motion of Nitroxide Spin Probes and Labels in Poly(methyl Methacrylate)
F.-D. Tsay, S. D. Hong, J. Moacanin, and A. Gupta 763

NOTES

Styrene-Acrylonitrile Random Copolymer in Ethyl Acetate
P. V. Mangalam and V. Kalpagam 773

A New Technique for Measuring Poisson's Ratio
R. F. Fedors and S. D. Hong 777

Issue 5, May 1982

An Expression for Local Composition in Polymer-Solution Thermodynamics
A. A. Canovas, R. G. Rubio, and J. A. R. Renuncio 783

Vapor-Liquid Equilibria for Polybutadiene and Polyisoprene Solutions
S. Saeki, J. C. Holste, and D. C. Bonner 793

Vapor-Liquid Equilibria for Polyisobutylene Solutions
S. Saeki, J. C. Holste, and D. C. Bonner 805

Studies on Mechanical and Swelling Behavior of Polymer Networks on the Basis of the Scaling Concept. 3. The Osmotic Compressibility of Gels
M. Zrinyi and F. Horkay 815

Fluorescence Probes for Polymerization Reactions: Bulk Polymerization of Styrene, *n*-Butyl Methacrylate, Ethyl Methacrylate, and Ethyl Acrylate
R. O. Loutfy 825

Molecular Aggregation of Solid Aromatic Polymers. II. Mechanical Properties of Aromatic Polyimide Film
S. Isoda, M. Kochi, and H. Kambe 837

Electrical Conduction in Composites of a TCNQ Anion-Radical Salt in a Polymer Matrix
Y. Kishimoto and W. Shimotsuma 845

Concentration Effects on Partitioning of Dextrans and Serum Albumin in Porous Glass
J. H. Brannon and J. L. Anderson 857

Statistical Mechanics of Aliphatic Chain Layers, Influence of Chain-Length Mixing
B. Lemaire and P. Bothorel 867

Nematic and Cholesteric Thermotropic Polyesters with Azoxybenzene Mesogenic Units and Flexible Spacers in the Main Chain
A. Blumstein, S. Vilasagar, S. Ponrathnam, S. B. Clough, R. B. Blumstein, and G. Maret 877

Phase Relationships in a Ternary Solution Composed of a Solvent and Two Monodisperse Homologous Polymers
H. Fujita and A. Teramoto 893

Effect of Molecular Entanglements on Craze Microstructure in Glassy Polymers
A. M. Donald and E. J. Kramer 899

Moderately Concentrated Solutions of Polystyrene. I. Viscosity as a Function of Concentration, Temperature, and Molecular Weight
B. L. Hager and G. C. Berry 911

NOTE

On the Mechanism of Fibril Growth in Polycarbonate and Poly(methyl Methacrylate) Crazes
E. Paredes and E. W. Fischer 929

Information for Contributors 931

Issue 6, June 1982

Simulation of Reversible Polycondensations with Monomer Having Reactivity Different from that of Higher Homologs
S. K. Gupta, N. L. Agarwalla, P. Rajora, and A. Kumar 933

The Origin of Polymer Migration in a Nonhomogeneous Flow Field
G. Sekhon, R. C. Armstrong, and M. S. Jhon 947

Fluorescence Depolarization in Polymers: The Microviscosity of Bulk Polybutadiene and of Solutions in Cyclohexane
D. Barkowski, W. Mersch, and Th. Dorfmüller 953

Defects in Polydiacetylene Single Crystals. II. Dislocations in pTS
R. J. Young and J. Petermann 961

Magnetic Effects and Viscosity in the Nematic Phase of a Polymer Series
F. Hardouin, M. F. Achard, H. Gasparoux, L. Liebert, and L. Strzelecki 975

Birefringence of Highly Oriented Fibers
H. H. Yang, M. P. Chouinard, and W. J. Lingg 981

A Study of the PE-PTFE System. I. IR and NMR Measurements
S. Nagarajan and Z. H. Stachurski 989

A Study of the PE-PTFE System. II. ESCA Measurements
S. Nagarajan, Z. H. Stachurski, M. E. Hughes, and F. P. Larkins 1001

Three-Dimensional Crystalline Order in an Atactic Comblike Polymer
D. Lupinacci and W. T. Winter 1013

Investigation of Molecular Order in Liquid-Crystalline Solutions of Cellulose Triacetate using PMR Spectroscopy
D. L. Patel and R. D. Gilbert 1019

One-Dimensional Order/Disorder in a Polydiacetylene
G. N. Patel and Y. P. Khanna 1029

Effect of Chain-End Free Volume on the Diffusion of Oligomers
E. Von Meerwall, J. Grigsby, D. Tomich, and R. Van Antwerp 1037

Broad-Line NMR Studies of Molecular Motion in Cured Epoxy Resins
L. Banks and B. Ellis 1055

FTIR Studies of Calcium and Sodium Ionomers Derived from an Ethylene-Methacrylic Acid Copolymer
P. C. Painter, B. A. Brozoski, and M. M. Coleman 1069

Single Crystals of Cellulose IV_{II} Influence of the Cellulose Molecular Weight
A. Buleon, H. Chanzy, and P. Froment 1081

Issue 7, July 1982

NMR Studies of Molecular Mobility in Uniaxially Stretched Oriented Polymers
E. A. Egorov and V. V. Zhizhenkov 1089

Structural Studies of Ultrahigh-Modulus Polyethylene Using Nitric Acid Etching and Gel Permeation of Chromatography. II. Influence of Polymer Molecular Weight, Draw Temperature, and Annealing.
G. Capaccio and I. M. Ward 1107

The Entanglement Network and Craze Micromechanics in Glassy Polymers
A. M. Donald, E. J. Kramer, and R. A. Bubeck 1129

Solution Behavior of Metal Sulfonate Ionomers. II. Effects of Solvents
R. D. Lundberg and R. R. Phillips 1143

Mixed-Crystal Infrared Studies of Chain Folding in Polyethylene Single Crystals: Effect of Crystallization Temperature
X. Jing and S. Krimm 1155

Shrinkage and Retractive Forces During the Annealing of Drawn Low-Density Polyethylene
F. Decandia, R. Russo, V. Vittoria, and A. Peterlin 1175

Theoretical Birefringence of Ultraoriented Polyethylene from Model Structure Calculations
M. Pietralla, H.-P. Grossmann, and J. K. Krüger 1193

Hydrodynamically Induced Formation of Cellulose Fibers. III. Coagulation of Droplets of Cellulose Solution in Extensional Flow
B. Kalb, R. G. Cox, and R. St. John Manley 1207

Effect of Substituents in the Styrene Ring on the Dynamic Mechanical Relaxations of a Styrene-Crosslinked Unsaturated Polyester Resin
W. Douglas and G. Pritchard 1223

Polyelectrolyte Solutions: Counterion Condensation and Intermolecular Interactions
W. B. Russel 1233

Calculation of the Nonlinear Stress of Polymers in Oscillatory Shear Fields
E. Helfand and D. S. Pearson 1249

Compatibility of Poly(ethylene Oxide)–Poly(vinyl Acetate) Blends
N. K. Kalfoglou 1259

Additive Moduli for Crosslinked Epoxies
B. Hartmann and G. Lee 1269

Dynamic Birefringence Studies of High Density Polyethylene
R. J. Cembrola, T. Kyu, S. Suehiro, H. Kawai, and R. S. Stein 1279

Distribution Spatiale des Dommages produits par les Ions $^{84}_{36}Kr$ (1 MeV/amu) et $^{35}_{17}Cl$ (1 MeV/amu) dans le Triacétate de Cellulose
J. P. Moliton, C. Boutinaud, J. L. Decossas, J. C. Vareille, J. L. Teyssier, and B. Delaunay 1289

Étude Cinétique des Effets de Fluence Énergétique, de Débit de Fluence, et d'Effacement Induits par des Ions Lourds et des Photons γ dans le Triacétate de Cellulose
J. P. Moliton, C. Boutinaud, J. C. Vareille, J. L. Decossas, J. L. Teyssier, and B. Delaunay 1313

Observations par Microscopie Électronique de Traces d'Ions Lourds dans le Triacétate de Cellulose
J. C. Vaseille, J. L. Decossas, J. P. Moliton, J. L. Teyssier, and B. Delaunay 1327

Issue 8, August 1982

Liquid-Crystalline Textures in Binary and Ternary Block Copolymer-Solvent Systems
J. C. Wittmann, B. Lotz, F. Candau, and A. J. Kovacs 1341

Thermodynamic Properties of a Polyelectrolyte Solution Containing a Mixture of Counterions of the Same Charge
J. Škerjanc and D. Dolar 1355

Absolute Integrated SAXS Measurements During the Crystallization of Linear Polyethylene
J. S. Lin, R. W. Hendricks, J. M. Schultz, and M. J. McCready 1365

Effects of High-Pressure CO_2 on the Glass Transition Temperature and Mechanical Properties of Polystyrene
W.-C. V. Wang, E. J. Kramer, and W. H. Sachse 1371

Pressure-Volume-Temperature Properties of Blends of Poly(2,6-dimethyl-1,4-phenylene Ether) with Polystyrene
P. Zoller and H. H. Hoehn 1385

Theoretical Equation of State of Polymer Blends: The Poly(2,6-dimethyl-1,4-phenylene Ether)–Polystyrene Pair
R. K. Jain, R. Simha, and P. Zoller 1399

Infinite-Dilution Oscillatory Flow Birefringence Properties of Polystyrene and Poly(α-Methylstyrene) Solutions
T. D. Lodge, J. W. Miller, and J. L. Schrag 1409

Crystalline Order in Polyethylene: A ^{13}C NMR CP/MAS Solid-State T_1 Study
D. E. Axelson 1427

Stress Response and Energy Dissipation in a Linear Viscoelastic Material Under Periodic Triangular Strain Loading
T. Q. Yang and Y. Chen 1437

Effects of Data Analysis on Accuracy and Precision of GPC Results
W. J. Tchir, A. Rudin, and C. A. Fyfe 1443

A Study of the Pressure-Volume-Temperature Relationships of Four Related Amorphous Polymers: Polycarbonate, Polyarylate, Phenoxy, and Polysulfone
P. Zoller 1453

Supermolecular Structure of Poly(ethylene Oxide) Fractions
R. C. Allen and L. Mandelkern 1465

The Effect of Anhydrous Ammonia on the Crystalline-State Deformation of Nylons 6 and 6,6
T. Kanamoto, A. E. Zachariades, and R. S. Porter 1485

Light-Scattering Studies on Polystyrenes in Isorefractive Poly(methyl Methacrylate)–Toluene "Solvents"
C.-Y. Lin and S. L. Rosen 1497

Microphase Separation in Sulfonated Polystyrene Ionomers
D. G. Peiffer, R. A. Weiss, and R. D. Lundberg 1503

Information for Contributors 1511

Issue 9, September 1982

Dynamical Behavior of Xanthan Polysaccharide in Solution
A. M. Jamieson, J. G. Southwick, and J. Blackwell 1513

Optical and Calorimetric Analysis of Stress-Induced Crystallization in Natural Rubber Networks
F. De Candia, G. Romano, R. Russo, and V. Vittoria 1525

Some Evidence Against the Existence of the Liquid-Liquid Transition. I. Transitions or Dispersions: A Quantitative Explanation of One Torsional Braid Log Decrement Peak
D. J. Plazek 1533

Some Evidence Against the Existence of the Liquid-Liquid Transition. II. Properties of and Measurements with a Torsional Analyzer
D. J. Plazek and G.-F. Gu 1551

Some Evidence Against the Existence of the Liquid-Liquid Transition. III. The Evaluation of the T_{ll} Event by Differential Scanning Calorimetry
J. Chen, C. Kow, L. J. Fetters, and D. J. Plazek 1565

Some Evidence Against the Existence of the Liquid-Liquid Transition. IV. The Temperature Dependence of Shear Viscosity
S. J. Orbon and D. J. Plazek 1575

Properties of Aqueous Salts Solutions of Poly(ethylene Oxide)
M. Ataman and E. A. Boucher 1585

Small-Angle X-Ray and Neutron Scattering Studies of Amorphous Polymer Blends
T. P. Russell and R. S. Stein 1593

Fractography of Glassy Networks Formed from Ethylene Glycol Dimethacrylate
M. Atsuta and D. T. Turner 1609

Affinity of a Hindered Phenol Antioxidant for Reagents in Hydrocarbon Media: A Low-Temperature Dielectric Relaxation Study
J. le G. Gilchrist 1617

NMR Spectroscopic, Osmometric, and Viscometric Study of Association of Syndiotactic Poly(methyl Methacrylate) in Dilute Solutions
J. Spěváček, B. Schneider, M. Bohdanecký, and A. Sikora 1623

Diffusion-Controlled Growth of Lamellar Crystals in an Isotactic Polystyrene–Polyphenylene Oxide Blend
U. Hachmann and J. Petermann 1633

Assignment of an Anomalous Peak in the Brillouin Spectrum of Oriented Polymer Films
D. B. Cavanaugh and C. H. Wang 1641

Studies of the Effect of Orientation on the Elastic Constants of Stretched and Hydrostatically Extruded Polychlorotriflouroethylene: A Reorientational Model in Semicrystalline Polymers
D. B. Cavanaugh and C. H. Wang 1647

Entanglements and Elasticity in Polybutadiene Networks
D. R. Brown, G. C. Munie, and J. Jonas 1659

Crystallization of *Trans*-1,4-Polyisoprene
K. Anandakumaran, C. C. Kuo, S. Mukherji, and A. E. Woodward 1669

The Measurement of Crystalline Size in Ultrahigh-Modulus Polyethylene
C. J. Frye, I. M. Ward, M. G. Dobb, and D. J. Johnson 1677

The Effect of Interlamellar Forces on the Longitudinal Acoustic Mode of Polyethylene Crystals
J. Runt, B. D. Hanrahan, and I. R. Harrison 1687

Polymerization and Reptation, an Analytical Treatment
H. M. J. Boots 1695

Bimodal Molecular Weight Distributions of a Branched Condensation Polymer
P. L. Dubin and M. Kronstadt 1709

A New Look at the Crystallization of Polyethylene. II. Crystallization from the Melt at Low Supercoolings
R. A. Chivers, P. J. Barham, J. Martinez-Salazar, and A. Keller 1717

A New Look at the Crystallization of Polyethylene. III. Crystallization from the Melt at High Supercoolings
P. J. Barham, D. A. Jarvis, and A. Keller 1733

NOTE

Fluorescence Studies of Polymer Blends: Effect of Host Matrix on Copolymers of 1-Naphthyl Alkyl Methacrylates and 9-Anthryl Methyl Methacrylate
J. W. Thomas, Jr., C. W. Frank, D. A. Holden, and J. E. Guillet 1749

ERRATUM

A Neutron Scattering Analysis: How Does the Conformation in Polyethylene Crystals Reflect that in the Melt?
D. M. Sadler and R. Harris 1755

Information for Contributors 1757

Issue 10, October 1982

Transient Decay Studies of Photophysical Processes in Aromatic Polymers. VI. Intramolecular Excimer Formation and Dissociation in Polystyrene and Styrene–Methyl Methacrylate Copolymers
I. Soutar, D. Phillips, A. J. Roberts, and G. Rumbles 1759

Self-Diffusion and Sedimentation of Dextran in Concentrated Solutions
W. Brown, P. Stilbs, and R. M. Johnsen 1771

Highly Conductive *Meta* Derivatives of Poly(phenylene Sulfide)
R. L. Elsenbaumer and L. W. Shacklette 1781

Refinement of Linear Polymer Crystal Structures Determined from Electron Diffraction Data
B. Moss and D. L. Dorset 1789

Thermoelastic and Dielectric Studies of Poly(3,3-dimethyl Oxetane) Chains
L. Garrido, E. Riande, and J. Guzmán 1805

Nonlinear Rheological Behavior of Polymer Systems for Several Shear-Flow Histories
E. V. Menezes and W. W. Graessley 1817

Rheology of a Thermotropic Polyester in the Nematic and Isotropic States
K. F. Wissbrun and A. C. Griffin 1835

Polymerization of *N*-Carboxy–Amino Acid Anhydrides in the Solid State. II. Relation between Polymerizability and Molecular Arrangement in L-Leucine NCA and L-Alanine NCA Crystals
H. Kanazawa, Y. Ohashi, Y. Sasada, and T. Kawai 1847

Singlet Energy Migration and Excimer Formation in Polymers of 2-*tert*-Butyl-6-vinylnaphthalene
T. Nakahira, T. Sakuma, S. Iwabuchi, and K. Kojima 1863

Bisphenol-A-Polycarbonate–Poly(butylene Terephthalate) Transesterification. I. Theoretical Study of the Structure and of the Degree of Randomness in Four-Component Copolycondensates
J. Devaux, P. Godard, and J. P. Mercier 1875

Bisphenol-A-Polycarbonate–Poly(butylene Terephthalate) Transesterification. II. Structure Analysis of the Reaction Products by IR and ^{1}H and ^{13}C NMR
J. Devaux, P. Godard, J. P. Mercier, R. Touillaux, and J. M. Dereppe 1881

Bisphenol-A-Polycarbonate–Poly(butylene Terephthalate) Transesterification. III. Study of Model Reactions
J. Devaux, P. Godard, and J. P. Mercier 1895

Bisphenol-A-Polycarbonate–Poly(butylene Terephthalate) Transesterification. IV. Kinetics and Mechanism of the Exchange Reaction
J. Devaux, P. Godard, and J. P. Mercier 1901

Phase Behavior of the Quasiternary System *N*-Methylmorpholine-*N*-Oxide, Water, and Cellulose
H. Chanzy, S. Nawrot, A. Peguy, P. Smith, and J. Chevalier 1909

Crack Velocity Dependence of Electron Emission During Fracture of Filled Elastomers
J. T. Dickinson and L. C. Jensen 1925

The Dependence of the Glass Transition Temperature of Poly(*N*-vinylcarbazole) upon Steric Microstructure and Molecular Weight
D. R. Terrell, F. Evers, H. Smoorenburg, and H. M. van den Bogaert 1933

Multiphase Equilibria in Solutions of Polydisperse Homopolymers. I. Three-Phase Equilibria in Ternary and Quasiternary Systems
K. Šolc 1947

Dynamics of Rodlike Polymers in Semidilute Solutions: Short-Time Scale Motion
M. Doi 1963

Information for Contributors 1977

Issue 11, November 1982

The β Relaxation Behavior of Bisphenol-Type Resins
T. Takahama and P. H. Geil 1979

Aging of Piezoelectricity in Poly(vinylidene Fluoride)
A. G. Kolbeck 1987

Epitaxial Morphologies of Polyoxymethylene. I. Electron Microscopy
C. M. Balik, S. K. Tripathy, and A. J. Hopfinger 2003

Epitaxial Morphologies of Polyoxymethylene. II. Deposition Energetics on Alkali Halide (001) Surfaces
C. M. Balik, S. K. Tripathy, and A. J. Hopfinger 2017

An Unusual Fatigue Crack-Tip Plastic Zone: The Epsilon Plastic Zone of Polycarbonate
M. T. Takemori and D. S. Matsumoto 2027

A Two-Dimensional Position-Sensitive Detector for Small-Angle Light Scattering
R. J. Tabar, R. S. Stein, and M. B. Long 2041

Threshold Tear Strength of Elastomers
A. N. Gent and R. H. Tobias 2051

Chemically Bound Sensitizers: Dye Sensitization of Poly(*N*-vinylcarbazole) via Sulfonation and Ion Exchange
J. M. Pochan and H. W. Gibson 2059

Crack Propagation in Poly(2,6-dimethyl-1,4-phenylene Oxide), Polystyrene, and Their Blends
R. P. Kambour and S. A. Smith 2069

The Nonlinear Viscoelastic Behavior of a Carbon-Black-Filled Elastomer
J. L. Sullivan and V. C. Demery 2083

Tensile Strength of Filled Polymers
T. S. Chow 2103

Low-Frequency and High-Frequency Relaxations in Dynamic Electric Birefringence of Poly(γ-benzyl-L-glutamate) in *m*-Cresol
Y. Mori, N. Ookubo, R. Hayakawa, and Y. Wada 2111

Stress Relaxation in Styrene-Butadiene-Styrene Block Copolymers Containing Unattached Linear Polybutadiene and Styrene-Butadiene Diblocks
G. W. Kamykowski, J. D. Ferry, and L. J. Fetters 2125

Spectroscopic Characterization of the Matrix–Silane Coupling Agent Interface in Fiber-Reinforced Composites
C.-H. Chiang and J. L. Koenig 2135

Study of Molecular Motion in Polysilastyrene by Pulsed ^1H Nuclear Magnetic Resonance
B. R. McGarvey and S. Schlick 2145

NOTES

Etched Surface Morphology of Crystalline Polymers
M. Kojima and H. Satake 2153

The Density of Amorphous Polytetrafluoroethylene
H. W. Starkweather, Jr. 2159

Effect of Molecular Weight and Chain Branching on the Refractive Index Increment of Polystyrene and Polyisoprene Solutions
N. Hadjichristidis and L. J. Fetters 2163

Issue 12, December 1982

End Effects for a Rodlike Polyelectrolyte Molecule in Salt Solution
T. Katoh and T. Ohtsuki 2167

Morphology of $CaCO_3$-Filled Polyethylenes
V. P. Chacko, F. E. Karasz, R. J. Farris, and E. L. Thomas 2177

Effects of Carbon Filler on Sorption and Diffusion of Gases through Rubbery Materials
A. Tanioka, A. Oobayashi, Y. Kageyama, K. Miyasaka, and K. Ishikawa 2197

Molecular Design on Multicomponent Polymer Systems. III. Comparative Behavior of Pure and Tapered Black Copolymers in Emulsification of Blends of Low-Density Polyethylene and Polystyrene
R. Fayt, R. Jérôme, and Ph. Teyssié 2209

Light-Scattering Studies of Phase-Demixing of Polystyrene/Poly(*o*-Chlorostyrene) Blends
J. Gilmer, N. Goldstein, and R. S. Stein 2219

Tensile Strength of Highly Oriented Polyethylene. II. Effect of Molecular Weight Distribution
P. Smith, P. J. Lemstra, and J. P. L. Pijpers 2229

Melting Studies of Poly(vinylidene Fluoride) and Its Blends with Poly(methyl Methacrylate)
B. S. Morra and R. S. Stein 2243

Morphological Studies of Poly(vinylidene Fluoride) and Its Blends with Poly(methyl Methacrylate)
B. S. Morra and R. S. Stein 2261

Spectroscopic Characterization of the Rotational Conformations in the Disordered Phase of Poly(ethylene Terephthalate)
S.-B. Lin and J. L. Koenig 2277

Crystallization Kinetics of Syndiotactic Polypropylene
R. L. Miller and E. G. Seeley 2297

Quantitative Analysis of Polymers by Attenuated Total Reflectance Fourier-Transform Infrared Spectroscopy: Vinyl Acetate and Methyl Content of Polyethylenes
F. M. Mirabella, Jr. 2309

Diffusion and Equilibrium Swelling of Macromolecular Networks by their Linear Homologs
A. N. Gent and R. H. Tobias 2317

Accordian-Type Laser-Raman Scattering by Polymers
A. Peterlin 2329

Author Index 2357

Subject Index 2381

Information For Contributors 2393

Volume Contents iii